

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



63.1

England

1917


POINTMENT



TO HIS MAJESTY THE KING.

MAR 27 1917

**HARDY HERBACEOUS PERENNIALS  
ALPINE AND ROCK PLANTS  
HARDY FLORISTS' FLOWERS  
BOG AND WATER PLANTS**



**PRIMULA KNUTHIANA.** See Page 46

**Visitors** will be cordially welcomed at all our Nurseries on all week days except Bank Holidays (see map opposite).

**The various Branches are as follows :**

**Royal Exotic Nursery,  
544, King's Road,  
Chelsea, London.**

Telephone: 1642, Western  
Telegrams: Veitch, Chelsea

Stove and Greenhouse Plants, Orchids,  
Palms, Ferns, Bay Trees in tubs, etc.

All requirements for London Houses  
and Gardens.

**Coombe Wood,  
Kingston Hill.**

Station—NORBITON  
(L. & S. W. R., Kingston Line)  
Cabs at the Station  
Motor Bus (Service 85)

Hardy Ornamental Trees and Shrubs,  
Avenue Trees, Yews,  
American Plants, Climbers,  
Rhododendrons, Conifers, Bamboos,  
Hardy Water Lilies and  
Aquatic Plants, etc.  
Roses in Pots.

**Langley, near Slough.**

Station—SLOUGH (G.W.R.)  
(1 mile to Langley  
New Town Entrance)  
Cabs at the Station

All descriptions of Apple, Pear and  
Cherry Trees, Currants and  
Gooseberries, Strawberries,

**Hardy Herbaceous Perennials,  
and Alpine Plants,**

Roses in the Open Ground.

**Feltham, Middlesex.**

Station—FELTHAM (L. & S. W. R.,  
Windsor and Reading Line)  
10 minutes' Walk


Trained Peaches, Nectarines, Apricots,  
Plums, Cherries, etc., in all shapes and  
varieties, Raspberries, Asparagus,  
Sea Kale, Rhubarb, etc.

**SPECIALITY.—Grape Vines &  
Fig Trees in pots, also a magnifi-  
cent stock of Fruit Trees in pots  
for the Orchard House.**


Begonias, Cannas, Carnations, Camellias,  
Chrysanthemums, Dahlias, Gloxinias,  
Fuchsias, etc.

Letters and remittances should be addressed to the Head Office  
at Chelsea.

**JAMES VEITCH & SONS,  
LTD.**



Map showing the positions of Messrs. Veitch's Nurseries.



Iris growing by the water side

# INTRODUCTION.

## Size and Quality

In comparing prices we respectfully invite customers to compare also the **size** and **quality** of the plants supplied.

Our prices are for **strong** plants, which will give **good** results.

**Specimen** clumps of many kinds can be supplied at extra cost.

## Visitors

We are always glad when customers are able to visit the Nurseries and satisfy themselves as to the **quality of our Stock**. There is no obligation to purchase unless visitors desire to do so.

## Langley

In addition to the **Herbaceous** and **Alpine** plants the Langley Nursery is well worth visiting in the Summer for the **Roses** and **Fruit Trees**.

## Position of Nursery

The Langley New Town entrance is one mile from Slough Station. G.W.R., just off the Uxbridge Road, turning North from the Great Bath Road, the London side of Slough. (See map overleaf.)

## Advice

We shall always be glad to select varieties, if customers do not desire to make their own selection, and to advise on the treatment of Herbaceous Borders, Rock Gardens, etc., on receiving particulars of size, soil and situation.

## Dozen Prices.

Unless otherwise stated plants quoted in this Catalogue at 6d. each are 5/- dozen

9d.	„	7/6	„
1/-	„	10/6	„
1/3	„	12/-	„
1/6	„	15/-	„

Not less than 6 plants supplied at the dozen price.

Special quotations for quantities on application.

## Dormant Roots

Plants marked thus \* can be supplied from October to January in a dry state at lower prices. (See Bulb Catalogue.)

## Abbreviations

R=Rock Plants.  
F.C.C.=First Class Certificate } R.H.S.  
A.M. =Award of Merit. }

## Cash Discount

Unless a special nett quotation has been given, Invoices over 20/- are subject to 5% for cash in one month.

## Gratis Plants

Whenever the order permits it, **gratis plants** will be added, to help towards the cost of carriage.

**JAMES VEITCH & SONS,**


LTD.

# HARDY HERBACEOUS PERENNIALS AND ALPINE PLANTS.

## GENERAL COLLECTION.

R=Rock Plants.

		Month of Flowering	Average height		Price each.
			ft.	in.	
R	<b>Acæna Buchananii</b> , dense masses of blue-green foliage, reddish flowers	6—8		3	6d.
R	<b>inermis</b> , light green leaves on trailing stems, attractive	6—8		6	6d.
R	<b>Novæ-Zelandiæ</b> , a trailing plant with small grey leaves and whitish flowers	7—8		2	6d.
R	<b>ovalifolia</b> , more robust than the preceding	5—8		6	6d.
R	<b>Acantholimon glumaceum</b> ( <i>Statice Araratii</i> ), dark spiny foliage and rose-pink flowers	6—9		9	6d.
R	<b>venustum</b> , glaucous foliage, larger flower spikes than <i>A. glumaceum</i> , a rare species. F.C.C.	6—8		6	2/6
	<b>Acanthus candelabrum</b> , purple and white, very strong grower	7—9	2	6	6d.
	<b>mollis latifolius</b> , flower spike tall and handsome ; a noble plant, forming effective masses	7—9	2	6	6d.
	<b>Perringii</b> , heads of large bright rose-coloured flowers and handsome spiny foliage	8—9	1	6	1/6
	<b>spinosus</b> , the spiny-leaved species, beautiful glossy green foliage, and tall spikes of pale lilac flowers	7—9	2	6	9d.
	<b>Achillea ægyptiaca</b> ( <i>taygetea</i> ), golden yellow flowers, handsome silvery foliage	6—9	1	6	9d.
	<b>alpina</b> , flowers pure white, a first-class plant	7		2	9d.
R	<b>argentea</b> ( <i>Tanacetum argenteum</i> ), silvery foliage, flowers white	6—7		3	6d.
	<b>buglossis</b> ( <i>lingulata</i> ), large white flowers	6	1	6	9d.
R	<b>Clavennæ</b> , flowers white, plant dwarf, with heavy jagged foliage	6—8		1	9d.
	<b>Eupatorium</b> ( <i>filipendulina</i> ), large heads of handsome golden yellow flowers	7—10	4	6	9d.
	<b>Millefolium rubrum</b> , flowers red, produced in great profusion ; one of the best	5—8	1	9	6d.
	<b>Cerise Queen</b> , bright cerise and cherry-red in colour, strong grower	6—8	1	9	9d.
	<b>Ptarmica</b> , "The Pearl," numerous and dense masses of large double white flowers	7—9	2	6	6d.
R	<b>rupestris</b> , a dwarf species with umbels of pure white flowers	4—6		3	6d.
	<b>serrata fl. pl.</b> , semi-double, pure white flowers, leaves deeply cut, white and hairy	8—10	2	3	6d.
	<b>speciosa</b> , flowers white in large corymbs	6—7	4	5	9d.
R	<b>tomentosa</b> , profuse masses of yellow flowers ; neat and dwarf creeping habit	5—8		9	6d.
R	<b>umbellata</b> , leaves covered with silvery-white hairs, dwarf and effective, flowers white	7—9		6	9d.
	<b>Aconitum Anthora</b> , large yellow flowers	7—8	2		9d.
	<b>autumnale</b> ( <i>Fischeri</i> ), blue ; valuable for autumn flowering	8—10	3		6d.
	<b>Hemsleyanum</b> , a twining species. The flowers are of varying shades of purple and blue, and are freely produced on the upper portions of the stems. This plant should be allowed to ramble naturally	7—9	5		2/6



Aquilegia Veitch's Hybrids.

**R=Rock Plants.**

		Month of Flowering	Average Height ft. in.	Price each
	<b>Aconitum japonicum</b> , numerous helmet-shaped intense blue flowers	7—9	5	6d.
	<b>Napellus</b> , the common Monkshood, dark blue flowers in large terminal spikes	6—8	4	6d.
	<b>album</b> , the white variety	6—8	4	6d.
	<b>bicolor</b> , blue and white	6—8	4	6d.
	<b>ochroleucum</b> ( <i>orientale</i> ), pale yellow flowers	6—8	4	6d. <sup>3</sup> / <sub>4</sub>
	<b>Wilsonii</b> , pale blue flowers in large spikes, a fine species. A.M.	9—10	5	9d.
	<b>Actæa spicata rubra</b> , clusters of bright red berries, on spikes, over-topping the foliage. F.C.C.	7—8	1 6	9d.
	<b>Adenophora Potaninii</b> , pale blue bell-shaped flowers, in elegant slender spikes	7—8	1 6	9d.
R	<b>Adonis amurensis</b> , deep yellow flowers, graceful fern-like foliage. A.M.	2—3	1	1/-
R	<b>fl. pl.</b> , fine double yellow flowers. A.M.	2—3	1	1/6
R	<b>pyrenaica</b> , large bright yellow flowers, strong grower. F.C.C.	4—6	1 3	1/-
R	<b>vernalis</b> , brilliant handsome yellow flowers, 2 to 3 inches in diameter ; fern like foliage	4—5	1	6d. & 1/-
R	<b>wolgensis</b> , flowers bright yellow	5—6	1	1/-
R	<b>Æthionema coridifolium</b> , small rose-lilac flowers on miniature bushes	6—8	1	1/-
R	<b>grandiflorum</b> , long clusters of bright pink flowers	6—8	1	9d.
R	<b>iberideum</b> , small, spreading, shrubby, pale lilac	5—6	6	6d.
R	<b>stylosum</b> , light pink	6	6	1/-
	<b>Agrostemma</b> ( <i>Lychnis</i> ) <b>coronaria alba</b> , pure white	6—8	1 9	6d.

**R=Rock Plants.**

		Month of Flowering	Average Height. ft. in.	Price each.
	<b>Agrostemma</b> ( <i>Lychnis</i> ) <b>coronaria purpurea</b> , a handsome biennial, richest crimson	6-8	1 9	6d.
	<b>Flos-jovis</b> , rose-tinted, useful for cutting	6-8	9	6d.
	<b>hybrida</b> , ( <i>Walkeri</i> ), brilliant rose-crimson, suit- able for poor soils, useful for cutting	6-8	2	9d.
R	<b>Ajuga metallica crispa</b> , metallic-green crested foliage and blue flowers; useful for bedding	5-6	6	6d.
R	<b>reptans atropurpurea</b> , foliage dark bronzy-red; an excellent edging plant	5-6	6	6d.
R	<b>variegata</b> , variegated foliage	5-6	6	6d.
R	<b>Alchemilla alpina</b> , dark foliage with silvery edge, free and vigorous	4-5	6	6d.
	<b>Aletris farinosa</b> , tufts of spreading foliage; flowers in racemes, bell-shaped, white	5-6	1 9	1/-
	<b>Allium</b> } see Bulb Catalogue			
	<b>Alstrœmeria</b> }			
R	<b>Alyssum alpestre</b> , a minute species greyish foliage with bright yellow flowers	6	2	9d.
	<b>argenteum</b> , silvery foliage with masses of bright yellow flowers	6	1	6d.
R	<b>montanum</b> , a dwarf Alpine, with yellow flowers and grey-green foliage	4-6	2	6d.
R	<b>saxatile citrinum</b> , lemon-yellow	3-5	8	9d.
R	<b>compactum</b> , masses of golden-yellow flowers, invaluable for spring bedding	3-5	8	6d.
R	<b>fl. pl.</b> , a double-flowered form	4-5	8	9d.
R	<b>variegatum</b> , leaves margined with yellow	3-5	9	9d.
R	<b>serpyllifolium</b> , silvery foliage and pale yellow flowers	4-6	2	9d.
R	<b>spinosum</b> , silvery foliage, white flowers	6-8	9	1/-
	<b>Anchusa italica</b> , strong-growing, flowering all the summer; blue, valuable for bees	5-8	3 6	6d.
	<b>Droptmore Variety</b> , a profusion of the deepest and brightest porcelain blue flowers	6-9	3 6	9d.
	<b>Opal</b> , pale-blue flowers in profusion	6-9	4	9d.
	<b>myosotidiflora</b> , a beautiful species with very bright blue flowers	4	1	1/6 & 2/6
R	<b>Androsace arachnoides</b> , umbels of pure white flowers, a very rare miniature species	4-6	3	2/6
R	<b>carnea</b> , free-flowering, one of the best, pink	3-5	6	9d.
R	<b>eximea</b> , an improved form of <i>A. carnea</i> with much larger flowers	3-5	3	2/6
R	<b>Chumbyi Brilliant</b> , a lovely Rock-Jasmine, brilliant cherry-rose	4-6	3	1/6
R	<b>lanuginosa</b> , flowers in umbels, of a rich rosy hue	6-9	6	1/-
R	<b>Leichtlinii</b> , long trailing stems with white silky foliage and numerous umbels of white flowers with pink centre. F.C.C.	6-8	6	1/6
R	<b>primuloides</b> , flowers rosy lilac a scarce variety	4	4	1/-
R	<b>sarmentosa</b> , very beautiful and distinct heads of pink flowers and tufts of silvery white leaves	5-6	6	9d.



Anemone japonica.

**R=Rock Plants.**

		Month of Flowering	Average Height.	Price each.
			ft. in.	
R	<b>Androsace tibeticum</b> , close tufts of foliage with pink and white flowers. A.M.	4	4	2/6
R	<b>villosa</b> , small grower, flowers white or pale rose	5—6	2	1/-
R	( <i>Douglasia</i> ) <b>Vitaliana</b> , very dwarf, rich yellow	5—6	1	1/-
	<b>The Androsaces all grow and flower freely in the fissures and cracks of the rockery.</b>			
R	<b>Anemone alpina</b> , white, robust and free	4—5	1 6	9d.
R	<b>sulphurea</b> ( <i>A. sulphurea</i> ), flowers two inches in diameter, a beautiful soft sulphur, yellow	4—5	1 6	1/- & 1/6
R	<b>*apennina</b> , lovely sky-blue, compact habit	3—4	5	6d.
R	<b>*alba</b> , the white variety. F.C.C.	3—4	5	9d.
R	<b>*blanda</b> , large and finely-rayed flowers of a deep sky-blue, dwarf and hardy, the earliest of all, and one of the most beautiful of the genus	2—3	5	6d.
R	<b>alba</b> , the white variety	2—3	6	9d.
	<b>*coronaria</b> , many shades of colour, see Bulb Catalogue			
R	<b>*fulgens</b> , dazzling vermilion-scarlet with a jet-black centre; suitable for cutting. F.C.C.	3—5	1	6d.
R	<b>*Aldboro' variety</b> , like the type but larger, longer and broader petals, more highly coloured	3—5	1	6d.
R	<b>*fl. pl.</b> , the double variety; very showy, numerous narrow scarlet petals	3—5	1	6d.
R	<b>*grandiflora</b> , a magnificent variety; the same colour as <i>fulgens</i> , but superior in size, having much broader, rounded petals	3—5	1	9d.

**R=Rock Plants.**


	Month of Flowering	Average Height. ft. in.	Price each.
R <b>Anemone fulgens</b> * <b>multipetala</b> , several rows of narrow bright scarlet petals	3—5	1	6d.
<b>Hepatica</b> , see <i>Hepatica</i> , page 31			
<b>japonica</b> , rich carmine within and rose without, with a tuft of golden anthers, see illustration	7—10	1 9	6d.
<b>alba</b> ( <i>Honorine Joubert</i> ), highly decorative and invaluable for cutting	7—10	1 9	6d.
<b>Alice</b> , carmine-rose, lilac-rose centre	7—10	2 6	1/-
<b>crispa</b> , rose-coloured flowers, deeply frilled foliage	9—10	2 0	9d.
<b>elegantissima</b> , delicate satiny rose semi-double flowers	7—10	2 6	6d.
<b>Enchantment</b> , double cream-white flowers, outside of petals pink	7—10	2 6	2/-
<b>Geante des Blanches</b> , very large silvery-white flowers, the best white	7—10	2 6	9d.
<b>Kriemhilde</b> , semi-double, flowers 3 to 4 inches diameter, bright reddish colour	7—10	2 6	9d.
<b>Lady Ardilaun</b> , pure white, stronger habit, larger leaves and flowers than the variety <i>alba</i>	7—10	2 0	6d.
<b>Lorley</b> , lilac-rose, darker than <i>Queen Charlotte</i> , very free-flowering	7—10	3	9d.
<b>Mont Rose</b> , semi-double clear rose, A.M.	7—10	1	9d.
<b>Prince Heinrich</b> , a very fine double flower, a lovely deep pink	9	2 6	9d.
<b>Queen Charlotte</b> , semi-double, delicate silky rose, darker reverse. A.M.	7—10	3	9d.
<b>rosea</b> , pale rose, showy and free-flowering	7—10	1 9	6d.
<b>superba</b> , large delicate rose flowers on rigid stems	7—10	3	9d.
<b>Whirlwind</b> , semi-double, white	7—10	1 9	6d.
R <b>narcissiflora</b> , white, with yellow stamens	4—5	9	9d.
R * <b>nemorosa alba plena</b> (Double White Wood Anemone), flowers produced in great profusion very early in the spring	3—5	8	6d.
R * <b>Robinsoniana</b> , sky-blue	3—5	8	6d.
R * <b>rosea</b> , rose-pink	3—5	8	6d.
R* <b>palmata</b> , large handsome flowers of a glossy golden yellow, thick leathery foliage	5—6	9	9d.
R <b>alba</b> , pure white form of ( <i>A. palmata</i> )	5—6	9	6d.
R <b>pennsylvanica</b> , large white flowers	5—6	1 6	9d.
R <b>Pulsatilla</b> (The Pasque Flower), deep purple, with long silky hairs on the exterior	3—4	9	6d.
R <b>alba</b> , a white variety of the Pasque Flower	4—5	1	1/-
R * <b>ranunculoides</b> , very distinct clear golden-yellow	3—4	6	6d.
<b>rivularis</b> , white with purple anthers; requires a damp situation	5—6	1 3	9d.
* <b>stellata</b> ( <i>hortensis</i> ) (Peacock Anemone), see Bulb Catalogue			
R <b>syvestris</b> (Snowdrop Windflower), large white flowers, particularly free and showy, invaluable for cutting	4—5	1 3	6d.
R <b>flore pleno</b> , a double flowered form with pure satiny white flowers. A.M.	4—5	1 3	9d.



*Arenaria montana* in a Rock Garden.

**R=Rock Plants.**

		Month of Flowering	Average Height.	Price each.
			ft. in.	
R	<b>Anemone vernalis</b> , a dwarf species, white tinted with purple	3—5	6	1/-
	<b>vitifolium tomentosa</b> pale pink flowers	7	3	2/6
	Anemones (our selection), 5/-, 7/6 and 10/6 per doz.			
	<b>Anemonopsis macrophylla</b> , pale lilac inside, deep purple outside, loose racemes	6—8	1 3	2/6
R	<b>Anthemis Aizoon</b> ( <i>Achillea ageratifolia</i> ), dwarf compact silvery tufts of foliage	7—8	6	9d.
	<b>macedonica</b> , large pure white flowers	7—8	1 8	9d.
	<b>tinctoria</b> , yellow	6—9	1 3	6d.
	<b>Anthericum graminifolium</b> ( <i>ramosum</i> ), grass-like foliage, flowers white, rapid and graceful grower	6—9	2 6	6d.
	<b>Liliago</b> (St. Bernard's Lily), pure white starry flowers in spikes	5—7	1 6	9d.
	<b>Liliastrum</b> ( <i>Paradisea liliastrum</i> ) (St. Bruno's Lily), a pretty plant with broad grassy leaves, sweet-scented flowers, with a small green dot on each segment	5—7	2—6	6d.
	<b>giganteum</b> , a first class perennial in all ways larger than the type	5—7	3	1/6
	<b>majus</b> ( <i>algeriense</i> ), flowers much larger than the type, a most desirable plant	5—7	2 6	9d.
R	<b>Anthyllis montana</b> , dwarf, hairy foliage, bright pink pea-shaped flowers	6—7	6	9d.
R	<b>Aquilegia alpina</b> , blue and white	5—6	1 9	9d.
	<b>californica</b> ( <i>formosa</i> ), large reddish orange and yellow flowers	5—7	2 3	9d.
	<b>canadensis</b> , brilliant scarlet sepals, pale yellow petals ; a pretty contrast	5—7	1 9	9d.
	<b>chrysantha</b> (Golden Columbine), produces for 2 months continuously, flowers of a beautiful yellow ; its spur is most delicate, often 2 inches in length	5—7	2 9	6d.
R	<b>cœrulea</b> , lovely blue and white flowers 2 to 3 inches long. F.C.C.	5—7	1 9	9d.
R	<b>glandulosa</b> , a lovely dwarf plant, producing large and exquisitely tinted blue and white flowers	5—6	1	9d.
	<b>sibirica</b> , flowers double, a rich blue, free and showy	5—7	2	9d.
R	<b>Stuartii</b> , ( <i>A. glandulosa</i> × <i>A. Wittmanniana</i> ) resembling <i>A. glandulosa</i> , but much larger and more free-flowering ; the flowers, often 4 inches across, are born on stout stalks ; undoubtedly one of the handsomest and most attractive of the genus. A.M.	5—7	1 3	1/6
	<b>Veitch's hybrids</b> , a strain of exquisite colouring, producing in immense quantities, pink, yellow, blue and lavender flowers, in all shades (see page 5).	5—7	2 9	9d.
	<b>vulgaris</b> , good mixed varieties	5—7	2 3	6d.
	<b>alba</b> , a good white	5—7	2 3	6d.
	<b>6 distinct Aquilegias (our selection) ... 4/-</b> <b>(in 6 distinct varieties) 7/6</b>			
R	<b>Arabis albida variegata</b> , a fine edging plant	3—5	6	6d.
R	<b>fl., pl.</b> , pure white double	3—5	1	6d.
R	<b>fl., pl., variegata</b> , a variegated form of the double white, foliage marked yellow and green	5—6	6	9d.
R	<b>alpina</b> , masses of white flowers early in spring	3—5	8	6d.
R	<b>aubrietoides</b> , stout spikes, pale pink, very compact.	5—6	6	9d.
	A. M.			




*Astilbe grandis.*

**R=Rock Plants**

- R ***Arabis lucida variegata***, dark glossy foliage with golden edge, excellent for edging
- R ***rosea***, pretty rose coloured flowers, invaluable for the rockery
- R ***Arenaria balearica***, white starry flowers, borne above dense tufts of foliage, invaluable for the rockery
- R ***cæspitosa***, leafy stems small white flowers
- R ***graminifolia***, grass like tufts of foliage covered with white flowers
- R ***laricifolia***, white flowers
- R ***montana***, white, a most useful rock plant. See illustration, page 9.
- R ***purpurascens***, purple flowers, a tufted dwarf plant that may be mixed with Saxifrages on the rockery
- R ***Armeria bracteata rubra***, bright crimson, bracts 1 to 2 inches long
- R ***cæspitosa vera***, pink flowers, the true type which is very rare
- R ***Celphalotes (latifolia)*** } (The Great Thrift); one  
***alba*** } of the most useful per-  
***rubra*** } ennials known, valuable  
for the edge of borders. }
- R ***Laucheana***, very free and showy, quite the finest for edging borders 3/6 per doz., 20/- per 100

Month of Flowering	Average Height.		Price each.
	ft.	in.	
3-5	3		9d.
5-8	6		9d.
5-7	2		6d.
6-7	3		6d.
6-7	8		9d.
5-6	6		9d.
5-7	2		9d.
6-7	3		9d.
5-7	6		9d.
5	3		2/6
5-7	1		6d.
5-7	1		9d.
5-7	1		6d.
5-7	9		



*Aubrietia deltoidea græca.*

**R=Rock Plants.**

		Month of Flowering	Average Height.		Price each.
			ft.	in.	
R	<b>Armeria plantaginea alba</b>	5—7		1	1/6
	<b>rosea</b>	5—7		1	1/-
	<b>rubra</b>	5—7		1	1/-
	<div> <div>large trusses of white</div> <div>pink and red flowers,</div> <div>invaluable for cutting</div> </div>				
R	<b>Arnebia</b> ( <i>Macrotomia</i> ) <b>echioides</b> ,	abundance of bright primrose-yellow flowers with five conspicuous black spots which gradually fade and disappear; one of the most showy and remarkable of herbaceous plants			
		4—8	1	3	1/ & 1/6
R	<b>Arnica montana</b> ,	a tufted plant with orange-yellow flowers; resembling miniature Sunflowers			
		7—8		9	9d.
	<b>Artemisia lactiflora</b> ,	fragrant white flower-heads in panicles, elegant dark green foliage			
		9	3	9	1/-
R	<b>sericea</b> ,	silvery foliage, yellow flowers, suitable for edging or rockery			
		7—9		6	9d
R	<b>splendens brachyphylla</b> ,	a pretty silvery-foliaged plant, spreading habit			
		6—8		6	9d.
	<b>Asclepias incarnata</b> ,	pink, in large heads, fragrant			
		7—8	3		6d.
	<b>syriaca</b> ( <i>Cornutii</i> ),	light purple, sweet scented, in large drooping umbels			
		7—8	3	6	9d.
	<b>tuberosa</b> ,	numerous heads of bright orange flowers			
		8—9	1	6	6d.
R	<b>Asperula hirta</b> ,	neat compact tufts of foliage studded with white flowers			
		7—9		3	9d.
R	<b>odorata</b> (Sweet Woodruff),	snowy-white in terminal corymbs			
		5—6		6	6d.
R	<b>suberosa</b> ,	silvery foliage and pretty pink flowers			
		6—7		3	9d.
	<b>Asphodelus albus</b> ,	numerous white flowers borne on stems, foliage light and graceful			
		5—7	3	6	9d.
	<b>luteus</b> ,	bright yellow flowers and glaucous foliage; a useful border plant			
		5—7	2	9	6d.
R	<b>Aster alpinus</b> ,	large, pale blue			
		5—6		6	6d.
R	<b>albus</b> ,	a pure white variety of the preceding			
		5—6		6	6d.

# R=Rock Plants.

		Month of Flowering	Average height.	Price each.
R	<b>Aster alpinus, roseus</b> , a pink-flowered variety ; useful for contrast	5—6	ft. in. 6	9d.
R	<b>speciosus</b> , flowers 2 to 3 inches in diameter, rich lilac. F.C.C.	5—6	9	1/-
R	<b>diplostephioides</b> , large lilac-blue flowers	5—6	1 6	9d.
R	<b>ptarmicoides</b> , white, neat dwarf bushy habit	9	1 6	6d.
R	<b>Purdomii</b> (Veitch).—Flowers very freely, rich blue-mauve, stamens orange-yellow. A.M.	5	9	2/6
R	<b>sub-cœruleus</b> , very large lavender-blue flowers on branching stems	5—9	1 6	6d.
	<b>Asters</b> (Michaelmas Daisies), see page 60			
	<b>Astilbe Arendsii Ceres</b> , well-branched spikes of rosy-lilac flowers. A.M.	7—8	2 9	1/6
	<b>Pink Pearl</b> , thick pyramidal spikes	7—8	2	1/6
	<b>Salmon Queen</b> , bright salmon-pink, spikes thin and very graceful	7—8	2 6	1/6
	<b>Venus</b> , rosy-purple, early-flowering	7—8	2 9	1/6
	<b>chinensis</b> , spikes of light pink flowers, elegant for cutting. F.C.C.	8—9	2 6	9d.
	<b>Davidii</b> , graceful spikes of deep rose-violet flowers, elegant tufted foliage. F.C.C.	8—9	6	9d.
	<b>grandis</b> (Veitch), White flowers. More vigorous than <i>Davidii</i> , suitable for moist grounds and heavy soils. A.M.	8—9	6	1/-
	<b>hybrida rubra</b> , pink spikes in beautiful contrast to dark stems	7—8	3	1/-
	<b>Silver Sheaf</b> , panicles of white spiræa-like flowers	7—8	2 6	6d.
	<b>japonica</b> , see <i>Spiræa japonica</i>			
	<b>rivularis</b> (Goat's Head), white, tall plumes above handsome foliage ; suitable for grouping by water	7—8	3	1/-
	<b>Thunbergii</b> , numerous panicles of flowers resembling a <i>Spiræa</i> ; extremely free and graceful	7—8	2	9d.
R	<b>Astragalus hypoglottis albus</b> , numerous white papilionaceous flowers ; pretty for a border or rockery	5—6	2	6d.
	<b>Astrantia carniolica</b> , very curious white flowers enclosed in bracts	6—7	1	9d.
	<b>major</b> , curious pink flower heads	5—6	2	6d.
R	<b>Aubrietia deltoidea</b> , varieties.	3—5	6	6d.
R	<b>Bridesmaid</b> , large delicate soft blush	4—6	3	9d.
R	<b>Campbellii</b> (Improved), deep violet	3—5	6	6d.
R	<b>Crimson King</b> , deep crimson, very free	4—6	3	9d.
R	<b>Dr. Mules</b> , large, dark violet ; one of the best	3—5	6	9d.
R	<b>Fire King</b> , bright crimson	3—5	6	9d.
R	<b>græca</b> , pale purple (see page 12)	3—5	6	6d.
R	<b>Hendersonii</b> , dark purple	3—5	6	9d.
R	<b>H. Marshall</b> , dark mauve flowers. A.M.	3—5	6	6d.
R	<b>Lavender</b> , pale lavender, late flowering. A.M.	3—5	6	9d.
R	<b>Leichtlinii</b> , rose-crimson. A.M.	3—5	6	6d.
R	<b>Lilac Queen</b> , large, soft lilac, a charming colour	3—5	6	9d.
R	<b>Moerheimii</b> , very fine, pink	3—5	6	9d.
R	<b>Mrs. E. M. Grosfield</b> , rich violet-blue, flowers large	5—7	6	9d.
R	<b>Prichard's A.1.</b> , dark purple, individual flowers large. A.M.	4—5	6	9d.
R	<b>Purple Robe</b> , rich purple, showy	4—5	6	9d.
R	<b>purpurea</b> , rich dark purple	3—5	6	6d.
R	<b>argentea variegata</b> , variegated form. F.C.C.	3—5	6	6d.

**R=Rock Plants.**

		Month of Flowering	Average height. ft. in.	Price each.
	<b>Aubrietia purpurea aurea variegata</b> , golden-variegated foliage, purple flowers	3—5	6	9d.
R	<b>Souvenir de W. Ingram</b> , large, deep reddish-rose	3—5	6	9d.
R	<b>taurica albida</b> , on first opening the flowers are white, afterwards they turn pink	3—5	6	9d.
R	<b>Wallacei</b> , perpetual-flowering, fine deep violet	3—11	6	6d.
R	<b>Auricula</b> , see page 62.			
	<b>Bambusa</b> , see Catalogue of Hardy Trees and Shrubs.			
	<b>Baptisia australis</b> , racemes of blue, pea-shaped flowers, with strong tufts of trifoliate leaves	6—7	3	9d.
	<b>Barbarea vulgaris fl. pl.</b> , double, yellow, in massive spikes, prefers moist conditions	6—7	1 6	9d.
	<b>Bedding Plants</b> , see page 91.			
	<b>Bellis perennis</b> (Daisy)—			
	<b>aucubæfolia</b>	4—5	6	10/6 and 12/6 per 100
	<b>crimson</b>			
	<b>double white</b>			
	<b>Rob Roy</b>			
R	<b>Bellium minutum</b> , a distinct Alpine Daisy of neat habit with small pale lilac flowers	5—9	3	9d.
	<b>Betonica grandiflora</b> , see <i>Stachys grandiflora</i> , page 53.			
	<b>Bocconia cordata</b> , numerous spikes of cream-coloured flowers, very effective	6—8	5 0	6d.
	<b>microcarpa</b> , terra-cotta-yellow in terminal panicles; foliage elegantly lobed, white beneath	6—8	4 0	9d.
	<b>Bog Plants</b> , see page 89.			
	<b>Boltonia asteroides</b> , star-like pinkish-white flowers	8—9	4 6	6d.
	<b>latisquama</b> , white, 1½ inch across, on much-branched stems; useful for cutting	8—9	6	6d.
	<b>Bupthalmum salicifolium</b> , golden-yellow	6—7	2	6d.
	<b>speciosissimum</b> ( <i>Telekia</i> ), large yellow flowers	6—8	3 6	9d.
	* <b>Calandrina umbellata</b> , bright showy magenta-crimson flowers	5—9	9	9d.
	* <b>Calla palustris albo-maculata</b> , deep glossy green foliage, handsomely spotted with white	6—7	2 6	9d.
R	<b>Callirhoe involucrata</b> , a trailing plant, bearing a profusion of violet-crimson flowers	6—9	4	9d.
R	<b>lineariloba</b> , compact, prostrate, very floriferous; flowers large, deep purple and white	6—9	4	9d.
	<b>Caltha palustris</b> (Marsh Marigold), suitable for the margins of streams, producing abundance of golden-yellow flowers	4—5	9	6d.
	<b>monstrosa plena</b> , rosettes of double golden flowers	4—5	9	9d.
	<b>Calystegia pubescens plena</b> , large double pale rose flowers, borne in great profusion. It flowers for several months, and is one of the best and showiest of hardy climbers	6—9	7 0	6d.
R	<b>Campanula abietina</b> , dwarf and neat, producing deep purplish-blue flowers in great profusion. A.M.	6—7	10	9d.
R	<b>Allionii</b> , a dwarf alpine species, bearing large blue or rarely white flowers above a rosette of leaves, succeeds in an exposed situation, in a well-drained soil	5—7	9	1/6
R	<b>carpatica</b> , large and erect, light blue; useful for edgings, very floriferous	5—7	9	6d.
R	<b>alba</b> , the white variety	5—7	9	6d.

**R=Rock Plants.**

		Month of Flowering	Average Height.	Price each.
R	<b>Campanula carpatica pelviformis</b> , fragrant pale blue flat flowers	5—7	1 3	9d.
R	<b>Robert Parker</b> , an improved form with deep blue flowers	5—7	9	9d.
R	<b>Riverslea</b> , deep blue; a vigorous grower. A.M.	5—7	1 3	9d.
R	<b>turbinata</b> , large, erect, very fine	6—7	6	9d.
R	<b>alba</b> , large white flowers, very conspicuous on dwarf masses of dark green foliage	6—7	6	2/6
R	<b>collina</b> , dwarf, deep blue flowers	7—8	1	1/-
R	<b>Erinus</b> , pretty lavender-blue starry flowers	6—8	6	9d.
R	<b>Fergusonii</b> , large cup-shaped pale blue flowers, A.M.	7—8	2	1/-
R	<b>fragilis</b> , large blue flowers on trailing stems, suitable for basket work, somewhat tender	6—7	6	9d.
R	<b>garganica</b> , branching peduncles of pale blue flowers, habit prostrate	6—8	3	9d.
R	<b>alba</b> , a white form of the preceding	6—8	3	1/-
R	<b>hirsuta</b> , pale blue flowers, foliage very hairy	6—8	3	9d.
R	<b>alba</b> , a pure white form of the well-known type, a most useful rock plant	6—8	3	1/-
R	<b>G. F. Wilson</b> , intense purplish blue, salver-shaped flowers	6—8	3	6d.
R	<b>glomerata acaulis</b> , dense tufts of foliage with large heads of rich blue flowers	6—8	4	9d.
	<b>alba</b> , a pure white form	5—7	1	1/6
	<b>dahurica</b> , clusters of flowers, rich deep blue, easiest culture, very effective	5—7	1 3	9d.
	<b>pallida</b> , a choice variety with pale blue flowers	5—7	1 3	1/-
	<b>grandis (latiloba)</b> , long, widely open blue flowers	6—7	2 3	6d.
	<b>alba</b> , the white variety	6—7	2 3	6d.
R	<b>haylodgensis fl. pl.</b> , flowers blue, trailing habit, requires a dry position	5—8		2/6
	<b>Hendersonii</b> , flowers very large and numerous, of a beautiful mauve tint; one of the best. F.C.C.	6—7	1	9d.
R	<b>Hostii alba</b> , a white form of <i>C. Hostii</i>	7	1	9d.
R	<b>hybrida Isabel</b> , flowers open flat, deep rich blue. A.M.	5—9	1	9d.
R	<b>White Star</b> , similar in form to the well-known <i>C. carpatica</i> , <i>Riverslea</i> . A.M.	5—9	1	9d.
R	<b>isophylla</b> , bright light blue flowers; trailing habit	7—8	6	6d.
R	<b>alba</b> , bell-shaped flowers of the purest white. F.C.C.	7—8	6	6d.
R	<b>Mayi</b> , a hybrid with pale-blue saucer shaped flowers and greyish leaves	7—8	6	9d.
	<b>lactiflora</b> , milk-coloured, tinged with blue, erect in loose panicles	7—8	4 6	1/-
	<b>latifolia</b> , strong erect stems, large drooping blue flowers, very free and effective	6—7	2 6	6d.
	<b>alba</b> , the white variety	6—7	2 6	9d.
	<b>macrantha</b> , large purplish blue flowers, vigorous and showy, one of the best	6—7	4	9d.

**R=Rock Plants.**

		Month of Flowering	Average Height.	Price each.
	<b>Campanula Medium calycanthema</b> , blue, purple, mauve, rose, white. Handsome varieties of the Canterbury Bell, with large coloured calyx of the same hue as the trumpet 3/- per doz.	6-7	2	6d.
R	<b>muralis</b> ( <i>Portenschlagiana</i> ), densely-tufted, small bright green leaves, a profusion of light blue flowers	6-8	5	6d.
R	<b>bavarica</b> , a stronger grower than the type, deep blue flowers	6-8	6	9d.
R	<b>nitida</b> ( <i>planiflora</i> ), dark evergreen foliage growing in whorls, blue flowers	7-9	9	9d.
R	<b>alba</b> , a pure white form of above	7-9	1	9d.
	<b>nobilis</b> ( <i>punctata</i> ), large drooping flowers, white spotted with red, very distinct	5-7	1	9d.
	<b>persicifolia</b> , blue, showy and effective	6-8	2	6d.
	<b>fl. pl.</b> , double blue	6-8	2	9d.
	<b>alba</b> , pure white, large and fine, useful for cutting	6-8	2	6d.
	<b>grandiflora</b> . A.M.	6-8	2	9d.
	<b>fl. pl.</b> , double white, very floriferous, one of the best and purest	6-8	2	9d.
	<b>Moerheimii</b> , large semi-double white flowers. A.M.	6-7	2	9d.
	<b>humosa</b> , immense double blue flowers, sturdy habit	6-7	3 3	1/-
	<b>phycitocalyx</b> ( <i>amabilis</i> ), a fine species, bright blue flowers. A.M.	6-7	2	9d.
R	<b>Profusion</b> , large deep blue bells. A.M.	5-9	6	1/-
R	<b>pulla</b> , a neat little Alpine with drooping dark blue flowers	6-7	3	9d.
R	<b>pulloides</b> , beautiful violet-purple	7-9	6	1/-
R	<b>pusilla</b> ( <i>pumila</i> ), dwarf, neat and compact	6-7	3	6d.
R	<b>alba</b> , the white variety	6-7	3	6d.
	<b>pyramidalis</b> , strong spikes covered with blue flowers	7-8	5 6	6d.
	<b>alba</b> , the white variety	7-8	5 6	6d.
	<b>compacta</b> , dwarfier than the type, larger flowers	7-8	3 6	9d.
	<b>alba</b> , habit of the preceding, flowers pure white	7-8	3 6	9d.
R	<b>Raineri</b> , a compact mass, exceedingly pretty; a good rock plant	5-7	6	1/6
R	<b>Standfieldii</b> , a hybrid with large deep blue flowers, very free blooming	7-8	6	1/-
R	<b>Stevensii nana</b> , flowers pale blue, a charming rockery plant. A.M.	5	6	1/6
	<b>Trachelium alba plena</b> , double white, free	6-7	2	9d.
	<b>Van Houttei</b> , flowers very large and long, of a beautiful blue, one of the best	7-8	2	6d.
	<b>pallida</b> ( <i>Burghaltii</i> ), a paler tint than type, very pretty	7-8	2	6d.
	Six Choice and Distinct Campanulas, our selection, 4/- ; 12 ditto, 7/6.			
R	<b>Cardamine pratensis plena</b> , a double variety of the Cuckoo flower	4-5	9	6d.
R	<b>trifolia</b> , white flowers, trilobed leaves	4-5	9	9d.
	<b>Carnations</b> , see page 62			
	<b>Catananche cœrulea</b> , numerous heads of blue flowers; very useful for borders or shrubberies	7-9	2	6d.
	<b>bicolor</b> , white, shaded with blue	7-9	2	6d.

**R=Rock Plants.**

	Month of Flowering	Average Height	Price each.
<b>Centaurea dealbata</b> , silvery foliage, rose-pink flowers	7—8	1 3	6d.
<b>glastifolia</b> , large globular heads of golden yellow flowers, very good for cutting	7—9	5	9d.
<b>macrocephala</b> , very striking, large deep yellow flowers, produced in profusion	7—9	3 6	9d.
<b>montana</b> , large blue flowers; very useful for cutting	5—9	1 9	6d.
<b>alba</b> , the white variety	5—8	1 9	6d.
<b>rubra</b> , the red variety	5—9	1 9	6d.
<b>ruthenica</b> , elegant straw, or sulphur-yellow flowers, fern-like foliage	6—8	3	6d.
<b>Centranthus ruber</b> (Red Valerian), large heads of bright red flowers; useful border plant	6—9	2 6	6d.
<b>albus</b> , similar to above but with white flowers	6—9	2 6	6d.
<b>coccineus</b> , vivid crimson, very effective for massing in the border	6—9	2	1/-
<b>Cephalaria alpina</b> , handsome yellow flowers, as large as <i>Scabiosa caucasica</i> , very fine	5—8	4	1/-
R <b>Cerastium arvense compactum</b> , close prostrate green foliage, with masses of white bloom in early summer, a fine plant for banks and bedding	6—7	9	6d.
R <b>Biebersteinii</b> , closely allied to <i>C. tomentosum</i> , but with larger leaves and flowers	6—7	9	6d.
R <b>tomentosum</b> , greyish white foliage and white flowers; useful for edging	6—7	9	6d.
R <b>Chamaelirium carolinianum</b> , dense masses of white flowers, suitable for damp shady place on rockery, requires peat soil	6—7	6	1/6
R <b>Cheiranthus alpinus</b> (Alpine Wallflower), light yellow	5—6	6	6d.
<b>Cheiri</b> (Single Wallflower), crimson or yellow, 2/- per doz., 10/- per 100	5	1 6	9d.
<b>luteus plenus</b> (Double Yellow Wallflower)	3—4	1	9d.
<b>purpureus plenus</b> , (Double Purple Wallflower)	3—4	1	9d.
R <b>"Harpur Crewe,"</b> double yellow, flowers, small and numerous	4—5	1	6d.
<b>Chelone</b> ( <i>Pentstemon</i> ) <b>barbata</b> , bright scarlet tubular flowers	6—9	2	9d.
<b>obliqua</b> , numerous terminal spikes of rich deep pink flowers	6—9	3 6	6d.
<b>alba</b> , the white variety	6—9	3 6	6d.
<b>Chrysanthemum latifolium</b> ( <i>lacustre</i> ), flowers 2½ inches across, white with yellow centre; one of the most effective plants for autumn decoration	8—10	4	6d.
<b>maximum</b> (true), large white flowers in profusion; one of the best border plants	7—8	2	6d.
<b>G. H. Sage</b> , large white flowers with frilled ray florets; very distinct	7—8	2	6d.
<b>Kenneth</b> . White flowers on long single stems, narrow wavy petals, very distinct form	7—8	3	1/-
<b>King Edward</b> , white Marguerite-like flowers, 4 or 5 inches diameter, dark green foliage	8—10	2 6	9d.
<b>Mrs. Charles Lowthian Bell</b> , white flowers, 6 to 7 inches diameter, freely produced, very early	6—9	1 6	9d.

**R=Rock Plants.**

		Month of Flowering	Average Height	Price each.
	<b>Chrysanthemum Triumph</b> , a hybrid between <i>C. maximum</i> and <i>C. lacustre</i> . The flowers are large, with pure white broad rays ; one of the best	7—8	2	9d.
	<b>uglinosum</b> , see <i>Pyrethum uglinosum</i> , page 46			
R	<b>Chrysobactron</b> , ( <i>Bulbinella</i> ) <b>Hookeri</b> , a Liliaceous plant with long linear leaves and stout flower stems, thickly set with bright yellow flowers ; requires a deep moist soil	5—6	2 3	1/-
	<b>Chrysocoma</b> ( <i>Aster</i> ) <b>Linosyris</b> (Goldy-locks), dense heads of bright yellow flowers, neat and attractive habit	8—9	2	6d.
	<b>Cimicifuga cordifolia</b> , an effective border plant, white flowers on erect stems, heart-shaped leaves	8—10	3	1/-
	<b>japonica</b> , panicles of white flowers	8—10	1 6	9d.
	<b>racemosa</b> , a robust plant with feathery drooping racemes of white flowers 1 to 3 ft. long	7—8	4	9d.
	<b>simplex</b> , white flowers in spikes 6 or more inches in length	10—11	2 6	1/-
R	<b>Cistus</b> , see Catalogue of Hardy Trees and Shrubs.			
	<b>Clematis heracleæfolia Davidiana</b> , whorls of sweetly scented pale blue flowers	6—8	3	9d.
	<b>erecta</b> , ( <i>recta</i> ), erect bush covered with small white flowers	6—9	3	9d.
	<b>fl. pl.</b> , double white flowers. F.C.C.	6—9	3	1/6, 2/6
	<b>integrifolia</b> , a good species with small deep blue flowers	6—9	2	9d.
R	<b>Codonopsis ovata</b> , large bell-shaped flowers of a beautiful metallic blue, veined and blotched with white and yellow	6—7	1	9d.
R	<b>Conandron ramondiodes</b> , varies from white to lilac and with purple eye, branching stems. Requires a damp shady situation	6—8	6	2/6
	<b>Convallaria majalis</b> (Lily of the Valley), see Bulb Catalogue.			
R	<b>Convolvulus althæoides</b> , red or lilac flowers borne on trailing stems, shining silvery leaves	6—9	2 6	1/-
R	<b>Cneorum</b> , a shrubby species with silvery grey foliage, bluish white flowers, sheltered position best	5—6	2 6	1/-, 1/6
R	<b>mauritanicus</b> , a trailing plant, bright blue flowers	6—7	9	6d.
	<b>Coreopsis grandiflora</b> , flowers produced in great profusion, 3 inches in diameter, bright golden yellow	6—9	3	6d.
	<b>lanceolata</b> , rich yellow blossoms on slender stalks	6—9	2	6d.
	<b>verticillata</b> , a slender plant with whorls of narrow leaves and rich golden yellow flowers about an inch in diameter	6 -9	1 9	9d.
	<b>Coriaria japonica</b> , somewhat shrubby, abundance of reddish-brown berries on long arching sprays. A.M.	9—10	4	1/6
	<b>terminalis</b> , bright yellow berries. A.M.	9—10	4	1/6
R	<b>Coronilla iberica</b> , ( <i>cappadocica</i> ), a trailing plant bearing abundance of yellow pea-shaped flowers	5—9	6	9d.
R	<b>minima</b> , fragrant yellow flowers, procumbent habit, a charming rock-plant	5—9	6	1/
R	<b>varia</b> , white and pink flowers all through the summer	5—10	1 9	6d
R	<b>Corydalis lutea</b> , graceful masses when grown in the crevices of walls, numerous spurred yellow flowers	5—8	9	6d
R	<b>nobilis</b> , yellow tipped with brown, very beautiful	5—7	1 3	9d.

# R=Rock Plants.


		Month of Flowering	Average Height. ft. in.	Price each.
	<b>Crambe cordifolia</b> , one of the finest large-leaved herbaceous plants, striking and bold, white flowers in profusion	5—6	6 6	1/- 9d.
	<b>Grinum</b> *capense. A.M. } *album } Very handsome bulbous plants *Moorei, F.C.C. } with white or light pink flow- Powellii, F.C.C. } *album. A.M. } ers borne on stout scapes	7—9	2 6	9d. 2/6 1/6
R	<b>Crucianella</b> ( <i>Phuopsis</i> ) <b>stylosa</b> , heads of bright pink flowers	6—8	9	6d.
R	<b>Cyananthus lobatus</b> , creeping dainty blue flowers	7—9	4	1/-
R	<b>Cyclamen africanum</b> , large bold foliage, red and white flowers	9	6	9d.
R	* <b>Atkinsonii album</b> ( <i>ibericum</i> ), pure white flowers produced freely in winter, perfectly hardy	2—4	5	1/-
R	* <b>roseum</b> , rose, foliage beautifully marbled	2—4	5	6d.
R	* <b>Coum</b> , deep crimson flowers, with dark plain foliage	1—3	5	9d.
R	* <b>europæum</b> , purplish rose, one of the best of the hardy species, succeeds in almost any soil or situation			6d.
R	* <b>album</b> , the white variety	8—10	6	1/-
R	* <b>neapolitanum</b> , leaves zoned with white, rose-pink flowers			6d.
R	* <b>repandum</b> , very pretty, slightly tender	5—6	3	9d.
	<b>Cypripedium acaule</b> ( <i>humile</i> ), large purple and rose-purple flowers, the slipper being often 2 inches in length, rare, perfectly hardy	5—6	10	1/6
	<b>Cypripedium Calceolus</b> , sepals and petals dark brown, slipper clear yellow, an inch in length; requires a warm sheltered position on calcareous soil or on limestone rock	5—6	1 3	1/-
	<b>macranthos</b> , large flowers of a deep purplish rose veined with a darker tint; requires a well-drained loam, sheltered situation; should be kept dry in winter	6	1	2/6
	<b>parviflorum</b> , sepals and petals brown, slipper bright yellow; delicate and handsome	6	1 3	1/6
	<b>pubescens</b> , greenish yellow sepals and petals spotted with brown, slipper sulphur yellow, often 2 inches long; will grow and flower freely in peat-soil in a shaded border	5—6	1 9	1/6
	<b>spectabile</b> , sepals and petals white, slipper rounded and inflated, pale rose, about 1½ inches long; grows and flowers freely in almost any shady border in peat and leaf-mould	6	2	2/6 to 5/-
	<b>Dactylis glomerata variegata</b> , a highly ornamental variegated grass, very useful for edging	7—8	6	6d.
	<b>Deinranthe cœrulea</b> , rich purple flowers, good foliage, a Chinese plant requiring peat and shade	6	1	7/6 & 10/6
	<b>Delphinium Brunonianum</b> , rather rare, has a musky odour. flowers large, light blue, which deepens to purple at the margins	7	1 6	9d.
R	<b>cardinale</b> , beautiful and elegant, large bright scarlet flowers	7—8	2	9d.
	<b>cashmirianum</b> , flowers an inch in diameter; pale bluish purple, borne in terminal corymbs of six or eight	6—7	1 4	6d.



Foxgloves (*Digitalis*)

**R=Rock Plants.**

		Month of Flowering	Average Height	Price each.
	<b>Delphinium chinense</b> ( <i>grandiflorum</i> ), stems branching, terminating in clusters of blue flowers	6—7	ft. in. 1 3	6d.
	<b>formosum</b> , deep blue, very free, forming strong clumps, valuable for cutting	6—7	3 6	9d.
	<b>grandiflorum album</b> , satiny white flowers, freely produced, very showy	6—7	2	9d.
	<b>Cineraria</b> , intense blue spikes of upright expanded flowers entirely devoid of the characteristic spur, habit very compact	6—8	2	1/-
	<b>plenum</b> (Double Siberian Larkspur), a lovely bright blue, extremely beautiful and rare	6—7	2 3	3/6
R	<b>nudicaule</b> , orange scarlet, very distinct	6	1 6	6d.
	<b>sulphureum</b> , a remarkable species of branching habit, with stiff wiry stems covered with sulphur-yellow flowers	7—8	3 6	9d.
	<b>trolliifolium</b> , bright blue flowers with white centres borne in loose racemes	5—6	3	9d.
	<b>Florist's Varieties</b> , see page 63			
	<b>Dendromecon rigidum</b> , large yellow poppy-like flowers very handsome. Thrives well in positions that suit <i>Romneya Coulteri</i> . A.M.	6—9	5	5/- & 7/6
	<b>Dentaria</b> ( <i>Cardamine</i> ) <b>digitata</b> , rose-pink	4—5	1	9d.
R	<b>Dianthus alpinus</b> , flowers about an inch in diameter; rose spotted with crimson, produced in profusion	5—6	4	9d.
R	<b>albus</b> , a variety of the Rock-Pink, large pure white flowers on dense tufts close to the ground	6—7	3	1/-
R	<b>arenarius</b> , flowers white with a purple spot and pressed purple hairs. margins fringed	6—7	6	6d.
R	<b>arvernensis</b> , clear rose-coloured flowers, neat glaucous foliage	5—6	3	1/-
R	<b>Atkinsonii</b> , deep crimson	6—7	6	1/6
R	<b>barbatus</b> , (Sweet William) masses of flower of the most vivid and brilliant colours 2/6 per doz. 15/- per 100	6—7	1 6	—
R	<b>magnificus</b> , the very fine old double crimson (Sweet William)	6—7	9	9d.
R	<b>cæsius</b> , rose-coloured, very fragrant	6—7	6	6d.
R	<b>cinnabarinus</b> , bright cinnabar-red flowers, a very rare species	6	1	3/6
R	<b>cruentus</b> , red-crimson flowers on slender stems	5—6	1	9d.
R	<b>deltoides</b> , white or pink spotted flowers, produced freely on erect stems; useful for the border or rockwork	6—8	9	6d.
R	<b>albus</b> , similar to the type but has white flowers	5—8	9	6d.
R	<b>fragrans</b> , white, suffused with purple, very fragrant	5—6	9	9d.
R	<b>glacialis</b> , rosy crimson, a beautiful Alpine "Pink"	5—7	3	9d.
	<b>Knappii</b> , clear sulphur-yellow, borne in terminal clusters of from five to nine	6—7	9	1/-
R	<b>microlepis</b> , a miniature rock-Pink. The plant is scarcely an inch high, while the white flowers with rosy lilac spots are $\frac{3}{4}$ inch diameter	6—9	1	2/6
R	<b>Napoleon III.</b> , brilliant scarlet, undoubtedly the best of the Mule Pinks	5—6	6	9d.
R	<b>neglectus</b> , bright deep carmine-rose, serrated petals, a charming rock-plant	6—9	3	9d.
R	<b>plumarius</b> , single purple, the edges of the petals much crenated; grows naturally in the crevices and cracks of old walls	5—6	6	6d.
R	<b>sylvestris</b> , petals red with crenate edges	6—7	1	9d.



Cut spikes of *Eremurus* with a groundwork of *Paeonies*.

**R=Rock Plants.**

		Month of Flowering	Average Height.	Price each.
	<b>Dictamnus caucasicus</b> (The Burning Bush), larger than <i>D. Fraxinella</i> in foliage and bloom spike. A.M.	6—7	ft. in. 2 6	1/-
	<b>Fraxinella</b> , dense tufts of large pale purple flowers, very handsome	6—7	1 9	9d.
	<b>albus</b> , the white variety	6—7	1 9	9d.
R	<b>Dielytra</b> ( <i>Dicentra</i> ) <b>eximia</b> , graceful racemes of purplish-red flowers; a fine hardy perennial	6—9	1 3	9d.
	<b>*spectabilis</b> , rose-pink, long and graceful drooping racemes	6—9	1 3	9d.
	<b>alba</b> , the pure white variety	6—9	1 3	1/-
	<b>Digitalis grandiflora</b> ( <i>ambigua</i> ), large bell-shaped yellow flowers	6—7	3 6	6d.
	<b>Veitch's Spotted</b> , pure white, spotted purple. A.M. See illustration page 20	6—7	3 6	6d.
	<b>purpurea</b> (Foxglove), purple spotted or white, in many fine varieties 3/- doz.	6—7	3 6	6d.
	<b>Dodecatheon Jeffreyi</b> ( <i>D. Meadia lancifolium</i> ), umbels of drooping rose-coloured flowers with a yellow eye; very distinct, easily recog- nized by its large leaves	5—7	1 6	9d.
R	<b>Meadia elegans</b> , purple flowers, much re- sembling a cyclamen; thrives well on a rockery, or in a shaded situation	5—7	1 2	9d.
R	<b>splendidum</b> , deep crimson with a yellow ring	5—7	1 2	6d.
	<b>Doronicum austriacum</b> , an effective border plant in the early spring, producing, in great profusion, bright-yellow Daisy- like flowers	3—5	1 3	6d.
	<b>Clusii</b> ( <i>glaciale</i> ), rich yellow, very floriferous	4—6	1 3	6d.
	<b>plantagineum excelsum</b> (Harpur Crewe), large yellow flowers 2 to 3 inches in diameter; blossoms with great free- dom; one of the most showy plants in cultiva- tion and invaluable for cutting	4—6	2 6	6d.
R	<b>Douglasia laevigata</b> , bright rosy-red flowers and small tufts of pale green foliage. A.M.	5	4	5/-
R	<b>Draba bruniifolia</b> , cushions of dark foliage, with heads of yellow flowers	3—5	2	9d.
R	<b>gigas</b> , white, very free	3—5	3	6d.
R	<b>imbricata</b> , flowers yellow, a charming little alpine, should be wedged tightly between rocks	3—4	3	1/6
R	<b>Dracocephalum Ruprechtii</b> , whorls of light blue flowers	5—7	1	9d.
	<b>Ruyschianum</b> , purplish flowers in dense spikes, free flowering	6—8	2	9d.
	<b>virginicum</b> , an erect plant crowded with pink flowers along the upper two-thirds of the stem	8—9	2 6	6d.
	<b>album</b> , the white variety. F.C.C.	8—9	2 6	9d.
R	<b>Dryas Drummondii</b> , large yellow flowers	7—8	6	1/6
R	<b>octopetala</b> , white, yellow centre	7—8	6	9d.
	<b>Echinacea</b> ( <i>Rudbeckia</i> ) <b>purpurea</b> , a grand old perennial, large red-purple flowers with blackish centre	7—8	2 6	9d.
	<b>Echinops banaticus</b> (Globe Thistle), light blue	7—8	4	9d.
	<b>Ritro</b> , large globular heads of blue flowers, strong grower	6—7	3 6	6d.
	<b>ruthenicus</b> , spherical heads of blue flowers, the upper part of the plant covered with a silvery down; a most distinct and ornamental plant	7—9	2 6	9d.
	<b>sphærocephalus</b> , large pale blue flower heads	7—8	5 6	9d.
	<b>Tournefortiana</b> (Globe Thistle) spherical thistle- like heads of silver-grey flowers with fine foliage	6—8	3	1/6

**R=Rock Plants.**

		Month of Flowering	Average Height.	Price each.
R	<b>Edraianthus</b> , see <i>Wahlenbergia</i> , page 58.			
R	<b>Epigæa repens</b> (Mayflower or Ground Laurel), clusters of delicate rose-tinted flowers, deliciously fragrant, must be planted under trees or in the shade of shrubs, a charming plant for early spring. A damp situation is necessary	4—5	6	2/6
	<b>Epilobium angustifolium</b> , purplish-rose, very free when planted in a shrubbery or large herbaceous border where it can be left to itself	7—9	3 6	6d.
	<b>album</b> , the white variety	7—9	3 6	6d.
R	<b>Fleischeri</b> ( <i>Dodonei</i> ), rose-purple	6—7	9	9d.
R	<b>obcordatum</b> , dwarf trailing habit, rose coloured flowers	6—7	6	1/-
R	<b>Epimedium alpinum</b> , a very pretty border or rock-plant	4—6	1	6d.
R	<b>niveum</b> , white flowers ; a neat front row plant for a shaded border, succeeds best in peaty soil	4—6	1	9d.
R	<b>pinnatum</b> , pretty pale yellow blossoms	4—6	1	9d.
	<b>Eremurus</b> , Veitch's Gold Medal Collection. See illustration page 22			
	<b>Bungei</b> , flower scape moderately stout. Individual flowers about an inch in diameter, bright canary-yellow, with a distinct green keel on the under side of the segments, prominent orange-red anthers	6	4	10/6 & 15/-
	<b>magnificus</b> , (Veitch), a much enlarged inflorescence of very bright yellow. Robust habit. A.M.	6—8	5	15/- & 21/-
	<b>himalaicus</b> , massive pillar-like stems bearing along the upper half of their length numerous cream-white flowers arranged in a crowded spiral raceme	6	5	3/6 & 5/-
	<b>Him-Rob</b> , a hybrid that flowers early. Flowers pale pink borne on stout stems	5	7	7/6 & 10/6
	<b>Lemon Queen</b> (Veitch), a fine hybrid between <i>E. Bungei</i> and <i>E. Warei</i> . The tall spikes are well furnished with clear lemon-yellow flowers which have bright orange anthers ; good grower. A.M.	6—8	5 6	25/- & 30/-
	<b>Olga</b> , differs from <i>E. robustus</i> in its narrow linear leaves, less vigorous and shorter scapes, but is remarkable for the great beauty of its individual flowers. These are about an inch in diameter, delicate blush-white or lilac tinted, with a thin dark line down the centre of each segment relieved by the bright yellow anthers. One of the latest to flower	7	5	15/- & 21/-
	<b>robustus</b> , stout erect scapes furnished along the upper half with a moderately dense raceme of pleasantly scented flowers each about 1½ inches in diameter. Soft flesh-pink conspicuously relieved by canary-yellow ovary and orange-red anthers	6	9	3/6 5/- 7/6 & 10/6
	<b>albus</b> , a great improvement on <i>E. robustus himalaicus</i> . Stronger and pure white	6—8	9	7/6 & 10/6
	<b>Elwesianus</b> , stouter scapes and larger flowers which appear earlier in the season. A beautiful pink relieved by bright orange-yellow anthers. The finest of all	5	9	5/- 7/6 10/6 & 15/-
	<b>Warei</b> , long spikes, buff-yellow. Probably a natural hybrid between <i>E. Olga</i> and <i>E. Bungei</i> . A.M.	6—8	6	15/- to 25/-
	<b>dark variety</b> , a dwarfer and deeper coloured form of the above variety	6—8	4 5	15/- to 25/-

# R=Rock Plants.

		Month of Flowering	Average Height. ft. in.	Price each.
	<b>Erianthus Ravennæ</b> , dense and handsome tufts of violet-tinged foliage, useful for planting with Pampas and other Grasses	9—10	4 6	1/-
	<b>Ericas</b> , see Catalogue of Hardy Trees and Shrubs.			
R	<b>Erigeron aurantiacus</b> , deep yellow, free-flowering either as a rock or border plant	6—8	6	6d.
R	<b>caucasicus</b> ( <i>pulchellus</i> ), rose-purple	6—8	1	6d.
	<b>Coulteri</b> , white; useful for the border	6—8	1 6	6d.
R	<b>glabellus</b> , blue and yellow, dwarf	6—8	6	6d.
	<b>grandiflorus elatior</b> , large lavender-coloured flowers, distinct	7	6	6d.
R	<b>leiomorus</b> , dwarf habit, pale purple flowers	6—7	6	1/-
	<b>multiradiatus</b> , purple and yellow	7—8	1	9d.
	<b>philadelphicus</b> , light purple and white	6—8	1	6d.
R	<b>Roylei</b> , bluish-purple, yellow disc	6—8	6	9d.
	<b>salsuginosus</b> , lilac-white	6—8	2	6d.
	<b>speciosus</b> ( <i>Stenactis speciosa</i> ), purplish-lilac, orange centres	6—8	2 3	6d.
	<b>grandiflorus</b> , larger and deeper in colour than <i>E. superbus</i> . Erect habit.	5—10	2 6	9d.
	<b>major</b> , a large flowered variety	6—8	2 3	9d.
R	<b>Erinus alpinus</b> , dwarf tufts of leaves, pretty violet-purple flowers, very suitable for old walls and ruins	5—7	3	6d.
	<b>albus</b> , a pure white variety	5—7	3	6d.
R	<b>Erodium guttatum</b> , pure white flowers with a dark blotch at base of upper petals, a pretty rock plant	6—8	9	1/-
R	<b>macradenum</b> , white flowers with violet markings, much divided foliage	6—8	9	9d.
	<b>Manescavii</b> , numerous showy purplish-red flowers about an inch in diameter; a free and vigorous grower	5—9	1 3	9d.
R	<b>Reichardii</b> ( <i>chamedryoides</i> ), white veined with pink; a very pretty alpine plant	6—8	3	1/-
	<b>Eryngium alpinum</b> , a very beautiful species, with light blue flowers, neat habit. A.M.	6—7	2	9d.
	<b>amethystinum</b> (true), deep blue glistening heads and stems and curiously shaped greyish foliage	7—9	1 9	1/-
	<b>Bourgatii</b> , a beautiful species with steel blue stems and bracts	7—9	1	9d.
	<b>giganteum</b> , bracts covered with a silvery amethystine bloom; a distinctive and handsome plant	6—8	2 6	6d.
	<b>maritimum</b> (Sea Holly), leaves of a whitish glaucous hue, flowers pale blue in roundish heads	6—8	1	9d.
	<b>Oliverianum</b> , numerous roundish heads of bluish flowers	7—9	2 6	9d.
	<b>pandanifolium</b> , leaves 3 feet long, tall branching heads of reddish-violet flowers	7—9	8 6	9d.
	<b>planum</b> , a useful and pretty species	6—8	2	6d.
	<b>Springhill Seedling</b> , dark steel-blue stems and flower, very attractive	7—9	2 6	1/-
	<b>tripartitum</b> , distinct, numerous heads of steel-blue flowers and bracts	6—8	2	9d.
	<b>Eupatorium ageratoides</b> , dense heads of white flowers	8—9	2	9d.
	<b>purpureum</b> , branching heads of purple flowers	7—9	3 6	9d.
R	<b>Euphorbia capitata</b> , a neat and effective trailing plant for the dry rockery, yellow flower heads	5—6	4	9d.
R	<b>Cyparissias</b> (Cypress Spurge), light green foliage, tinged with a beautiful red in the autumn	5—6	1 6	6d.
R	<b>Myrsinites</b> , prostrate umbels of yellow flowers, light green leaves	5—6	6	1/-
R	<b>pilosa major</b> , terminal tufts of pale yellow flowers, leaves beautifully tinged with red in the autumn	5—6	1 9	9d.
R	<b>polychroma</b> ( <i>epithymoides</i> ) a handsome Spurge with heads of bright chrome-yellow changing to rosy-bronze	5—6	1 6	9d.

# **R=Rock Plants.**

R **Ferns, hardy**, see page 84

**Ferula communis** (Giant Fennel), graceful feathery-foliage, forming tufts of the finest green in early spring  
**gigantea**, similar to the preceding, but much larger ; one of the finest hardy foliage plants in cultivation  
**Linkii**, foliage finely cut

**Francoa appendiculata**, somewhat tender, extremely pretty and useful for cutting, long branching spikes of pink flowers  
**ramosa** (Bridal Wreath), pinkish-white flowers on a short stem, very pretty and distinct ; useful for cutting

**Funkia Fortunei**, deep green foliage, flowers white, shaded lilac  
**variegata**, glossy green leaves, edged with white, showy and distinct  
**lancifolia**, racemes of pale blue flowers  
**marginata**, pale green foliage edged with white, flowers light blue  
**undulata variegata**, white and green foliage, useful for the edge of borders  
**ovata aureo-variegata**, golden-yellow variegated leaves  
**Sieboldii**, large heart-shaped glaucous foliage, drooping lilac-tinted flowers  
**subcordata grandiflora**, large and effective pale green foliage, flowers white  
12 in 6 distinct varieties (our selection), 6/-

**Gaillardia**, see page 66

R **Galax aphylla**, neat rounded toothed foliage, beautifully tinted, dense spikes of white flowers

**Galega officinalis albiflora compacta**, white pea-shaped flowers in numerous clusters  
**carnea fl. pl.**, a splendid border plant with double pink flowers, fine for cutting  
**compacta**, pinkish blossoms, dwarf and neat  
**patula Hartlandii**, very ornamental, lavender-blue and white flowers. A.M.

R **Gaura coccinea**, an American species with rosy-pink to coral-scarlet flowers, very floriferous, good for the border or rockery

**Lindheimeri**, a graceful plant with pink and white flowers, requires a warm sunny position

R **Genista**, see Catalogue of Hardy Trees and shrubs.

R **Gentiana acaulis**, large bells of the deepest blue ; a fine edging plant, 30/- and 60/- per 100

R **alba**, erect bell-shaped flowers, a white form of the type

R **affinis (Bigelovii)**, flowers an inch in diameter, deep velvety-blue, trailing habit

R **Andrewsii**, terminal clusters of numerous large inflated closed flowers of a beautiful amethystine blue ; one of the handsomest Gentians in cultivation

**asclepiadea**, deep purplish-blue, darker spots inside, from 12 to 16 on each stem ; a border plant

R **bavarica**, large velvety flowers of a deep Prussian-blue ; dwarf and compact ; one of the best

**calycosa**, sky-blue flowers an inch in length

R **cruciata**, deep blue flowers produced in whorls ; succeeds well in a border


**decumbens**, clusters of pale blue flowers ; distinct

**lutea**, bold habit, striking in any border ; broad lanceolate leaves, whorls of rich yellow flowers

Month of Flowering	Average Height.	Price each.
	ft. in.	
8	6	9d.
7—8	8 6	1/-
7—8	4	1/6
7—8	1 9	9d.
7—9	1 9	9d.
6—8	1 3	1/-
6—8	1 3	1/-
6—8	1 3	6d.
6—8	1 3	1/-
6—8	1 3	9d.
6—8	1 3	6d.
6—8	1 3	9d.
8—9	1 3	9d.
5—6	8	1/6
6—8	4	9d.
6—8	4	1/-
6—8	2 9	9d.
6—8	3	9d.
7—9	1 6	1/6
7—10	3	6d.
3—6	6	6d., 1/-
3—5	6	2/6 & 3/6
5—6	9	1/6
8—9	1 6	9d.
7—8	1 6	1/-
7—8	1 6	1/6
7	5	2/6
7—8	1	1/6
5—8	1	6d.
8—9	1	1/-
7—8	3 6	1/-

**R=Rock Plants.**

		Month of Flowering	Average Height. ft. in.	Price each.
R	<b>Gentiana Pneumonanthe</b> , rich blue flowers, sometimes striped with white, succeeds well in an artificial bog	8—9	10	9d.
R	<b>septemfida</b> , large bright blue flowers, whitish in the throat	8—9	10	1/-
R	<b>verna</b> , the most intense blue, dense tufts; one of the best alpinos	3—5	4	9d., 1/-
	<b>Veitchiorum</b> , large very deep blue erect bell-shaped flowers, a rare Chinese species. A.M.	6—7	3	10/6
R	<b>Geranium argenteum</b> , very dwarf, silvery foliage, pink flowers	5—8	6	1/-
	<b>armenum</b> , most vigorous and free, deep purplish-crimson	5—8	2 6	6d.
R	<b>cinereum</b> , a dwarf and charming alpine	5—8	6	9d.
	<b>Endreesii</b> , bright rose, very floriferous	5—8	2	6d.
R	<b>grandiflorum</b> , large bright blue flowers, front row of border or rockery	5—7	9	9d.
	<b>platyanthum</b> , a Chinese species with rosy-purple flowers, very floriferous	5—8	2	1/-
	<b>platypetalum</b> , crimson-purple flowers	5—8	2	9d.
	<b>pratense album plenum</b> , double white flowers	5—8	1 9	6d.
	<b>fl. pl.</b> , double purplish-blue flowers	5—8	1 6	6d.
	<b>sanguineum</b> , magenta-crimson, neat and dwarf	5—8	6	6d.
	<b>album</b> , a pure white form, very free. A.M.	5—7	6	9d.
R	<b>sanguineum lancastriense</b> , rose pencilled with dark crimson; distinct and pretty	5—8	6	9d.
	<b>striatum</b> , pink, with darker veins	7—8	1	9d.
	<b>sylvaticum plenum</b> , light blue	6—8	3	6d.
	<b>Geum Chitoense Mrs. Bradshaw</b> , rich brilliant crimson flowers of immense size. A.M.	6—9	2	1/-
	<b>coccineum fl. pl.</b> , vivid scarlet double flowers, particularly valuable for cutting	6—9	1 6	6d.
	<b>Ewenii</b> , orange, semi-double	6—9	1 3	6d.
R	<b>Heldreichii</b> , orange-red, very attractive. A.M.	6—9	1	6d.
	<b>splendens</b> , deeper coloured flowers produced more freely than the type	5—6	1	9d.
	<b>miniaturum</b> , ( <i>Chiloense</i> ), orange-red, distinct and showy	6—9	1 6	9d.
R	<b>montanum</b> , a pretty alpine, useful for rockwork or borders; beautiful clear golden-yellow flowers, neat and compact tufts of foliage	4—5	6	6d.
	<b>aurantiacum</b> , probably a hybrid between <i>G. montanum</i> and <i>G. Heldreichii</i> ; deep orange - yellow. A.M.	4—5	8	9d.
R	<b>Gillenia, trifoliata</b> , erect slender panicles of white and pink flowers	6—8	2	9d.
	<b>Gladiolus</b> , see Bulb Catalogue.			
	<b>Glaucium flavum</b> , bright yellow flowers, silvery-white leaves	6—8	1 6	9d.
	<b>tricolor</b> , rich orange and mahogany-red flowers, produced freely. A.M.	6—9	1 6	1/-
R	<b>Globularia trichosantha</b> , blue; a good rock or border plant	5—6	1	6d.
R	<b>Gnaphalium Leontopidium</b> (Edelweiss), a favourite and well-known alpine; will grow freely in a light open soil	6—7	6	6d.
	<b>Grasses, Ornamental</b> , see page 90.			
	<b>Gunnera manicata</b> , a gigantic plant with striking foliage, the leaves being borne on footstalks 4 to 5 ft. long. A damp shady situation is best. F.C.C.	7—8	5 0	5/- to 10/6
	<b>scabra</b> , large and fine foliage, single leaves often attaining a width of 4 to 5 feet; a most conspicuous and handsome plant in a prominent position, particularly on the margins of ponds or lakes; succeeds best in a warm sunny spot	7—8	4 6	1/6 to 5/-



*Gypsophila paniculata* fl. pl., a lovely border plant.

**R=Rock Plants.**

**Gynerium argenteum**, (Pampas Grass), see Hardy Ornamental Grasses, see page 90.

R **Gypsophila cerastioides**, a pretty trailing plant, producing numerous clusters of white flowers streaked with violet; thrives well in an open position on the rockwork

**paniculata**, dense compact bush with small white flowers, produced in great profusion; very useful for cutting; the stalks supporting the flowers are much-branched and very graceful

**fl., pl.**, a double-flowered form of this extremely useful plant (see illustration above). A.M.

R **repens**, flowers white

R **monstrosa**, pure white flowers nearly double the size of the type, grows freely and is good for the rockery or front row of border. A.M.

R **rosea**, a charming little plant for the rockery with masses of rosy-pink flowers covering the ground

Month of Flowering	Average height.	Price each.
6—7	2	6d.
7—9	2 6	6d.
7—9 6—8	2 3 6	1/-, 1/6 6d.
6—8	9	9d.
6—8	6	9d.

# R=Rock Plants.

	Month of Flowering	Average height.	Price each.
R <b>Haberlea rhodopensis</b> , a pretty shade of lilac with a pale yellow throat. F.C.C.	6—7	ft. in. 5	1/6, 2/6
<b>Harpalium rigidum</b> , see <i>Helianthus rigidus</i> . p. 30			
<b>Helenium autumnale</b> , large yellow flower heads, massive and showy	8—9	5 6	6d.
<b>Gartensonne</b> .—Brilliant golden-yellow, dark velvet brown centre, early flowering	8—10	5	1/-
<b>superbum</b> , larger flowers, and a stronger habit than the type. A.M.	8—9	5 6	9d.
<b>pumilum</b> , dwarf and compact, large bright yellow F.C.C.	6—10	1 3	6d.
<b>magnificum</b> , a finer form than the type, large, soft yellow flowers 2 to 3 ins. across	6—10	3	9d.
<b>Bolanderi</b> , deep golden yellow with a black disc.	6—7	3	9d.
<b>grandicephalum striatum</b> , orange striped with crimson. F.C.C.	8—9	4	6d.
<b>cupreum</b> , orange red, very free blooming	7—9	1 9	1/-
<b>Hoopesii</b> , golden yellow, very useful for cutting	6—8	1 6	9d.
<b>Riverton Beauty</b> .—Yellow and brown	8—10	3 6	9d.
<b>Riverton Gem</b> .—A strong grower. Old gold suffused with terra-cotta, changing to a reddish-bronze	8—10	3 6	9d.
R <b>Helianthemums</b> (Rock Roses), ornamental evergreens of dwarf compact habit with large flowers of many shades of colour both in single and double varieties, valuable for dry situations on rockery or dry banks, also for front row of border	5—8	9	
<b>album plenum</b> , double white			9d.
<b>Attraction</b> , orange			6d.
<b>carminatum plenum</b> , double red			6d.
<b>croceum</b> , large yellow			9d.
<b>double orange</b>			6d.
<b>sulphur</b>			6d.
<b>yellow</b>			6d.
<b>Fireball</b> , fiery-red			9d.
<b>Garibaldii</b> , bright pink			9d.
<b>mutabile</b> , flesh colour			9d.
<b>Red Dragon</b> , deep rose			6d.
<b>roseum multiplex</b> , double rose			6d.
<b>Rosy Gem</b> , deep rose			6d.
<b>The Bride</b> , pure white			9d.
<b>tigrinum plenum</b> , double salmon			6d.
<b>Tuberaria</b> , yellow			9d.
<b>venustum plenum</b> , scarlet			9d.
<b>vulgare</b> , a yellow species			6d.
<b>yellow standard</b> , a fine rich yellow			9d.
<b>6 distinct varieties (our selection) 3/-</b>			
<b>12 in 6 distinct varieties (our selection), 5/-</b>			
<b>Helianthus decapetalus</b> , pale yellow flowers, about 2 inches across, stalks much branched at the top	7—8	4 6	6d.
<b>giganteus</b> , a very strong grower, free-flowering, bright yellow	9—10	7 6	6d.

**R=Rock Plants.**

	Month of Flowering	Average height. ft. in.	Price each.
<b>Helianthus lætiflorus</b> , the flowers about 2 inches across, on numerous spreading branches	9—10	7	6d.
<b>Daniel Dewar</b> , very distinct with incurved petals, much like a chrysanthemum	9—10	7	6d.
<b>mollis</b> , leaves handsome, silvery green, flowers yellow, dark centre	9—10	3 9	9d.
<b>multiflorus</b> , very showy	7—9	4 6	6d.
<b>Bouquet d'Or</b> , a very fine double form, bright golden flowers, very distinct	7—9	3 6	9d.
<b>maximus</b> , immense golden-yellow flowers, 4 to 5 inches in diameter	7—9	6	6d.
<b>plenus</b> , handsome double variety	7—9	4 6	6d.
<b>Soleil d'Or</b> , bright golden-yellow	7—9	4 6	9d.
<b>orgyalis</b> , tall, slender stems, drooping narrow leaves, yellow flowers on short stalks	9—10	6 0	9d.
<b>rigidus</b> ( <i>Harpalum rigidum</i> ), large golden-yellow flowers with black centre ; a fine border plant, and invaluable for cutting	6—8	3	6d.
<b>Miss Mellish</b> , large semi-double brilliant yellow flowers, A.M.	8—10	7 0	6d.
<b>Rev. Wolley-Dod</b> , bright yellow, a fine late-flowering variety	9—11	6 6	6d.
<b>semi-plenus</b> , semi-double rich golden yellow. F.C.C.	8—9	4	6d.
<b>sparsifolia</b> , large deep rich yellow flowers on long stems, very late flowering. A splendid hybrid raised from crossing <i>H. rigidus</i> with <i>H. Californicus</i> , a double variety	9—10	6	1/6
<b>strumosus</b> , small, useful for cutting	7—9	3 6	6d.
<b>6 distinct Helianthus (our selection), 3/-</b>			
<b>12 in six distinct varieties (our selection), 5/-</b>			
R <b>Helichrysum bellidifolium</b> . A dwarf carpetting plant with white flowers. A.M.	6	6	1/6
<b>Heliopsis lævis grandiflora</b> , (Orange Sunflower), deep orange yellow, very lasting	7—8	4	6d.
<b>scabra imbricata</b> .—A dwarf form with flowers 3 inches in diameter, florets golden yellow	7—8	3	1/6
<b>scabra Pitcheriana</b> , rich yellow. A.M.	7—8	3 6	9d.
<b>semi-plenus</b> , orange, semi-double	7—9	3 6	9d.
<b>Helleborus atrorubens</b> , purple, very free and pretty	1—3	1	1/6
<b>colchicus</b> , dark purple flowers, handsome dark leaves, with five to seven broad and coarsely-toothed divisions.	2—3	1	2/6
<b>guttatus</b> , white flowers spotted and sometimes streaked with purple on the inside.	2—3	1	1/6
<b>niger</b> (Christmas Rose) the large pure white flowers of this and the following varieties are indispensable for cutting in December and January. To have the blooms pure white and clean, a handlight should be placed over the plants as they come into bloom	12—2	8	9d. 1/6
<b>angustifolius</b> , very fine	10—12	1	1/6 3/6
<b>major</b> , strong plants for forcing	11—1	9	1/6 2/-
<b>maximus</b> , large rose tinted flowers	11—1	9	1/6 3/6
<b>Madame Fourcade</b> , distinct and beautiful	12—2	8	2/6
<b>Riverstonii</b> , robust variety	12—2	9	2/6
<b>orientalis</b> (The Lenten Rose), many fine distinct varieties	1—3	1	1/- 3/6
<b>seedlings</b>	1—3	1	9d.

R=Rock Plants.

6 Lenten Roses in 6 named varieties (our selection),  
6/- 9/-

12 Lenten Roses in 6 named varieties (our  
selection) 9/- and 12/-

Seedling vars., good strong flowering plants,  
very varied in colour, 7/6 per dozen.


	Month of Flowering	Average height.	Price each.
R <b>Heloniopsis breviscapa</b> , spikes of blush-white flowers in early spring. Requires a damp shady position. A.M.	2—3	6	2/-
R <b>Hemerocallis aurantiaca major</b> , flowers deep orange-yellow, nearly 5 inches in diameter ; the finest in the genus. F.C.C.	6—8	2 6	9d.
<b>disticha</b> , broad foliage, bronzy yellow flowers	6—8	3	6d.
<b>fl. pl.</b> , large double bronzy yellow flowers. F.C.C.	6—8	2 6	6d.
<b>Dumortieri</b> , bronzy orange, exterior of the flowers of a deeper tint	6—8	2	6d.
<b>Dr. Regel</b> , rich apricot, good quality. A.M.	8	2 6	1/-
<b>Flamid</b> , very early-flowering, orange-coloured flowers	5—6	2	6d.
<b>flava</b> , clear yellow, very fragrant	5—6	2 6	6d.
<b>fulva</b> , dark orange shaded crimson, flowers produced in great abundance	6—7	3	6d.
<b>fol. striata</b> , striped foliage	6—7	3	9d.
<b>Kwanso fl. pl.</b> , large double bronze-coloured flowers. F.C.C.	7—8	3	6d.
<b>fol. var.</b> , foliage beautifully variegated. F.C.C.	7—8	3	1/-
<b>luteola</b> , flowers bright golden-yellow, borne on tall stems. A.M.	7—8	3	1/-
<b>Middendorffii</b> , deep orange-yellow ; useful for cutting. F.C.C.	5—6	1 6	9d.
<b>minor</b> ( <i>graminifolia</i> ), soft yellow ; a dwarf species with grass-like foliage	7—8	1	9d.
<b>Thunbergii</b> , rich clear canary-yellow	7—8	3	9d.
6 distinct Hemerocallis (our selection) 3/-			
R <b>Hepatica angulosa</b> , beautiful large sky-blue flowers	2—4	6	9d.
<b>alba</b> , masses of evergreen foliage covered in early spring with large pure white flowers	3—4	6	1/6
<b>rosea</b> , a rose coloured form	3—4	6	1/6
R <b>triloba</b> ( <i>Anemone Hepatica</i> ), lovely dwarf spring flowers, very pretty when grown in masses and left undisturbed. Succeed best in good rich loam and rather shady situation			7/6 & 10/6
<b>alba fl. pl.</b> , very rare, double white blue, double	3—5	6	2/- 6d.
single			1/6, 2/6
large clumps			6d.
red, double	3—5	6	6d.
large clumps			1/6, 2/6
single			9d.
white, single			9d.
6 distinct varieties (our selection) 5/-			
R <b>Herniaria glabra</b> , prostrate habit, pretty masses of evergreen foliage, valuable as a carpet plant	5—8	1	6d.
<b>Hesperis matronalis</b> (Sweet Rocket), fragrant spikes of pinkish white flowers	6—7	1 6	6d.
<b>alba</b> , the white variety, showy for shrubberies			6d.
<b>plena</b> , the double white variety			9d.
<b>lilacina plena</b> , one of the oldest and rarest forms of the Old Rocket. A.M.	6—7	1 6	1/6
<b>purpurea plena</b> , double purple, very pretty and distinct			1/-

**R=Rock Plants.**

		Month of Flowering	Average height.	Price each.
R	<b>Heuchera brizoides</b> , large spikes of rosy coloured flowers, handsome foliage	7—9	1 9	6d.
R	<b>Edge Hall Hybrid</b> , rose colour, very large	7—9	2	9d.
R	<b>Flambeau</b> , dense spikes of flame- coloured flowers on stout erect branching stems	7—9	2	1/-
R	<b>gracillima</b> , rich crimson, very graceful, one of the best. A.M.	7—9	2	6d.
R	<b>micrantha</b> , flowers in a loose panicle, light and graceful. A.M.	6—7	2	9d.
R	<b>Richardsonii</b> ( <i>hispid</i> ), flowers veined with purple, brown foliage	6—7	2 6	6d.
R	<b>sanguinea</b> , an extremely pretty dwarf hardy plant, with small roundish leaves, and numerous lovely panicles of bell- like flowers of the most brilliant coral-red; a robust and vigorous grower in almost any border. F.C.C.	6—8	1 9	6d.
R	<b>alba</b> , a white variety, very distinct	6—8	1 9	9d.
R	<b>grandiflora</b> , larger and brighter colour than the type; showy	6—8	1 9	9d.
R	<b>Rosamunde</b> , coral-pink a fine variety	6—7	3	1/-
R	<b>rosea</b> , pretty rose flowers, in habit similar to the type	6—7	1 9	9d.
R	<b>Zabeliana</b> , tall handsome spikes of pink coloured flowers, pale green leaves	6—7	2 6	9d.
R	<b>Hieracium villosum</b> , a charming perennial with silvery glau- cous leaves, and bright yellow flowers	6—8	1	6d.
R	<b>Hippocrepis comosa</b> , clusters of yellow pea-shaped flowers	4—8	2	6d.
	<b>Hollyhocks</b> ( <i>Althæa rosea</i> ), seedlings from a fine strain of double flowers, beautiful colours very showy in the border	7—9	1	9d.
	selected colours, white, lilac, crimson, sulphur, rose, flesh, cherry, lilac, lake, scarlet, etc.	7—9	1	1/-
	single, mixed colours	7—9	1	9d.
R	<b>Horminum pyrenaicum</b> , bluish purple flowers on short nodding pedicels	5—7	9	9d.
	<b>album</b> , white flowers, ever- green foliage, very uncommon	6—9	9	1/-
R	<b>Houstonia cærulea</b> , small dense tufts of leaves surmounted by tiny slender stems of pale blue flowers	5—7	5	9d.
R	<b>alba</b> , a pretty white variety	5—7	5	1/-
R	<b>Hutchinsia alpina</b> , a neat plant with shiny leaves and pure white flowers, suitable for the rockery or front row of borders	4—6	4	9d.
R	<b>Hypericum Coris</b> , a miniature species with rich yellow flowers, for a dry position in rockery	5—9	4	9d.
R	<b>cuneatum</b> , buds very red opening to bright yel- low, habit procumbent	6—7	3	2/6
R	<b>empetrifolium</b> , flowers yellow, leaves small, habit neat and dwarf	5—9	1	9d.
R	<b>olympicum</b> , symmetrical bushes covered with large bright yellow flowers	5—8	1	9d.
M	<b>repens</b> ( <i>ericoides</i> ), a charming species with heath- like leaves on prostrate stems, terminating in racemes of bright yellow flowers	6—9	6	9d.
R	<b>reptans</b> , one of the brightest for the rockery with unusually large golden yellow flowers, prostrate habit, evergreen	6—9	3	6d.
R	<b>Iberis correæfolia</b> , compact heads of large white flowers	5—6	8	6d.
R	<b>gibraltarica</b> , large heads of delicate lilac-pink flowers, thrives well in a sunny spot on the rockery. F.C.C.	5	9	9d.
R	<b>Little Gem</b> , white flowers, very free and dense, a fine rock plant	5—6	3	6d.
R	<b>saxatilis</b> , white flowers in numerous small capitate heads on dense evergreen prostrate shoots	4—8	3	1/-
R	<b>semperflorens</b> , an erect shrubby species with dense corymbs of white flowers	4—6	9	6d.

# **R=Rock Plants.**


		Month of Flowering	Average height.	Price each.
R	<b>Iberis sempervirens plena</b> , double white, very free and showy	5	ft. in. 1	9d.
R	<b>Garrexiana</b> , a spreading plant with large umbels of pure white flowers	3—4	9	6d.
R	<b>Snowflake</b> , large heads of pure white flowers, a great improvement on the type	4—7	9	6d.
	<b>Incarvillea Delavayi</b> , leaves elegantly cut ; flowers deep rose produced in clusters. F.C.C.	6	2 6	9d.
	<b>grandiflora</b> , rich intense carmine toned with magenta, yellow throat, flowers larger than <i>I. Delavayi</i> . F.C.C.	6	10	1/-
	<b>brevipes</b> , large brilliant crimson flowers, habit of <i>I. Delavayi</i>	6—7	2	1/6
	<b>Olga</b> , large trumpet-shaped rose-pink flowers, 2 inches long, a very beautiful plant	7—9	3 6	9d.
	<b>Inula glandulosa</b> , large deep golden flowers, 3 to 4 ins. across	6—7	1 6	9d.
	<b>laciniata</b> , large-orange-coloured flowers, petals finely cut	6—8	1 9	9d.
	<b>Helenium</b> (Elecampane), a vigorous grower, large leaves, bright yellow flowers on stout stems	6—7	5	9d.
	<b>Hookeri</b> , pale yellow, sweet scented flowers, 4 to 5 inches diameter	6—7	2 6	9d.
	<b>Oculus-Christii</b> , deep yellow flowers on short stems	6—8	1	1/-
	<b>Royleana</b> , deep golden yellow flowers, good shape	8—10	2	1/-
	<b>Iris</b> , see page 67.			
	<b>Isatis glauca</b> , flowers yellow, borne in a large loose panicle ; leaves glaucous, very effective	6—7	3 9	1/-
	<b>Jaborosa integrifolia</b> , long tubular white flowers, evergreen	6—7	9	6d.
R	<b>Jasione perennis</b> , masses of light blue flowers for border or rockery, a desirable plant of strong constitution	7—9	1	9d.
	<b>Jurinea alata</b> .—Numberless heads of blue-purple flowers above silver grey foliage, particularly effective when seeding, fine for the wild garden	6—7	3 6	1/-
	<b>Kniphofia</b> , see Tritoma, p. 54.			
	<b>Lathyrus grandiflorus</b> , large crimson pea-shaped flowers, produced in pairs ; a showy plant for a trellis or for covering old tree stumps, &c.	7—8	5 0	9d.
	<b>latifolius</b> , rose-coloured flowers, produced in abundance	7—8	5 0	6d.
	<b>albus</b> , the pure white Everlasting Pea, valuable for cutting	7—8	5 0	9d.
	<b>splendens</b> , brilliant rose carmine	7—8	4	1/-
	<b>White Pearl</b> , large white flowers produced in profusion	7—9	5 0	1/-
	<b>Lavatera Olbia</b> .—A perennial bush mallow with rosy-pink flowers	6—8	3 6	1/6
R	<b>Lewisia rediviva</b> .—Pretty rose-coloured flowers, springing from rosettes of deep green foliage. Does best in a dry sunny position amongst stones. F.C.C.	6—8	3	1/6
	<b>Liatris graminifolia dubia</b> , bright rose purple flowers, on long stems. A.M.	7—9	4	1/-
	<b>pycnostachya</b> , deep purple flower-spikes a foot in length F.C.C.	7—9	3 0	9d.
	<b>scariosa</b> , large dark purple flowers, a distinct shade	9	2 6	9d.
	<b>magnifica</b> , rich crimson purple, an improvement on the type	9	2 6	1/-
	<b>spicata</b> , violet-purple spike, handsome and neat in growth	7—9	1 6	6d.
	<b>Lilium</b> , see Bulb Catalogue			
R	<b>Linaria alpina</b> , dense tufts of bluish violet and orange flowers	5—10	3	6d.
R	<b>rosea</b> , attractive rose-coloured flowers	5—10	3	9d.
	<b>dalmatica</b> , (syn. <i>macedonica</i> ), golden yellow, orange lip	6—9	2 6	6d.
R	<b>pallida</b> , dwarf creeping plant	6—9	3	9d.
R	<b>pilosa</b> , bright purple	6—9	3	9d.
R	<b>repens alba</b> , heads of white flowers borne on wiry stems forming dense compact bushes	6—9	1	9d.



*Lupinus arboreus* Snow Queen

**R=Rock Plants.**

		Month of Flowering	Average height.	Price each.
	<b>Lindelofia spectabilis</b> , drooping clusters of deep purplish blue flowers, very showy	5—7	ft. in. 1 3	6d.
R	<b>Linnæa borealis</b> , a lovely little trailing plant with slender stems and rose-pink flowers produced in pairs ; requires a cool, shady situation	7—9	3	1/-
R	<b>Linum alpinum</b> , a dwarf alpine with bright blue flowers on slender stems, only suitable for the rockery	6—8	6	9d.
R	<b>aboreum</b> , a charming little evergreen bush, glaucous leaves, numerous corymbs of bright yellow flowers	6—9	1 3	9d.
R	<b>flavum</b> , golden yellow flowers in great abundance ; succeeds almost anywhere	6—8	1 3	6d.
R	<b>monogynum</b> , a New Zealand species with large hand-some white flowers	6—7	2	9d.
R	<b>narbonense</b> , bright blue flowers	6—7	2	9d.
R	<b>perenne</b> , a slender, elegant plant with bright blue flowers	7—8	1 3	6d.
R	<b>album</b> , a white form of the preceding, a charming rock or border plant	7—8	1 3	6d.
R	<b>Lithospermum Gastonii</b> , lovely azure-blue flowers, with white eye, borne in clusters	6—9	1	2/-
R	<b>graminifolium</b> , grass-like foliage and masses of rich deep blue flowers. F.C.C.	4—9	9	2/6
R	<b>(Moltkia) petræum</b> (Rock Gromwell), dense cymes of flowers at first pinkish but on opening are rich violet blue, a beautiful rock plant	7—9	9	1/6
R	<b>prostratum</b> , a hardy spreading evergreen, lovely rich deep blue flowers	4—9	9	9d.
	<b>Heavenly Blue</b> , tufts of dark evergreen foliage, covered with a profusion of sky blue flowers. A.M.	4—11	3	1/-
R	<b>purpureo-cæruleum</b> , dark purple-blue flowers, only suitable for covering dry banks or large rocks	5—7	1	6d.
R	<b>rosmarinifolium</b> , a deep blue shade, charming bushy plant with Rosemary-like foliage	5	1 6	1/-
R	<b>Zollingeri</b> , tufts of very rough, glistening foliage with lovely sky-blue flowers. Only recommended for large rockeries and front row of borders	6—9	1	1/-
	<b>Lobelia cardinalis</b> <b>Fire Fly</b> , intense scarlet, dark stems and dark green foliage, tinged with reddish-bronze	7—9	2 6	9d.
	<b>Queen Victoria</b> , foliage dark purple, greatly heightening the effect of these splendid plants	7—9	2 3	9d.
R	<b>linnæoides</b> , flowers white on slender erect stems, when established it is very attractive, the foliage being very dense and ever-green, requires a moist position in the rockery	7—8	4	1/6, 2/6
	<b>syphilitica</b> , light blue flowers thrives best in a damp, shady situation or near water	7—9	1 6	6d.
	<b>alba</b> , the white variety	7—9	1 9	6d.
	<b>Lobelia cardinalis</b> , <b>L. syphilitica</b> and their varieties require protection in winter.			
R	<b>Lotus corniculatus</b> , <b>fl. pl.</b> , double yellow flowers often tipped with crimson, an effective rock plant	5—9	4	9d.



Lupins at Wisley.

**R=Rock Plants.**

	Month of Flowering	Average height.		Price each.
		ft.	in.	
<b>Lupinus arboreus</b> , invaluable for rocky banks or slopes. Pea-shaped sweet-scented yellow flowers in profusion	6—9	3		9d & 1/-
<b>Snow Queen</b> , a dense bush, fragrant white flowers. A.M. See illustration, page 34	6—9	3	6	9d & 1/-
<b>Foxii</b> , dark blue and white. A.M.	5—6	2	6	9d.
<b>Moerheimii</b> , very fine rose-pink, dwarf compact grower	5—8	3		1/-
<b>Nootkatensis</b> , large spikes of blue and white flowers	5—8	1	9	9d.
<b>polyphyllus</b> , numerous elegant flower spikes crowded with blue and purple blossoms ; a first-class perennial in any situation	5—6	3	6	6d.
<b>albus</b> , the white variety	5—6	3	6	6d.
<b>roseus</b> , soft rose-pink, flowers in profusion. A.M.	5—6	2	6	1/-
<b>Somerset</b> , semi-shrubby growth, bright yellow flowers. A.M.	6—8	3		1/-
R <b>Lychnis alpina</b> , clusters of bright rose-pink flowers	6—8	4		6d.
<b>chalcedonica</b> , large dense heads of brilliant scarlet flowers, invaluable for cutting ; one of the best border plants	7—8	3		6d.
<b>fl. pl.</b> , brilliant scarlet, dense corymbose heads, erect stems	7—8	2	3	9d.
<b>alba pl.</b> , a white variety of the preceding	7—9	2	3	1/-
<b>dioica rubra fl. pl.</b> , bold heads, fine for massing or cutting	5—9	1	3	6d.
R <b>flos-cuculi alba plena</b> , a double white variety of the old <i>Ragged Robin</i>	6—7	1	6	9d.
R <b>grandiflora</b> , a Japanese species, delicate salmon-scarlet, prefers a moist situation. A.M.	6—9	2		1/-
R <b>Haageana</b> , flowers about 2 inches in diameter, of various bright colours from crimson to white	6—7	1		6d.
R <b>Lagascæ</b> , a lovely alpine with bright rose-red flowers	6—8	3		6d.
R <b>vespertina plena</b> , large double white flowers, very fragrant	6—9	2		1/-
R <b>viscaria</b> , panicles of rose-coloured flowers	6—8	1	3	6d.

**R=Rock Plants.**

		Month of Flowering	Average height. ft. in.	Price each.
R	<b>Lychnis viscaria alba grandiflora</b> , a large-flowered white variety, a great advance on other white forms	6-8	1 3	6d.
R	<b>splendens plena</b> , large and double, a beautiful bright rose	6-8	1 3	6d.
	<b>Lysimachia clethroides</b> , long dense spikes of white flowers	7-9	2 3	6d.
R	<b>Henryi</b> , an evergreen species from N.W. China, with clusters of deep yellow flowers. A.M.	6-8	9	2/-
R	<b>Nummularia</b> (Creeping Jenny), bright yellow flowers, excellent for hanging baskets	6-8	1	6d.
R	<b>aurea</b> , a gold-leaved variety of the same	6-8	1	6d.
	<b>velutina</b> , flowers soft yellow	7-8	2 3	9d.
	<b>verticillata</b> ( <i>punctata</i> ), long spikes of yellow flowers, very free	7-9	1 9	6d.
	<b>Lythrum roseum superbum</b> , large spikes of clear rose-coloured flowers; an effective border plant	7-9	3 6	6d.
	<b>Rose Queen</b> , fine rosy spikes	7-8	3 6	9d.
	<b>virgatum</b> , rosy-purple, an elegant and charming species	7-9	3	9d.
	<b>Malva moschata</b> , masses of lovely rose-pink	6-9	1 6	6d.
	<b>alba</b> , numerous large pure white flowers, excellent for cutting; a good border plant. F.C.C.	7-8	2 6	6d.
R	<b>Mazus rugosus</b> .—A perennial creeper with mauve-blue flowers and tufts of small leaves. A.M.	3-4	3	1/6
R	<b>Meconopsis cambrica</b> (Welsh Poppy), yellow and bronze	5-7	1	6d.
	<b>plena</b> , clear yellow double flowers, A.M.	6-7	1	1/-
	<b>integrifolia</b> , yellow, biennial. F.C.C.	6-8	2 6	2/-
	<b>punicea</b> , scarlet biennial. F.C.C.	6-8	1 6	2/6
	<b>racemosa</b> .—A distinct biennial Poppy with purplish-blue silky flowers. A.M.	6-7	1 3	2/6
	<b>sinuata</b> .—A biennial with charming lavender-blue flowers. The leaves are covered with stiff hairs.	6-8	1 3	2/6
R	<b>Wallichii</b> (Blue Himalayan Poppy), a stately plant with cut foliage and erect flower stems, along nearly the whole length of which are produced azure-blue pendant flowers 2 to 2½ inches in diameter.	6-7	3 9	2/6
R	<b>Megasea</b> ( <i>Saxifraga</i> ) <b>cordifolia</b> , large heart-shaped leaves on long thick stalks, dense masses of rose-pink flowers	3-4	1	6d.
R	<b>purpurea</b> , flowers, brilliant purple; during the winter the foliage is deeply tinged with bronze	4-5	1 3	9d.
R	<b>crassifolia</b> , pendant masses of pale rose-pink flowers, slightly tinged with lilac	4-5	1	9d.
R	<b>ligulata</b> , broad obovate leaves, flowers white with a rose margin, very effective	4-5	1	6d.
	<b>ciliata</b> , resembles the type, but has hair on both leaf surfaces	4-5	2	9d.
R	<b>orbicularis</b> , dark massive foliage, with large heads of rose-coloured flowers	4	1	9d.
R	<b>Stracheyi</b> , light pinkish and lilac flowers on pendant branching spikes; very pretty	5-6	1	1/-

**R=Rock Plants.**

		Month of Flowering	Average height.	Price each.
	<b>Mertensia echioides</b> , racemes of deep blue flowers with an intense yellow eye, vigorous growth	5—7	ft. in. 3	1/6
	<b>lanceolata</b> , drooping pale blue flowers, good habit	5—7	1	1/6
	<b>paniculata</b> , rich violet-blue, a beautiful species	7—9	1 6	1/-
	<b>primuloides</b> , gentian-blue flowers, resembles <i>M. echioides</i> . A.M.	5—7	9	1/6
	<b>sibirica</b> , small bell-shaped flowers in drooping clusters	5—6	1	6d.
	<b>virginica</b> , drooping clusters of purplish-blue flowers	5—6	1 3	9d.
R	<b>Mesembryanthemum uncinatum</b> .—Flowers pink on very quaint grey foliage	6—7	10	1/-
	<b>Michauxia campanuloides</b> , spikes of large whitish flowers with reflexed petals	7—8	4 0	6d.
♀	<b>Mimulus cardinalis</b> , bright scarlet	6—8	2	9d.
	<b>luteus</b> , bright yellow, spotted with red	6—8	1 6	6d.
R	<b>Primuloides</b> , creeping species from N.W. America, flowers bright yellow on very slender erect stems	6—8	6	1/-
R	<b>radicans</b> , creeping with short leafy branches, flowers white with violet spots. F.C.C.	6—7	1	9d.
	<b>Molinia cœrulea fol. striatis</b> , a slender-leaved grass, beautifully striped yellow and green, good for edging and bedding	7—8	1	9d.
	<b>Molopospermum cicutarium</b> , an ornamental foliage plant, useful for isolation or grouping	5—6	4 6	9d.
	<b>Monarda didyma</b> (Bergamot), deep red flowers in numerous large terminal whorls; extremely handsome	6—8	2 9	6d.
	<b>Cambridge Scarlet</b> , a much more vivid shade than <i>M. Didyma</i>	6—8	2 9	9d.
	<b>fistulosa</b> , whorls of purplish rose-coloured flowers; robust growing	6—8	3 6	6d.
	<b>Montbretia</b> , see Bulb Catalogue.			
	<b>Morina longifolia</b> , long spiny thistle-like leaves, and strong erect spikes of rose-coloured flowers; a most effective plant	6—8	2 6	9d.
R	<b>Morisia hypogæa</b> , small bright yellow flowers above rosettes of deep green leaves.	3—7	2	1/-
	<b>Myosotidium nobile</b> , (The Chatham Island Forget-me-not). Dense paniculate racemes of pretty pale blue flowers, handsome glossy green foliage. F.C.C.	5—7	2	3/6 to 7/6
	<b>Myosotis alpestris Victoria</b> , a low cushion of the most lovely azure-blue; valuable for edging	3—6	6	9
	<b>dissitiflora</b> , bright blue, good for massing			
	<b>alba</b> , the white variety			
	<b>rupicola</b> , (alpestris), (The true alpine Forget me-not), dense tufts of foliage covered with brilliant deep blue flowers with yellow eyes. F.C.C.			
	<b>Ruth Fischer</b> .—Flowers pure light blue, very large, habit dwarf and compact	4—7	4	9d.
	<b>sylvatica</b> (Forget-me-not) 2/- per doz. ; 12/6 per 100	4—6	6	9d.
	<b>Welwitschii</b> .—pale blue flowers, creeping habit	3—6	9	
	<b>Nepeta Glechoma variegata</b> ( <i>Glechoma hederacea variegata</i> ), a procumbent plant with blue flowers and variegated leaves	5—6	4	1/-
R	<b>Mussinii</b> , a beautiful shade of pale lavender, dwarf compact habit	5—6	6	6d.
		5—8	1	6d.

**R=Rock Plants.**

		Month of Flowering	Average height, ft. in.	Price each.
R	<b>Nierembergia rivularis</b> , large open cup-like creamy white flowers, about 2 inches across, barely pushed above its dense foliage.	6—9	3	6d.
	<b>Oenothera fruticosa major</b> , a mass of showy bright yellow blossoms	6—9	1 6	6d.
R	<b>macrocarpa</b> , compact trailing masses of yellow flowers	6—8	8	6d.
R	<b>marginata</b> , a pretty dwarf species with white flowers	6—9	6	1/-
	<b>Pilgrimii</b> , clusters of large yellow flowers, one of the very best	6—8	1	9d.
R	<b>pumila</b> , the smallest species, yellow flowers, very pretty and interesting	6—8	4	9d.
R	<b>riparia</b> , a pretty species with slender branches, golden yellow flowers	6—8	1	9d.
R	<b>speciosa</b> , flowers white, changing to rose, borne on erect shrubby stems ; a valuable perennial for borders or large rockwork	6—9	1 3	9d.
R	<b>rosea</b> , plant of trailing habit, flowers bright rose-pink. A.M.	6—8	6	9d.
R	<b>taraxacifolia</b> ( <i>acaulis</i> ), large white flowers, fine trailing plant for the rockery	6—8	8	6d.
	<b>Youngii</b> , clusters of deep yellow flowers	6—9	1 6	6d.
R	<b>Omphalodes cappadocica</b> .—Dark blue flowers, large glossy leaves, strong grower	3—4	9	2/6
R	<b>Luciliæ</b> , pale blue and lilac flowers, foliage glaucous grey	6—10	6	5/-
R	<b>verna</b> , charming little plant, clear blue Forget-me-not- like flowers with white centre	3—4	4	6d.
	<b>alba</b> , a white-flowered form of the preceding	3—4	4	6d.
R	<b>Ononis rotundifolia</b> , a neat shrubby plant, producing numerous rose-pink flowers	5—6	1 3	9d.
R	<b>Onosma alba rosea</b> , very distinct, rose-coloured	6—7	6	1/6
R	<b>tauricum</b> ( <i>echioides</i> ), pretty drooping clusters of clear yellow sweet-scented blossoms	5—8	10	1/6
	<b>Orchis foliosa</b> , handsome erect spikes of rose-purple flowers ; one of the handsomest terrestrial Orchids	5—8	1 9	2/6
	Other varieties of <i>Orchis</i> and <i>Ophrys</i> can be supplied.			
	<b>Oreocome</b> ( <i>Selinum</i> ) <b>Candollei</b> , an umbelliferous plant, valuable for its finely cut fern-like foliage	6—7	1 9	9d.
R	<b>Origanum hybridum</b> , the flowers resemble bunches of rose-coloured hops, a pretty rock plant for a dry position	6—8	1	1/-
R	<b>Dictamnus</b> (true), Dittany of Crete, drooping heads of pink flowers	6—8	1	2/6
R	<b>pulchellum</b> , pretty sub-shrubby plant with silvery leaves, rosy purple flowers	6—8	9	1/-
R	<b>Orobus</b> ( <i>Lathyrus</i> ) <b>aurantiacus</b> , bright orange blossoms	4—5	1 9	9d.
R	<b>canescens</b> ( <i>filiformis</i> ), blue-purple, very showy	5—7	1	1/6
R	<b>lathyroides</b> , bright blue flowers produced in dense racemes	5—7	1 9	9d.
R	<b>pannonicus varius</b> , erect racemes of pea-shaped flowers, with rose-coloured standard and yellowish wings and keel	6—8	1 6	1/-
R	<b>vernus</b> , beautiful purple and blue flowers, veined with red ; charming border plant	4—5	1	6d.
R	<b>albus plenus</b> , double white flowers, very rare	4—5	1	1/6
	<b>Ostrowskia magnifica</b> , one of the finest hardy perennials. Gigantic campanulate flowers, measuring 5 to 6 inches across the mouth, of a delicate mauve-lilac colour suffused with white, and with deeper veins and reticulations ; the stems are strong, with oblong leaves arranged in clusters of fours, and the flowers are either borne singly or in terminal racemes. F.C.C.	7—8	3 6	1/6, 2/6
R	<b>Ourisia coccinea</b> , slender clusters of bright scarlet blossoms, produced on creeping stems	5—6	9	1/-

**R=Rock Plants.**

**Pæonia**, see page 73.

**Pampas Grass** (*Gynerium argenteum*), see Hardy Ornamental Grasses page 90

		Month of Flowering	Average height. ft. in.	Price each.
R	<b>Papaver alpinum</b> , flowers varying from white to orange ; silvery foliage, for rockeries only	5—8	9	6d.
	<b>bracteatum</b> , large brilliant crimson-scarlet flowers, with a black blotch at the base of each petal	5—6	3	6d.
	<b>Beauty of Livermere</b> , bold flowers of a deep crimson colour	5—6	4	9d.
R	<b>nudicaule</b> (Iceland Poppy), beautiful clear yellow	5—8	1	6d.
R	<b>album</b> , pure white, very elegant	5—8	1	6d.
R	<b>miniatum</b> , brilliant orange-scarlet. F.C.C.	5—8	1	6d.
	<b>orientale</b> , bright orange-scarlet with black blotch, very large and showy	5—7	2 6	6d.
	<b>Blush Queen</b> , delicate blush, very distinct. F.C.C.	5—7	2 6	6d.
	<b>Brilliant</b> , vivid vermilion, blackish centre	5—7	2 6	6d.
	<b>Goliath</b> , gigantic scarlet flowers pro- duced in abundance, very effective	5—8	3	9d.
	<b>Jenny Mawson</b> , rich rosy salmon, large flowers on erect stems	5—7	2 6	1/-
	<b>Lady Roscoe</b> , orange terra-cotta and a satin-like sheen. A.M.	5—7	2 6	9d.
	<b>Little Prince</b> , very dwarf	5—7	2	6d.
	<b>Marie Studholm</b> , salmon suffused with carmine, of silky texture	5—7	2 6	9d.
	<b>Mrs. Marsh</b> , rich crimson-scarlet, ir- regular blotch of white on each petal	5—7	2 6	9d.
	<b>Mrs. Perry</b> , flowers medium size, on stout stems, a lovely shade of orange- apricot, a unique colour	5—7	3	1/-
	<b>multiflorum</b> , crimson, distinct	5—7	2 6	6d.
	<b>Oriental King</b> , a very strong grower, rigid and upright, large crimson- scarlet flowers	5—8	3	1/-
	<b>Prince of Orange</b> , orange - scarlet, compact habit	5—7	2 6	6d.
	<b>Princess Victoria Louise</b> , rosy salmon, free bloomer	5—7	2 6	9d.
	<b>Queen Alexandra</b> , bright rosy sal- mon with conspicuous crimson blotch, very fine and distinct in colour. A.M.	5—7	2 6	1/-
	<b>Royal Scarlet</b> , strong growing	5—7	2 6	6d.
	<b>Salmon Queen</b> , salmon-red	5—7	2	6d.
	<b>Silberblick</b> , a beautiful salmon shade with white anthers and stamens	5—8	3	9d.
	<b>Silver Queen</b> , white, with a faint blush	5—7	2	6d.
	<b>Parochetus communis</b> , deep blue flowers, plant in warm position	6—9	3	9d.
	<b>Parnassia palustris</b> (Grass of Parnassus), large pure white flowers, a splendid plant for the bog garden	5—9	6	9d.
	<b>Pentstemon barbatus</b> , see <i>Chelone barbata</i> , page 17			
	<b>Cobæa</b> , long pale purple flowers, pencilled with red and suffused with yellow ; very fine. A.M.	8—10	2 6	9d.
R	<b>glaber</b> , leaves glabrous, flowers blue, violet or purple	5—7	1 6	6d.
E	<b>heterophyllus</b> , dwarf, lilac-pink flowers, changing to blue, produced in pairs	7—8	1 6	9d.
	<b>lævigatus digitalis</b> , many white flowers, like a Foxglove	8—9	2	9d.
R	<b>Menziesii</b> , violet to rosy blue flowers in marvel- lous profusion, a most showy border or rock plant	6—9	1	1/-
R	<b>Scouleri</b> , large lilac-blue flowers, evergreen	6—8	1 6	1/-



*Phlox setacea (subulata).*

**R=Rock Plants.**

		Month of Flowering	Average height.	Price each.
	<b>Pentstemon Murrayanus</b> , whorls of bright scarlet flowers, broad glaucous foliage	8—10	4	1/-
	<b>ovatus</b> , vigorous growing, ultramarine to deep rose-purple, dense spikes	8—10	3 6	9d.
	<b>pubescens</b> , leaves pubescent, flowers white to dull violet or purple	6—9	2	9d.
R	<b>spectabilis</b> , fine blue-purple flowers over one inch long, very effective	6—8	2	9d.
	<b>Seedlings of Florists' Varieties</b> , page 76			
R	<b>Phlox amoena</b> , numerous bright rose-pink flowers	5—6	6	6d.
R	<b>fol. var.</b> , a white variegated form of the well- known <i>P. amoena</i> , producing a fine effect of colour against the flesh green of the rest of the foliage, and covered with pure rosy red flowers	5—7	6	9d.
R	<b>canadensis</b> , pale blue flowers. F.C.C.	5—6	1	9d.
	<b>alba</b> , the white variety	5—6	1	9d.
	<b>Laphamii</b> , clear brilliant blue, large trusses	5—7	1 6	1/-
R	<b>ovata</b> , lilac flowers in small crowded heads	5—7	1	6d.
R	<b>pilosa Brilliant</b> , flowers bright crimson	5—6	6	1/-
R	<b>procumbens</b> , dwarf and compact habit, clusters of pale purple flowers with violet markings near the centre	5—6	6	6d.
R	<b>setacea</b> , ( <i>subulata</i> ) delicate rose, deep crimson eye. See illustration above	5—7	3	9d.
R	<b>subulata atro-purpurea</b> , a dwarf carpet plant with dark awl-shaped leaves and purplish-rose flowers	5—6	6	6d.
R	<b>Brightness</b> , bright rose with scarlet eye, very free	4—6	4	1/-
R	<b>compacta</b> , clear rose dwarf compact habit	4—6	4	9d.
R	<b>frondosa</b> , delicate pink flowers above com- pact foliage	4—6	4	6d.
R	<b>Nelsonii</b> , charming variety, covered with white flowers	5—6	6	6d.
R	<b>nivalis</b> , very pretty, small pure white flowers	5—6	6	9d.
R	<b>rosea major</b> , large pale rose flowers, crimson eye	5—6	6	9d.




*Platycodon grandiflorum Mariesii.*

**R=Rock Plants.**

	Month of Flowering	Average height.		Price each.
		ft.	in.	
R <b>Phlox subulata Sprite</b> , bright rose, crimson eye	5—6		6	9d.
R <b>The Bride</b> , white, pink centre, very pretty	5—6		6	9d.
R <b>stellaria</b> , a very beautiful species with pure white starry flowers 1 inch across	5—6		9	6d.
R <b>lilacina</b> , flowers of a lilac colour, neat habit	5—6		6	6d.
R <b>verna</b> , a lovely pink, dark throat	5—6		6	6d.
<b>Florists' Varieties</b> , page 77.				
R <b>Phygelius capensis</b> , long branching spikes of brilliant scarlet flowers, very showy	6—10	2	6	9d.
R <b>Physalis Alkekengi</b> (Winter Cherry), peculiar orange-red fruit, useful for winter decoration	5—6	1	3	6d.
<b>Franchetii</b> , a gigantic species of Bladder Cherry, by far the most ornamental of the genus yet known. Its bright coral-red capsules are about 3 inches in length, varying in colour from light orange to orange-scarlet when mature. F.C.C.	6—7	1	9	6d.
<b>Picotees</b> , see page 62.				
<b>Platycodon grandiflorum</b> ( <i>Companula grandiflora</i> ), deep blue campanulate flowers, 2 to 3 inches across ; very showy	7—8	1	6	6d.
<b>album</b> , pearl-white	7—8	1	6	9d.
<b>Mariesii</b> , numerous dark blue flowers on dwarf stout stems, very handsome F. C. C. See illustration above	7—9		9	6d.

**R=Rock Plants.**

		Month of Flowering	Average height. ft. in.	Price each.
R	<b>Plumbago Larpentæ</b> ( <i>Ceratostigma plumbaginoides</i> ), dense tufts of foliage, covered in autumn with beautiful deep blue flowers which gradually change to violet; a good plant for a warm position on the rockery or in the herbaceous border.	8—10	10	9d.
	<b>Podophyllum Emodii</b> , fruit 2 to 3 inches long of the most brilliant coral-red colour, exceedingly handsome	5—6	1	9d.
	<b>peltatum</b> , beautiful wrinkled leaves, small white flowers	5	1	1/-
R	<b>Polemonium cæruleum variegatum</b> , variegated foliage	6—7	1	1/-
R	<b>confertum</b> , a beautiful shade of deep blue, a fine rock plant. F.C.C.	6—7	6	1/6
R	<b>mellitum</b> , graceful light green foliage with racemes of white flowers. A.M.	6—7	1	1/
	<b>himalayanum</b> , spikes of large clear blue flowers and fern-like foliage; invaluable for any herbaceous border	5—7	2	9d.
R	<b>reptans</b> , creeping stems, and loose drooping panicles of slate-blue flowers	5—6	1	6d.
	<b>Richardsonii</b> , large sky-blue flowers borne in numerous heads; an excellent decorative plant	5—7	1 6	6d.
	<b>alba</b> , a white variety of the preceding	5—7	1 3	6d.
	<b>Polyanthus</b> , see page 80			
	<b>Polygala Chamæbuxus</b> ,   See Hardy Tree and Shrub Catalogue			
	<b>purpurea</b> ,			
*	<b>Polygonatum multiflorum</b> (Solomon's Seal), elegant arching stems, with numerous drooping white blossoms; fine for forcing	5—6	2 3	4d. to 9d.
R	<b>Polygonum affine</b> ( <i>Brunonis</i> ), dense spikes of rosy red flowers, lasting through the autumn	8—10	6	6d.
	<b>amplexicaule</b> , spikes of bright crimson flowers on long graceful stems	8—9	2 6	9d.
R	<b>capitatum</b> , flowers pale pink, foliage marked with dark bands, procumbent	5—9	6	1/6
	<b>compactum</b> , white flowers, in profusion on stout erect stems	7—10	1 6	9d.
	<b>cuspidatum</b> ( <i>Sieboldii</i> ), cream-white flowers, in great profusion, handsome dark green foliage; very effective as a single specimen	6—8	6	9d.
	<b>polystachyum</b> , bluish-white flowers in graceful sprays, a fine border plant	7—10	5	9d.
	<b>sachalinense</b> , a grand plant of immense size, producing a striking effect on a moist herbaceous border or on the margin of water	7—9	1	9d.
	<b>sphærostachyum</b> , spikes of crimson flowers, very showy	7—9	1 3	2/6-3/6
R	<b>vacciniifolium</b> , branching spikes of rose-coloured flowers, dwarf and pretty	9—10	6	9d.
R	<b>Potentilla ambigua</b> , a Himalayan species with dense masses of dark green leaves covered with large yellow flowers, a fine rock plant	6—7	3	1/-
R	<b>atro-sanguinea</b> , <b>Gibson's variety</b> , dazzling single blood-red flowers. A.M.	7—9	9	1/-
R	<b>formosa</b> ( <i>nepalensis</i> ), pretty pink flowers, a useful border plant	7—9	1	6d.
R	<b>Hopwoodiana</b> , very distinct, buff, shaded with rose. F.C.C.	7—9	1 6	9d.
R	<b>Miss Willmott</b> , deep clear red, a grand plant for border or rock-garden	6—9	1 6	1/-
R	<b>pyrenaica</b> , very showy, deep golden yellow	7	6	9d.
R	<b>rupestris</b> , large white flowers	5—8	6	6d.



*Primula pulverulenta.*

**R=Rock Plants.**

**R Potentilla Tonguei**, bright orange or terra-cotta flowers, spotted with crimson, a gem for the rock garden

**Florists' Varieties**, see page 80

**Primrose, Blue**, many shades of blue, from pale lavender to deep violet, seedlings

**"Evelyn Arkwright,"** the largest form of our native Primrose known; flowers fully  $2\frac{1}{2}$  ins. in diameter

**R Primula auricula**, deep golden yellow flowers

**Beesiana**, tall spikes of rosy purple flowers, bold foliage

**Bulleyana**, bright orange-coloured flowers in whorls on scapes of from 3 to 5 tiers, moisture-loving. F.C.C.

**R capitata**, flowers of the deepest purple. F.C.C.

**Clusiana**, large bright crimson heads of flowers

**Cockburniana**, orange-scarlet. A.M.


**R cortusoides**, clusters of deep rosy flowers; useful for the rockery

There are numerous varieties of this showy species

**amcena**, rosy purple, large white eye

**R Sieboldii**, large, richly coloured flowers broad handsome foliage. F.C.C.

Month of Flowering	Average height.	Price each.
	ft. in.	
6—9	6	9d.
3—5	9	9d.
3—5	6	3/6
3—5	6	9d.
5—6	1 6	1/6
6—7	2	1/6
3—5	1	9d.
3—5	4	1/-
6—7	1	9d.
3—5	1	6d.
3—5	9	6d.
3—5	9	9d.



Primula Veitchii.

**R=Rock Plants.**

		Month of Flowering	Average height.	Price each.
			ft. in.	
R	<b>Primula denticulata</b> , an Himalayan species with globular heads of lilac coloured flowers	5—8	9	6d.
R	<b>alba</b> , a handsome variety with large pure white flowers with yellow centre	5—8	9	9d.
R	<b>Cashmiriana</b> , heads of light purple flowers with yellow centre	5—8	1	9d.
	<b>alba</b> , a white form of the preceding	5—8	1	9d.
R	<b>farinosa</b> , umbels of pale purple, yellow-eyed blossoms, with rosettes of silvery leaves	3—5	4	9d.
R	<b>Forbesii</b> , a Chinese species with dainty flowers of soft pink, flowering continuously; not quite hardy but a charming plant for greenhouse culture. F.C.C.	5	6	9d.
R	<b>Forrestii</b> . — Sturdy and vigorous. Golden-yellow with orange-coloured eye of medium size. Flowers and foliage both exceptionally fragrant. F.C.C.	6—7	2	1/6&2/6
R	<b>frondosa</b> , a species with rosy-lilac flowers, the green foliage is covered with a silvery farina	4—5	6	9d.
R	<b>integrifolia</b> , smooth shiny leaves, bright rose flowers	3—5	3	1/-
R	<b>intermedia</b> , purplish crimson flowers, yellow centre, very fragrant	3—5	6	9d.
	<b>japonica</b> , whorls of rich crimson blossoms, a fine border plant. F.C.C.	3—5	1 3	9d.

**R=Rock Plants.**

		Month of Flowering	Average height. ft. in.	Price each.
R	<b>Primula Knuthiana</b> (Veitch), a new species from North China with neat trusses of rosy-lilac flowers borne above a rosette of mealy leaves. (See illustration on cover). A.M.	3—4	6	5/-
	<b>Littoniana</b> , dense conical spikes of purple flowers. The bracts and calyces are blood-red and the corolla purple. F.C.C.	6—7	2	3/6
	<b>luteola</b> , compact heads of rich yellow flowers	3—5	9	1/-
	<b>Maximowiczii</b> , bright orange-red fragrant flowers produced in whorls. A new species from N. China. A.M.	6—7	1 0	10/6
R	<b>marginata</b> , soft violet-pink flowers; pretty grey leaves with a silver margin	3—5	6	9d.
	<b>megasæfolia</b> , a rare species with rich rosy purple flowers, requires a moist and shady position. A.M.	3—5	9	1/-
R	<b>nivalis</b> , ( <i>viscosa nivea</i> ), snow-white flowers	3—5	4	1/6
	<b>pulverulenta</b> (Veitch), resembling <i>P. Japonica</i> , with larger and more richly-coloured flowers A.M.	6—7	2 6	9d.
	<b>pulverulenta</b> var. <b>Mrs. R. V. Berkeley</b> , in habit of growth the variety now offered is identical with <i>P. pulverulenta</i> . Flowers cream-white with rich orange eye, stem mealy. F.C.C.	5—7	2 6	3/6
	<b>rosea grandiflora</b> , bright rose varying to carmine, a beautiful variety requiring a moist shady position	4	9	9d.
	<b>sibirica chinensis</b> , lilac with white eye. Very free flowering and useful for the rockery	6—7	1	1/6
	<b>sikkimensis</b> , heads of canary-yellow flowers, very distinct. F.C.C.	4—5	1 3	1/-
	<b>Unique "Improved"</b> (Veitch).—( <i>P. Cockburniana</i> × <i>P. pulverulenta</i> ), rich rosy-red flowers intermediate in colour between the parents. A.M.	6—7	1	2/6 & 3/6
	<b>Veitchii</b> (Veitch).—Deep rose-coloured with an orange ring surrounding the yellow mouth of the tube. A.M.	6—7	1	1/-
	<b>vulgaris alba plena</b> ( <i>Double Primroses</i> ), the old double white	3—5	6	6d.
	<b>carnea plena</b> , double salmon-pink	3—5	6	1/-
	<b>Croussii</b> , profusion of double purplish lilac flowers, with white edges	3—5	6	9d.
	<b>lilacina plena</b> , double lilac	3—5	6	6d.
	<b>lutea plena</b> , double golden yellow	3—5	6	9d.
	<b>purpurea plena</b> , double reddish purple	3—5	6	6d.
	<b>rubra fl. pl.</b> , ( <i>Mad. Pompadour</i> ) rich velvet crimson flowers, very rare	3—5	6	2/6
	<b>sulphurea plena</b> , double sulphur	3—5	6	6d.
	( <i>Single Primroses</i> ), in mixed colours, 3/- dozen, 21/- per 100	5—8	6	
R	<b>Wulfeniana</b> , bright pink, very pretty	3—4	3	1/-
R	<b>Prunella grandiflora alba</b> , ( <i>laciniata</i> ), fine spikes of white flowers, a grand border plant	6—8	9	6d.
R	<b>Webbiana</b> , dense spikes of crimson-purple flowers. A.M.	6—7	10	6d.
R	<b>Pyrola rotundifolia</b> , spikes of white flowers similar to those of a large Lily of the Valley, requires shade and moisture	6—7	6	9d.
	<b>Pyrethrum uliginosum</b> , clusters of numerous large white flowers, a noble plant for the border and invaluable for cutting	8—10	6	6d.
	<b>Florists' varieties</b> , see page 80			
R	<b>Ramondia pyrenaica</b> , rosettes of pretty wrinkled leaves from which spring short stems bearing numerous violet-purple flowers with an orange centre; invaluable for fissures on the rockery; peaty soil	5—8	6	9d.
R	<b>alba</b> , a pure white variety of great beauty. F.C.C.	5—8	6	3/6
R	<b>serbica</b> , bell-shaped, lilac with yellow centre. Leaves covered with silky white hairs, very pretty	5—8	6	1/6
R	<b>Nathaliæ</b> , deeper coloured flowers, bright orange anthers	5—8	4	1/6



Rodgersia aesculifolia.

**R=Rock Plants.**


		Month of Flowering	Average height.		Price each.
			ft.	in.	
	<b>Ranunculus aconitifolius plenus</b> (Fair Maids of France), beautiful double snowy- white flowers, in pro- fusion				
	<b>acris fl. pl.</b> (Batchelor's Button) clusters of pretty double yellow blossoms	5—7	1	9	6d.
R	<b>alpestris</b> , a very dwarf alpine with pure white flowers and glossy leaves	5—6	2		6d.
	<b>amplexicaulis</b> , large pure white flowers with yellow centres, free and showy	5—8		3	9d.
R	<b>monspeliacus</b> , large yellow blooms, a good rock plant	5—7		10	9d.
R	<b>parnassifolius</b> , large pure white flowers with neat orbicular or heart-shaped foliage ; a charming little plant	4—6	1	6	9d.
	<b>rutæfolius</b> , white, dark yellow centre, foliage cut	6—7		8	9d.
R	<b>speciosus</b> , very large double yellow flowers ; very showy	5—6		9	1/6
		5—6	1	3	9d.
	<b>Rheum Alexandræ</b> .—Pale yellow leaf-like bracts, above very dark and glossy green foliage	6—7	3		1/6
	<b>Collinianum</b> , a handsome foliage plant with large leaves and spikes of crimson flowers	5—6	6		1/-
	<b>Emodii</b> , large handsome cordate leaves, wavy margins	5—6	6		1/-
	<b>officinale</b> (Rhubarb), immense leaves, bold and striking	5—6	6		1/-

**R=Rock Plants.**

	Month of Flowering	Average height.	Price each.
<b>Rheum palmatum var. tanghuticum</b> , large, boldly incised foliage	5—6	ft. in. 3 6	1/-
<b>Rhododendron ferrugineum</b> } See Hardy Tree & <b>album</b> } Shrub Catalogue.			
<b>Rodgersia æsculifolia</b> , panicles of pinkish-white fragrant flowers, handsome bronze-green foli- age. See illustration, page 47	6—7	2 6	1/-
<b>pinnata</b> , deep rosy-crimson flowers	6—7	2 6	2/6
<b>alba</b> , a fine variety with white flowers, effectively used in moist positions, A.M.	6—7	2 6	1/-
<b>podophylla</b> , a handsome foliage plant with palmate bronze-tinted leaves, 20 to 25 inches across. F.C.C.	7—8	1 9	1/-
<b>sambucifolia</b> , large pinnate deep bronze green leaves; panicles of creamy-white flowers	7	1 6	1/6
<b>tabularis</b> , Astilbe-like white flowers, with large flat leaves on single stems, 3 ft. high	7—8	6 0	2/6
<b>Romneya Coulteri</b> , large white Poppy-like flowers, 4 to 5 inches in diameter, bright golden-yellow anthers, very effective. F.C.C.	6—7	2 6	1/6 to 5/-
<b>trichocalyx</b> , large Poppy-like flowers, similar to <i>R. Coulteri</i> , but the buds are flatter and hairy	6—7	2 6	5/-
<b>Rosmarinus prostratus</b> , trailing habit, only suitable for dry positions on rockery	7—8	3	1/-
<b>Rudbeckia californica</b> , a noble plant, with large golden yellow flowers 4 inches across, dark conical-shaped disc, very vigorous. A.M.	8—9	4 6	6d.
<b>Herbstonne</b> , very large golden-yellow	7—9	5 6	1/-
<b>laciniata</b> , large pale yellow flowers 4 to 5 inches in diameter; very free	7—8	4 6	6d.
<b>fl. pl.</b> ( <i>Golden Glow</i> ), brilliant golden- yellow. A.M.	7—8	4 6	6d.
<b>maxima</b> , amongst the largest in the genus, bright yellow; glaucous foliage	7—9	5 6	6d.
<b>Newmannii</b> ( <i>speciosa</i> ) profusion of large orange- yellow composite flowers, 3 to 4 inches in diameter, with a raised maroon centre; valuable for the border and for cutting purposes; one of the best	8—10	2 6	6d.
<b>nitida</b> , very showy yellow flowers, one of the latest	8—10	4 6	9d.
<b>purpurea</b> , deep maroon-crimson, raised brown disc, very handsome and showy	7—8	2 9	9d.
<b>subtomentosa</b> , yellow with purple centre, branching habit	7—9	3	6d.
<b>Salvia glutinosa</b> , pale yellow flowers, rare and interesting	7—9	3	9d.
<b>pratensis</b> , rich purple flowers in numerous spikes, graceful habit	6—8	2	6d.
<b>Sclarea</b> , spikes of bluish-white flowers, a handsome species	7—9	3	9d.
* <b>Sanguinaria canadensis</b> , pure white Anemone-like flowers, kidney-shaped silvery leaves	5—6	6	6d.
<b>Sanguisorba canadensis</b> , spikes of creamy-like flowers, very free-flowering	8—9	4 6	9d.
R <b>Santolina incana</b> , a small silvery shrub, the whole plant covered with dense white down	6—7	1	9d.
R <b>viridis</b> , pale yellow blossoms, a useful rock plant	6—8	1	6d.

# R=Rock Plants.


		Month of Flowering	Average height. ft. in.	Price each.
R	<b>Saponaria ocymoides</b> , a prostrate plant forming dense cushions of neat foliage, and producing a profusion of rose-pink flowers	6—7	6	6d.
	<b>alba</b> , a variety of the above covered with myriads of white flowers	6—7	4	9d.
R	<b>splendidissima</b> , flowers large, deep rosy crimson; a charming plant for rock-work, banks, slopes, etc.	6—7	6	1/-
	<b>officinalis plena</b> , large corymbs of lilac-pink flowers	7—8	2	6d.
	<b>Sarracenia purpurea</b> (Hardy Pitcher Plant), deep blood-red, a curious and most attractive plant for a moist situation	6	9	2/6 & 5/-
	<b>Saxifraga</b> , see page 82.			
	<b>Scabiosa caucasica</b> , large heads of pale lilac flowers, 3 to 4 inches across; one of the best hardy perennials in cultivation, grows and flowers freely in any ordinary soil	6—8	2 6	9d.
	<b>alba</b> , a white-flowered variety of the preceding. A.M.	6—8	2 6	1/-
	<b>elata</b> ( <i>Cephalaria tartarica</i> ), sulphur-yellow, a tall plant suitable for the shrubbery	6—8	5 6	6d.
R	<b>graminifolia</b> , dense tufts of narrow silvery white leaves and pale mauve flowers, a splendid rock or border plant	6—9	9	9d.
R	<b>Parnassii</b> ( <i>Pterocephala</i> ), pale purple flowers, grey-green foliage	6—9	6	6d.
	<b>Schizocodon soldanelloides</b> .—A Japanese creeper with evergreen bronzy foliage and bright crimson fringed flowers. Requires peaty soil and shady position. F.C.C.	3—6	3	2/6
	* <b>Schizostylis coccinea</b> (Crimson Flag, or Kaffir Lily), fine scarlet, early winter-flowering plant (strong in pots)	9—10	1 9	6d.
	<b>Scutellaria baicalensis cœlestina</b> .—Spikes of pale blue flowers, a splendid plant for warm position on rockery or front row of border.	7—9	1	1/-
R	<b>Sedum acre</b> , bright yellow flowers, fine for rockwork.	5—6	3	6d.
	<b>aureum</b> , a yellow-foliaged variety of the type	5—6	3	6d.
R	<b>album</b> , a dwarf growing plant with white flowers	6—7	6	6d.
R	<b>altissimum</b> , yellow flowers on erect stems, glaucous foliage	6	1	9d.
R	<b>amplexicaule</b> , golden-yellow flowers, evergreen foliage	6	6	9d.
R	<b>dasyphyllum</b> , pink flowers, silvery-grey foliage	7	1	6d.
R	<b>Ewersii</b> , clusters of purplish flowers, silvery-white foliage, very ornamental	7—9	3	6d.
R	<b>glaucum</b> , ( <i>hispanicum</i> ), short spreading stems, densely clothed with thick greyish-coloured leaves	6—7	3	6d.
R	<b>kamtshaticum</b> , rich yellow flowers, evergreen foliage of a bright colour	8—10	6	6d.
R	<b>variegatum</b> , the foliage is distinctly marked with yellow	8—10	6	9d.
R	<b>lydium</b> , very small pink flowers, a charming evergreen species	8	3	6d.
R	<b>monstrosum</b> , yellow flowers borne on curiously fasciated stems	7—8	9	6d.



Senecio Veitchianus.

**R=Rock Plants.**

		Month of Flowering	Average height.	Price each.
R	<b>Sedum oreganum</b> , pale rose-coloured flowers, bright green leaves, very distinct	7	ft. 6	9d.
R	<b>primuloides</b> , flowers white, resembling small white berries	6	4	2/6
R	<b>pulchellum</b> , rosy-purple flowers, evergreen trailing stems	7—8	4	9d.
R	<b>sempervivoides</b> .—Intense scarlet flowers, grey rosettes of foliage tipped with red	6—7	6	1/6
R	<b>Sieboldii</b> , round heads of rose-pink flowers, prettily tinted foliage	7—8	1	6d.
	<b>splendens variegatum</b> , flowers purplish-lilac, leaves white and green	7—8	1	9d.
R	<b>spathulifolium</b> , citron-yellow flowers, glaucous leaves	6	3	6d.
R	<b>spectabile</b> , dense broad corymbs of rosy-purple blossoms, borne on stout, erect stems; handsome plant	8—9	1 3	6d.
R	<b>rubrum</b> , a crimson form of the preceding	8—9	1 3	9d.
R	<b>spurium rubrum</b> , beautiful crimson flowers	7—8	1	6d.
R	<b>Telephium</b> , heads of purplish-pink flowers, useful in dry positions	7—9	1	6d.
R	<b>ternatum</b> , an evergreen species with white flowers on prostrate stems	7—9	3	9d.
<b>Other species and varieties can also be supplied.</b>				
R	<b>Sempervivum</b> , useful plants for the rockery 6 distinct varieties, 3/-; 12 in 6 distinct varieties 5/-.			



Senecio clivorum.

**R = Rock Plants.**

	Month of Flowering	Average height. ft. in.	Price each.
<b>Senecio clivorum</b> , flower large, golden yellow ; leaves bold, heart-shaped, on long petioles ; well adapted for the side of lakes or streams. A.M. See illustration above.	7—8	4 6	9d.
<b>sub-crenata</b> .—Rather less robust in habit than the species. Rounded foliage of more compact growth. Rich orange-yellow flowers	8	2	1/6
<b>Doria</b> , large heads of golden yellow flowers	7—8	6 6	1/-
<b>Doronicum</b> , large bright yellow flowers, 2 to 3 inches in diameter, borne on stout erect stalks	6—7	1 9	6d.
<b>japonicus</b> , large much-divided leaves, branched stems, orange-yellow flowers	7	4 6	9d.
<b>macrophyllus</b> , yellow flowers in loose terminal corymbs, large leaves	8	7	1/-
<b>pulcher</b> , rose - purple flowers, with golden - yellow centres ; an extremely handsome perennial for any border. F.C.C.	9—10	2 6	9d.

**R=Rock Plants.**

		Month of Flowering	Average height. ft. in.	Price each.
	<b>Senecio tanguticus</b> , panicles of bright yellow flowers, suitable for wild garden. A.M.	9—10	4 6	9d.
	<b>Veitchianus</b> (Veitch).—Bright yellow blossoms. A true bog garden plant. A.M. See Illustration page 50.	7—8	6	1/-
	<b>Wilsonianus</b> .—Habit similar to <i>S. Veitchianus</i> , with flowers smaller and more dense	7—8	5	1/-
	<b>Serratula atriplicifolia</b> , globular heads of purple flowers	9—10	5	9d.
R	<b>Shortia galacifolia</b> , a most interesting North American plant of great rarity, producing Snowdrop-like flowers on rose-coloured footstalks raised above a deep green shining foliage which in autumn assumes a deep port-wine red. F.C.C.	5—6	6	1/6 & 2/6
	<b>Sidalcea candida</b> , pure white flowers, very pretty and useful for cutting. A.M.	6—8	2	6d.
	<b>Listeri</b> , pink, with fringed edges, very pretty	6—8	2 6	9d.
	<b>malvæflora</b> , deep pink, useful for cutting	6—8	1 6	9d.
	<b>Rosy Gem</b> , rosy pink flowers in elegant spikes	6—8	3 6	6d.
R	<b>Silene acaulis</b> , a dwarf Alpine, producing in summer a mass of pink flowers, just above the foliage	5—7	2	6d.
R	<b>alba</b> , pure white flowers, pretty for the rockery	5—8	2	9d.
R	<b>aurea</b> , a charming Alpine forming tufts of golden yellow mossy foliage	6—7	1	1/6
R	<b>fl. pl.</b> , dense cushions of light green foliage covered with bright rose double flowers	6—7	1	1/6
R	<b>alpestris</b> , pure white flowers in dense masses	5—6	4	6d.
R	<b>Asterias grandiflora</b> , globular heads of deep red flowers on erect stems, rare	5—6	1	9d.
R	<b>maritima fl. pl.</b> , a handsome variety, with sea-green spreading leaves, and large double white flowers	5—6	3	6d.
R	<b>rosea</b> , a single variety with rose-coloured flowers	5—6	4	6d.
R	<b>Schafta</b> , large purplish-rose flowers, fine front row plant	7—8	5	6d.
R	<b>virginica</b> , brilliant scarlet or crimson-scarlet, 2 inches in diameter	5—6	1 3	1/6
R	<b>Silphium laciniatum</b> , yellow flowers on tall branching stems, handsomely cut foliage	8—9	7	9d.
	<b>perfoliatum</b> , a stately plant with large opposite leaves, yellow flowers, 3 to 4 inches in diameter	7—8	6	9d.
R	<b>Sisyrinchium grandiflorum</b> , elegant bell-shaped flowers of the richest purple	3—5	1	9d.
R	<b>album</b> , pure white	3—5	1	9d.
R	<b>Soldanella alpina</b> , pale bluish, open pendant flowers, which pierce the snow in order to open; requires a peaty, sandy soil, and a fairly moist place on the rockery	3—5	5	9d.
R	<b>montana</b> , larger than <i>alpina</i> , and a darker shade	3—5	5	9d.
R	<b>Solidago brachystachys</b> , Flowers deep yellow, a very pretty plant for the rock garden	9—10	1	1/6
	<b>canadensis</b>		4 6	6d.
	<b>Golden Wings</b>		6	1/-
	<b>multiradiata</b>	7—9	4 6	6d.
	<b>rigida</b>		3 6	9d.
	<b>serotina</b>		4 6	6d.
	<b>Shortii</b> , loose arching heads of bright yellow, by far the most decorative of the whole genus	7—9	6	9d.
	<b>Virgaurea cambrica</b> (Golden Rod), a fine form	5—6	10	6d.
	<b>Spigelia marilandica</b> , tubular flowers, red without, yellow within	7—8	1	1/-
	<b>Spiræa Aruncus</b> , large, gracefully drooping plumes of white flowers	6—7	3 6	9d. & 1/-

**R=Rock Plants.**

	Month of Flowering	Average height.	Price each.
<b>Spiræa Aruncus Kneiffii</b> , elegant foliage and light plume- like heads of white flowers	6—7	ft. in. 2 6	9d. & 1/-
<b>plumosa</b> , dwarf, immense white plumes	6—7	2 6	1/-
* <b>astilboides</b> , a handsome and distinct Spiræa, exceed- ingly useful for all decorative purposes and for cutting	6—7	2 3	9d.
<b>Filipendula fl. pl.</b> , fern-like foliage, particularly distinct	6—9	1 3	6d.
<b>gigantea</b> , ( <i>camtschatica</i> ), large panicles of white flowers, fine palmate foliage. F.C.C.	7—9	7	9d.
<b>rosea</b> , a very fine pink variety	7—8	8	1/6
* <b>japonica</b> , ( <i>Astilbe</i> ), panicles of pure white flowers	6—8	2	9d.
<b>aureo-reticulata</b> , foliage veined with yellow	6—8	1	1/-
<b>palmata</b> , broad clusters of the most beautiful crimson blossoms displayed well above a handsome palmate foliage. F.C.C.	6—7	2 9	6d.
<b>alba</b> , the white variety. F.C.C.	6—7	2	6d.
<b>elegans</b> , soft rose tint	6—7	2 9	6d.
<b>Ulmaria, fl. pl.</b> , snowy-white, double, fragrant	6—7	2 6	6d.
<b>variegata</b> , creamy-yellow, variegated foliage	6—7	2	6d.
<b>venusta (lobata)</b> , broad feathery heads of rose-carmine blossoms, very effective	6—8	3 3	9d.
<b>Stachys coccinea</b> , brilliant scarlet-red flowers in terminal spikes, requires sheltered position	7—8	1	9d.
<b>grandiflora</b> ( <i>Betonica grandiflora</i> ), spikes of beauti- ful violet flowers	5	1 6	9d.
<b>discolor (nivea)</b> , pale-sulphur tinted flowers, very large	6	1	1/-
<b>Statice eximia alba</b> , a beautiful white form	8—9	1	1/6
<b>superba</b> , large spreading heads of lovely lilac flowers	8—9	1	1/-
<b>Gmelinii</b> , heads of dark purplish-blue flowers	7—8	1	9d.
R <b>Gougetiana</b> , small panicles of lavender flowers, above rosettes of evergreen foliage, a charming species from Spain suited for sunny nooks on the rockery	7—8	3	1/-
R <b>incana nana</b> , in mixed colours, large heads of flowers ; a valuable decorative species	7—8	1	9d.
<b>latifolia</b> , wide-spreading flower stems, producing a pro- fusion of purplish-blue flowers	7—8	2 3	6d.
<b>Limonium</b> , large clusters of deep blue blossoms	7—8	1	6d.
R <b>spathulata</b> , purple and white flowers, very ornamental evergreen leaves	7—9	1	1/-
<b>Stenanthium robustum</b> , a first-class plant for a damp shady position. Feathery plumes of white flowers on tall spikes lasting a long time. A.M.	7—8	6	1/6
<b>Stipa pennata</b> , gracefully arching long feathery spikes, particu- larly valuable for cutting	7	1	6d.
<b>Stobæa (Berkheya) purpurea</b> , numerous thistle-like bluish- purple flowers, very showy	7—8	2	1/-
<b>Stokesia cyanea</b> , large showy blue flowers, similar to an Aster	7—9	1 6	9d.
<b>alba</b> , flowers 4 to 5 inches in diameter. Fine for cutting. A.M.	7—9	2	1/-
<b>præcox</b> , rich lavender-blue flowers with reddish centre, useful for decora- tive purposes. A.M.	7—10	1 6	1/-
<b>Symphytum officinale argenteum</b> , silver variegated foliage, drooping blue flowers ; a fine border plant	4—6	2	9d.
<b>aureum</b> , gold varie- gation	4—6	2	9d.
<b>bohemicum</b> , race- mes of reddish- purple flowers ; very handsome	6—8	1 3	9d.
<b>Tanakea radicans</b> , spiræa-like plumes of white flowers, ever- green	5—7	1	1/6

**R=Rock Plants.**

		Month of Flowering	Average height. ft. in.	Price each.
R	<b>Teucrium Chamædrys</b> , whorls of rosy-purple flowers, freely produced	7—9	1	6d.
R	<b>orientale</b> , violet-coloured flowers, greenish foliage ; rare	7—8	1	1/-
R	<b>Thalictrum adiantifolium</b> , elegantly divided foliage, resembling a Maiden-hair Fern ; very useful for cutting purposes	7—8	6	9d.
	<b>anemonoides</b> , pure white flowers, often an inch in diameter ; a neat, dwarf plant	5—6	4	9d.
	<b>aquilegifolium</b> , handsome border plant with Columbine-like foliage and white flowers	6—7	3	6d.
	<b>rubrum</b> , rose-pink flowers	6—7	3	9d.
	<b>Delavayi</b> , rose-coloured drooping flowers, elegant glaucous foliage. A.M.	7—8	2	1/-
	<b>dipterocarpum</b> (Veitch), particularly graceful flowers, rose-purple with citron-yellow anthers. Requires an open sunny position. A.M.	7—8	6	1/6 & 2/6
	<b>glaucum</b> , large glaucous foliage ; fine for cutting	6—7	4	6d.
	<b>Thermopsis caroliniana</b> , bright yellow flowers, very showy	6—8	5	9d.
	<b>montana</b> , yellow pea-shaped flowers on erect stems	6—7	2	9d.
R	<b>Thymus Chamædrys languginosus</b> (Woolly-leaved Thyme)	6—7	1	6d.
R	<b>citriodorus argenteus</b> , a silver-variegated form	6—7	1	6d.
R	<b>aureus</b> , a golden-variegated form, very dense and compact. F.C.C.	6—7	1	6d.
R	<b>erectus</b> , clusters of rose-coloured flowers, dark ever-green leaves on twiggy stems	8	1	9d.
R	<b>Serpyllum</b> , rosy-purple flowers, a creeping plant with sweet-scented foliage	6—7	2	6d.
R	<b>album</b> , white wild Thyme	6—7	3	6d.
R	<b>coccineum</b> , red	6—7	3	6d.
R	<b>Tiarella cordifolia</b> (Foam Flower), white, star-shaped flowers, heart-shaped prostrate foliage veined with red	5	9	6d.
	<b>Tradescantia virginica</b> , showy purple-blue flowers ; a useful and very distinct border plant	5—7	1 6	6d.
	<b>alba major</b> , pure white variety ; fine border plant	5—7	1 6	6d.
	<b>rubra</b> , rose-tinted flowers	5—7	1 6	6d.
R	<b>Trifolium repens purpureum</b> , fine bronzy-purple foliage		3	9d.
	<b>Trillium erythrocarpum</b> , white spotted with purple at the base of each segment	5—7	9	9d.
	* <b>grandiflorum</b> , large white flowers, 2 to 3 inches across ; very free, requires a damp shady corner	5—7	9	9d.
	<b>sessile californicum</b> , large purplish leaves and blossoms. F.C.C.	5—7	1 6	9d.
	<b>Tritoma</b> ( <i>Kniphofia</i> ) <b>caulescens</b> , the most remarkable of the genus, the arrangement and aspect of its leaves resemble a Yucca	6—7	4 6	2/6
	<b>Chloris</b> , a yellow self ; late flowering	8—10	3	1/-
	<b>corallina</b> , very striking, neat habit, brilliant scarlet long and slender bells ; leaves narrow and spreading	8—9	1 9	1/-
	<b>grandis</b> , strong scarlet spikes, valuable for late flowering	8—10	3 3	2/-
	<b>hybrida</b> , seedlings of choice named varieties	7—10	4 6	9d.



*Tritoma Uvaria grandiflora.*

**R=Rock Plants.**

	Month of Flowering	Average height		Price each
		ft.	in.	
<b>Tritoma John Benary (syn. Lord Roberts)</b> (Veitch), the finest of all the strong growing varieties. Large compact bright scarlet flower spikes. Very fine for massing or for back of large border. A.M.	8—10	6		2/6
<b>Lachesis</b> , flower spikes deep yellow	9—10	3		1/-
<b>Lemon Queen</b> , a distinct and beautiful shade of lemon-yellow	8—10	3		1/6
<b>Macowanii</b> , flower segments recurved, orange-red tinged with pale yellow on the lower side. F.C.C.	7—9	1	9	1/-
<b>Mrs. Mason</b> , spikes of rich orange-scarlet and yellow, one of the best for distant effect	8—9	5		2/6
<b>nobilis</b> , magnificent orange-red flowers	8—10	6	6	1/-
<b>Pfitzeri</b> , orange-red, resembling <i>T. Macowanii</i> , but darker	8—10	3	6	1/6
<b>rufa</b> , yellow and orange, a charming species	7—10	2	6	1/-
<b>Saundersii</b> , clear and brilliant in colour, heads of flower often 18 inches in length	7—9	4	6	3/6
<b>Triumph</b> , bold spike of rich orange-yellow flowers. A.M.	8—9	4	6	2/6
<b>Tuckii</b> , deep red passing into yellow, summer-flowering species	6	4	6	9d.
<b>Uvaria grandiflora</b> , the longest and best known species, red and yellow, see illustration above.				
6/- per doz., 40/- per 100	7—9	3	6	
<b>Phœbus</b> , a fine yellow self; very free	7—9	2	6	1/6
<b>Victor Lemoine</b> , bright red self, very fine	8—10	4	6	



# R=Rock Plants.

## Trollius.

**Trollius asiaticus**, orange

**caucasicus Orange Globe**, orange flowers, a grand border plant. A.M.

**europæus**, lemon-yellow

**albidus**, creamy-white flowers

**Excelsior**, intense orange-coloured flowers, very large

**Fire Globe**, very large semi-double flowers of an intense fiery-orange

**giganteus**, large, lemon coloured

**japonicus fl.pl.**, orange, double flowers

**napellifolius**, yellow, bordering on orange

**pumilis yunnanensis**, dark green leaves and bright golden yellow salver-shaped flowers. Quite distinct from any other Globe flower. Not unlike *Caltha palustris* in habit, but a superior plant

**T. Smith**, the largest yellow *Trollius* in cultivation

**R Tropæolum \*polyphyllum**, very glaucous much-divided leaves, borne on creeping snake-like stems, and literally covered with large flowers of the most beautiful golden yellow; invaluable for rock-work, sunny banks, or the front row of borders

Plants of a compact and dense habit of growth, with large globular flowers rising well above the foliage; valuable for beds or borders growing in almost any soil or situation.

Month of Flowering	Average height.	Price each.
	ft. in.	
5—6	2	9d.
		9d. &
5—6	2	1/-
5—6	1	6d.
5—6	1	9d.
5—6	1	1/-
5—7	2 6	1/-
5—6	2	9d.
5—6	2	9d.
5—7	2	9d.
5—7	2 6	2/6
5—7	2 6	1/6
6—8	6	6d. & 9d.

**R=Rock Plants.**

		Month of Flowering	Average height, ft. in.	Price each.
	<b>Tropæolum speciosum</b> , rich vermilion blossoms; one of the most elegant and graceful creeping plants for walls or hedges	6—8	6 6	1/-
	<b>*tuberosum</b> , showy scarlet and yellow flowers, succeeds well on the poorest of soils; tubers require lifting in the autumn 3/- per doz.	6—8	3	6d.
R	<b>Tunica Saxifraga</b> , numerous pale rose-coloured flowers, habit light and graceful; suitable for rockwork on the front row of borders	6—8	6	6d.
R	<b>alba plena</b> , pure white, double, free flowering, compact habit	7—8	9	2/6
R	<b>fl. pl.</b> , a charming little plant resembling a mossy <i>Saxifraga</i> in general appearance, and having pretty pink flowers like a double <i>Gypsophila</i> . A.M.	5—9	6	1/6
	<b>Tussilago fragrans</b> , spikes of bluish-purple flowers; very fragrant	1—3	1	6d.
	<b>Farfara variegata</b> , foliage boldly variegated	1—3	9	9d.
	<b>Uvularia grandiflora</b> , a dwarf slender plant allied to <i>Solomon's Seal</i> , producing abundance of drooping yellow flowers	4—5	1 6	9d.
	<b>Vancouveria hexandria</b> , an elegant species, resembling <i>Epimedium</i>	6—7	1	9d.
	<b>Veratrum album</b> , large handsome plaited leaves, and dense spikes of yellowish white flowers	7—9	3 6	1/-
	<b>nigrum</b> , foliage narrower than <i>album</i> , flowers blackish purple	7—9	3 6	1/-
	<b>Verbascum Chaixii</b> , enormous panicles of yellow flowers with purple stamens; a handsome plant for the back row of border	7—9	7	9d.
	<b>densiflorum</b> ( <i>thapsiforme</i> ), coppery yellow flowers on stout branching spikes, handsome evergreen foliage	6—10	3	1/-
	<b>Miss Wilmott</b> huge spikes of pure white flowers	6—8	7 6	1/6
	<b>olympicum</b> , bright yellow flowers and large woolly foliage; a stately plant. F.C.C	6—7	8	6d.
	<b>phœniceum</b> , seedlings, crimson, rose, lilac, and white; flowers freely produced in light, graceful spikes	5—7	2	6d.
	<b>Verbena venosa</b> , a beautiful plant for the border, or mixed flower beds, having spikes of lilac or bluish flowers	7—9	1	6d.
R	<b>Veronica Allionii</b> , a charming dwarf rock plant with long spikes of deep blue flowers	5—7	6	9d.
R	<b>filifolia</b> , pretty cut foliage and white flowers	6—9	9	9d.
	<b>gentianoides</b> , one of the earliest; spikes of light blue flowers	5—6	10	6d.
	<b>variegata</b> , white and green foliage, flowers as in the type	5—6	1	6d.
R	<b>incana</b> , deep blue flowers and white foliage	6—7	1	6d.
	<b>latifolia</b> , pale blue, very showy	6—7	2	6d.
	<b>longifolia rosea</b> , pretty lilac-pink flowers	7—9	1 3	9d.
	<b>subsessilis</b> , dense spikes of deep purplish blue flowers; one of the best	7—9	1 9	9d.
R	<b>pectinata</b> , pretty pale blue flowers, creeping habit	5—7	3	6d.
R	<b>rosea</b> , a charming variety, rose-coloured flowers	5—7	3	6d.
R	<b>prostrata</b> , dwarf spreading tufted habit and blue flowers	5—7	3	6d.
R	<b>repens</b> , compact cushions covered with pale blue flowers	5—6	1	6d.
R	<b>saxatilis</b> , large blue flowers, a rare and pretty rock plant	6—9	6	9d.
	<b>spicata</b> , long spikes of purplish blue flowers	7—9	1 6	6d.
	<b>alba</b> , the white variety	7—9	1	6d.
	<b>variegata</b> , white and green foliage	7—8	1	9d.
	<b>spuria</b> ( <i>amethystina</i> ), lovely amethystine blue flowers, produced in abundance on loose diffuse stems	7—9	2	6d.
	<b>Teucrium</b> , fine deep blue flowers in loose racemes	6—8	1 6	9d.

**R=Rock Plants.**

		Month of Flowering	Average height.	Price each.
R	<b>Veronica Teucrium dubia</b> ( <i>rupestris</i> ), brilliant blue flowers, in abundance	5—10	ft. in. 4	6d.
	<b>virginica</b> , tall and showy, light blue flowers	7—9	3 6	9d.
R	<b>alba</b> , a fine white flowered variety	7—9	4	9d.
R	<b>New Zealand Veronicas</b> , }			
R	<b>Vincas</b> , }			
				see Catalogue of Hardy Trees & Shrubs
R	<b>Viola calcarata</b> , profuse masses of purple flowers, very pretty in the rock garden or border	5—7	6	6d.
R	<b>alba</b> , the white variety	5—7	6	9d.
R	<b>cornuta purpurea</b> , large purple blue flowers in great abundance. A.M.	5—8	6	9d.
R	<b>gracilis</b> , intense violet-blue flowers, rapid grower, a beau- tiful Grecian species. A.M.	5—7	6	9d.
	<b>odorata</b> (The Sweet Violet)			Per doz.
	<b>Admiral Avellan</b> , single blue. A.M.			4/-
	<b>Baroness de Rothschild</b> , single blue, finest			6/-
	<b>Belle de Chatenay</b> , double white			6/-
	<b>California</b> , single blue			4/-
	<b>Comte de Brazza</b> , double white. F.C.C.			4/-
	<b>Countess of Caledon</b> , double flowers of exquisite lavender blue shade			9/-
	<b>Czar</b> , blue			4/-
	white			4/-
	<b>De Parme</b> , lavender-blue, large double flowers, a good winter-flowering variety			4/-
	<b>Devoniensis</b> , single blue			4/-
	<b>John Raddenbury</b> , single; pale clear blue, white eye			4/-
	<b>Lady Hume Campbell</b> , an improved <i>Marie</i> <i>Louise</i>			4/-
	<b>La France</b> , single blue			4/-
	<b>Luxonne</b> , deep blue			4/-
	<b>Marie Louise</b> , lavender-blue and white			4/-
	<b>Mdlle. Bertha Barron</b> , double blue			6/-
	<b>Mrs. Arthur</b> , double blue, very fine			6/-
	<b>D'Arcy</b> , double porcelain-blue			6/-
	<b>J. J. Astor</b> , double heliotrope. A.M.			6/-
	<b>Neapolitan</b> , pale lavender, double flowers			4/-
	<b>Perle Rose</b> , single, silvery rose			6/-
	<b>Princess Beatrice</b> , single blue. A.M.			4/-
	<b>Princess of Wales</b> , single blue. A.M.			4/-
	<b>Russian</b> , blue, very large			4/-
	<b>sulphurea</b> , single yellow			6/-
	<b>Victoria Regina</b> , blue, double flowers			4/-
	<b>Wellsiana</b> , deep violet-purple, very fragrant, a good winter-flowering variety. F.C.C.			4/-
	<b>pedata</b> , flowers often an inch in diameter, pale or deep lilac in colour; foliage deeply divided	5—7	6	1/-
	<b>Violas, tricolor or bedding</b> , see page 83			
R	<b>Wahlenbergia dalmatica</b> , flowers rich violet, grass-like leaves. A.M.	6—8	3	1/-
R	<b>gentianoides</b> , bright blue flowers on erect wiry stems. A pretty rock- plant from New Zealand. A.M.	5—9	1	2/6
R	<b>serpyllifolia</b> , deep blue flowers, silvery foliage. A.M.	6—7	4	1/6
R	<b>dinarica</b> ( <i>pumiliorum</i> ), blue flowers, narrow silvery foliage	6—7	4	2/-

**Water Plants**, see page 87

## R=Rock Plants.

	Month of Flowering	Average height.		Price each.
		ft.	in.	
R <b>Wulfenia carinthiaca</b> , spikes of purplish blue flowers	7	6		9d.
R <b>Xerophyllum asphodeloides</b> , spikes of white flowers arising from tufts of narrow grass-like foliage	6	2		1/-
R <b>Zauschneria californica</b> , brilliant vermilion tubular flowers, hoary leaves	8—10	1		9d.
<b>splendens</b> , profusion of the most brilliant Fuchsia-like vermilion-red flowers hanging gracefully from one-sided racemes; very handsome	8—10	1	3	9d.

## COLLECTIONS.

For the convenience of purchasers who prefer to leave the selection to us we have much pleasure in offering liberal Collections of Herbaceous and Alpine Plants containing the most showy and useful varieties.

Many of the choicest kinds for border decoration can be supplied in extra strong clumps to give immediate effect. Names and prices on application.

We have divided the plants into the following 6 sections :

1—ALPINE PLANTS.

2—DWARF PERENNIALS.

3—TALL PERENNIALS.

4—SPRING-FLOWERING PLANTS.

5—SUMMER AND AUTUMN FLOWERING PLANTS.

6—PLANTS FOR CUT FLOWERS.

In each section we shall be pleased to supply as follows :—

12 in 12 varieties for 4/- and upwards to 9/-

25 in 12                   ,,           7/6                   ,,           18/-

100 in 30                   ,,           25/-                   ,,           70/-

Customers are respectfully requested to give the name and number of the section they require.

### COLLECTIONS FOR MIXED BORDERS

from 25/- to 65/- per 100.

When ordering please give size of border, aspect and soil.

# HARDY FLORISTS' FLOWERS.

## ASTERS (Michaelmas Daisies).

The Perennial Asters form the most delightful feature of the flower garden throughout the autumn months, when other bright-coloured flowers are past. "Their slender-rayed blooms possess all the soft and delicate tints between white, rose, crimson, and purple ; with the additional charm of a bright yellow centre." Flowering in great profusion with a neat foliage, these plants provide elegant sprays for cutting and their great range in habit and aspect renders them valuable for planting in many situations. They are quite hardy and require no special culture.

### SPECIES AND VARIETIES.

#### ASTER.

	Average Height in feet	Price each.
<b>acris</b> , satiny mauve, heads of bloom of great width, neat and compact	2 to 3	6d.
<b>amelloides</b> , large deep blue flowers, sweetly scented	1½	9d.
<b>Amellus Beaute Parfaite</b> , deep violet, distinct yellow centre, the best of this section	2½	1/-
<b>bessarabicus</b> , large rich deep purplish blue ; one of the best. A.M.	2	6d.
<b>Darkness</b> , large dark purplish blue flowers	2	1/-
<b>Framfieldii</b> , deep purple blue	2	9d.
<b>Little Gem</b> , large, purplish blue, neat and compact	1½	9d.
<b>major</b> , rich violet, very handsome ; the largest flowered variety	2	9d.
<b>Onward</b> , very deep blue	2	1/-
<b>Perry's Favourite</b> , erect reddish pink	3	9d.
<b>Riverslea</b> , rich purple, dwarf habit	2½	1/-
<b>Schöne von Ronsdrof</b> , beautiful lilac-pink	1½	2/-
<b>Stella</b> , long twisted lilac-blue petals	2	9d.
<b>candidus</b> , pure white	3½	9d.
<b>cordifolius</b> , mauve, blooms abundantly, massive foliage	4	9d.
<b>elegans</b> , plume-like masses of small lilac-tinted flowers	4	1/-
<b>major</b> , long sprays of larger flowers	4	9d.
<b>White Diana</b> , elegant sprays of small white flowers borne in great profusion	4	9d.
<b>diffusus horizontalis</b> , reddish flowers, neat branching habit	2	6d.
<b>pendulus</b> , small white flowers in slender sprays	4 to 5	9d.
<b>ericoides</b> , flowers small but borne in abundance, white with yellow eye, very neat habit.	2 to 3	6d.
<b>Decorator</b> , white with yellow disc, free flowering and branching habit	3	1/6
<b>Delight</b> , small white flowers with golden centres, changing to pink, dense branching habit. A.M.	4	9d.
<b>Enchantress</b> , light graceful habit, long sprays of beautiful small blush pink flowers. A.M.	3	9d.
<b>Freedom</b> , a grand form of the type with small white flowers and conspicuous golden centre	3	9d.
<b>Golden Spray</b> , long graceful sprays of pure white flowers with golden centre	3	9d.
<b>Hon. Edith Gibbs</b> , long drooping sprays of small, pale lilac flowers, invaluable for cutting. A.M.	3	9d.
<b>grandiflorus</b> , large, deep purple. A.M.	3 to 3½	9d.
<b>lævis</b> , clear blue, yellow centre, effective and distinct	4 to 5	6d.
<b>lindleyanus nanus</b> , pale lilac ; dense heads	1½	9d.
<b>linariifolius</b> , lavender blue, very floriferous	2	9d.

## ASTER.

	Average Height in feet.	Price each.
<b>longifolius var. formosus</b> , a dense bush with rose-coloured flowers, habit neat and dwarf	2	6d.
<b>mesa grandiflora</b> , deep blue, quite distinct	1½	9d.
<b>multiflorus</b> , small white flowers in large sprays	4	6d.
<b>Novæ-Angliæ</b> , large purplish blue flowers	3 to 4	6d.
<b>Lil Fardel</b> , large rose flowers with silvery sheen	4	9d.
<b>Mrs. J. F. Rayner</b> , bright crimson	4	9d.
<b>præcox</b> , bright purple	4	6d.
<b>pulchellus</b> , large rich purple flowers, a hand-some variety	4	6d.
<b>roseus</b> , delicate rose, very fine	5	6d.
<b>ruber</b> , rose crimson	5	6d.
<b>Ryecroft Pink</b> , rosy pink	5	9d.
<b>Purple</b> , large rich blue-purple flowers, very handsome	4	9d.
<b>W. Bowman</b> , deep violet flowers	4	6d.
<b>paniculatus W. J. Grant</b> , flowers bluish white, forming fine arching sprays	3 to 4	6d.
<b>Porteri</b> , small white flowers, very freely produced	1 to 1½	9d.
<b>puniceus pulcherrimus</b> , much-branched panicles of whitish fringed flowers	5	6d.
<b>salicifolius, Tresserve</b> , bright pink compact habit	1	9d.
<b>Shortii</b> , small azure-blue flowers, leaves cordate	3 to 4	9d.
<b>Thompsonii</b> , pale lavender flowers	2	1/-
<b>Tradescantii</b> , small white flowers in great profusion	5	9d.
<b>trinervis</b> , white, purple and yellow disc	3	9d.
<b>turbinellus</b> , mauve, very free	3	9d.
<b>albus</b> , very light and graceful	3	9d.
<b>undulatus</b> , pale blue, early flowering	3	9d.
<b>vimineus</b> , long slender sprays of pure white flowers	2½ to 3	6d.

## GARDEN VARIETIES OF ASTERS.

### Mostly Novi Belgii forms.

	Average Height in feet.	Price each.
<b>Apollo</b> , lavender-blue	3 to 4	6d.
<b>Archer Hind</b> , soft light blue	4	6d.
<b>Arcturus</b> , dark blue	4	9d.
<b>Aurora</b> , lilac-mauve, large flowers	3	9d.
<b>Autumn Glory</b> , light blue	3 to 4	6d.
<b>Beauty of Colwall</b> , double lavender-blue	4	1/-
<b>Climax</b> , clear light blue, bright golden yellow centre, very large	4½	1/-
<b>Coombe Fishacre</b> , flesh-coloured flowers	3	6d.
<b>densus</b> , light blue	2 to 3	6d.
<b>Drummondii Sappho</b> , lavender-blue	3 to 4	9d.
<b>Elsie Perry</b> , fine rose-pink flowers. A.M.	3	9d.
<b>Esme</b> , large pure white flowers, very fine	2	9d.
<b>Feltham Blue</b> , bright blue, yellow centre, erect habit, very free-flowering. A.M.	4	1/-
<b>Finchley White</b> , one of the best	4	1/-
<b>Flora</b> , soft lavender-blue	3 to 4	9d.
<b>floribundus</b> , dark blue, compact habit	4	6d.
<b>F. W. Burbidge</b> , mauve, large flowers	4	6d.
<b>lanthe</b> , light blue	3	6d.
<b>Maia</b> , rosy lilac, bright yellow centre	4	6d.

## GARDEN ASTERS—(continued.)

	Average Height in feet.	Price each.
<b>Mrs. Peters</b> , flowers white, 1½ inches in diameter. Produced in great profusion	1 to 1½	9d.
<b>Nancy</b> , a beautiful pale blue, bright yellow centre, very fine	4	9d.
<b>Perry's Pink</b> , a distinct shade of reddish pink	3	9d.
<b>Peter's White</b> , the best pure white. A.M.	4	1/-
<b>Pleiad</b> , ( <i>purpurinus</i> ) bright rosy purple, fine for edging beds and for front row of border	1	9d.
<b>Robert Parker</b> , lavender-blue. A.M.	4 to 5	6d.
<b>St. Egwin</b> , fine clear rose-pink flowers of medium size free-flowering and of compact habit	3½	1/-
<b>St. Patrick</b> , soft lavender-blue	3 to 4	9d.
<b>Top Sawyer</b> , clear blue	4	6d.

Collections of Asters—12 distinct varieties for 4/-, 5/- and 7/6

„	„ 25 in 12	„	„ 7/6 and 15/-
„	„ 50 in 25	„	„ 20/- and 30/-

## AURICULAS.

These may be planted in any ordinary glass frame with the bed raised above the ground level to secure a dry bottom ; if grown in pots, a small greenhouse with a north or west aspect as suitable.

Fine named varieties, our selection, 1/6 each ; 12/- and 15/- per dozen.

List of choice named varieties with prices on application.

## CARNATIONS AND PICOTEES.

All the best named Border Carnations.

<b>Scarlet Selfs</b>	<b>White and Blush Selfs</b>	<b>Purple Flakes</b>
<b>Pinks and Rose Selfs</b>	<b>Yellow Selfs</b>	<b>Scarlet Bizarres</b>
<b>Crimson Selfs</b>	<b>Scarlet Flakes</b>	<b>Crimson Bizarres</b>
<b>Purple Selfs</b>	<b>Rose Flakes</b>	<b>Purple Bizarres</b>

Good plants established in pots, 9/-, 12/- and 18/- per dozen }  
50/- to 100/- per 100 } our selection.


## PICOTEES.

A large collection of Picotees.

<b>Rose and Scarlet Edged</b>	<b>Purple Edged</b>
<b>Crimson and Red Edged</b>	<b>Yellow Ground</b>

9/-, 12/- and 18/- per dozen }  
50/- to 100/- per 100 } our selection.

Special Descriptive List of Border Carnations and Picotees free on application.



Veitch's Delphiniums.

## DELPHINIUMS.

It is hardly possible to exaggerate the beauty of a mass of Delphiniums in flower at the back of a Herbaceous border. The colours range literally from the most charming and delicate porcelain blue to rich purple. The flowers are often flushed with a different tint, and many have white or black centres. They flower in June and July, but the season may be prolonged by cutting the central spikes as soon as the flowers are over, when side shoots will be developed. If especially fine spikes are desired, mulching in spring is advisable. With the exception of a few stakes in exposed situations no other assistance is required. The plants are perfectly hardy and succeed in almost any soil or situation.

# DELPHINIUMS

Each.

12/-, 18/-, 24/- per dozen, except where otherwise priced.

<b>Albert Victor</b> , rose-violet, dark eye, semi-double	
<b>Albion</b> , when fully expanded the flowers are pure white	2/6
<b>Amethyst</b> , blue, shaded with plum, white eye	
<b>Augustus Sala</b> , deep royal blue, striped with rosy mauve, black centre	
<b>Bach</b> , violet, white eye	
<b>Beauty of Langport</b> , sulphur-white flowers with yellow centre. A.M.	2/6
<b>Belladonna</b> , bright azure blue, white centre	
<b>Brahmine</b> , bright blue, inner petals shaded with rose, extra large double flowers	2/-
<b>Candidat</b> , rosy violet, white eye, semi-double	1/6
<b>Cantab</b> , pale blue, black and brown centre	
<b>Capri</b> , beautiful sky blue flowers borne on stout stems with numerous side sprays	2/6 & 3/6
<b>Ceres</b> , bright blue, slightly shaded rosy violet, distinct white eye, semi-double	1/6
<b>Chamont</b> , violet shaded with red, semi-double. F.C.C.	
<b>Conquête</b> , deep violet-purple, light centre, distinct double flower	1/6
<b>Conspicuum</b> , blue shaded with plum-purple, white eye	
<b>Dr. Bergmann</b> , deep blue shaded with rose-lilac, semi-double	
<b>Election</b> , fine bright blue shaded lavender, white eye, semi-double	2/-
<b>Etoile</b> , bright blue, dark eye, semi-double	
<b>Falguière</b> , dark blue, double, fine variety	2/-
<b>Fantome d'Orient</b> , bright blue, white eye, semi-double, fine	
<b>Finale</b> , bright blue, centre shaded rosy lilac, dark eye, semi-double	
<b>Formosum</b> (species), dark blue, white eye, very showy	
<b>Galathée</b> , blue, clear white eye, semi-double	
<b>Gallicia</b> , deep blue, dark eye, semi-double	
<b>Gladiator</b> , deep blue, shaded violet, distinct light centre, neat double flower	
<b>Globe</b> , pale blue, centre shaded with rose-lilac, white eye, semi-double	1/-
<b>Henri Dubat</b> , dark rich blue, black eye, semi-double	
<b>Jean Bourgeon</b> , deep blue, shaded violet, light centre, double	
<b>Juno</b> , deep blue, shaded purple, clear white eye, semi-double	
<b>King of Delphiniums</b> , gentian-blue and purple centre, petals white with purple, large flowers	2/6
<b>Laius</b> , bright blue, shaded violet, brown centre, semi-double	1/6
<b>Lamartine</b> , deep Prussian-blue flowers, branching habit	1/6
<b>Lord Balfour</b> , violet, white eye bordered with blue, semi-double	
<b>Lord Brassey</b> , azure-blue suffused with rose, white eye	
<b>Lord Charles Beresford</b> , azure-blue, pure white eye	

# DELPHINIUMS—(continued).

Each.

<b>Lydia</b> , deep violet and dark blue, white eye, semi-double	
<b>Magnétisme</b> , deep blue, centre petals shaded rosy violet, neat double flower	
<b>Masterpiece</b> , blue, shaded rose-lilac, semi-double neat flowers	
<b>Mentor</b> , deep blue, shaded rosy-violet, clear white eye, semi-double	
<b>Minerva</b> , bright azure-blue, centre petals rose-lilac, semi-double, brown eye	
<b>M. Duvivier</b> , light blue, centre rosy mauve	
<b>Mme. J. Plomp</b> , deep blue, black eye, single	
<b>Moerheimii</b> , pure white, free flowering	2/6 & 3/6
<b>Mrs. Creighton</b> , deep blue, centre rose-violet, semi-double, fine	1/6
<b>Mrs. Thompson</b> , rich blue flowers, stems branching	1/6
<b>Mrs. J. Helna</b> , pale blue, white eye, semi-double	
<b>Nancy</b> , deep blue shaded violet, white eye, semi-double	
<b>Næomie</b> , bright blue, brown eye, semi-double	
<b>Persimmon</b> , a lovely sky-blue, distinct bluish white eye, vigorous	3/6
<b>Pittoresque</b> , light blue shaded pale rose, centre white, semi-double	
<b>P. Laird</b> , pale blue shaded mauve pink, white eye	
<b>Primrose</b> , creamy white, yellow centre	2/-
<b>Prince of Wales</b> , pale blue, white eye, semi-double	
<b>Prothée</b> , blue, brown centre, semi-double	
<b>Ranunculoides</b> , deep blue, double	
<b>Rubens</b> , deep blue shaded purple, neat double flowers	2/
<b>Strada</b> , deep rose-purple, dark eye, large semi-double flowers	1/6
<b>Sultan</b> , very deep blue, inner petals violet-purple, large double flowers	2/6
<b>Telegram</b> , deep blue, shaded with violet, flowers double	
<b>The Rev. E. Lascelles</b> , individual blooms very large, deep purple-blue with clear white centre. A.M.	5/- & 7/6
<b>Toledo</b> , deep blue, shaded violet, white eye, semi-double	
<b>Ultramarine</b> , deep blue, shaded violet-purple, brown eye, single	
<b>Ustane</b> , light blue, centre rose-mauve, brown eye, semi-double, fine	
<b>Washington</b> , bright blue, clear white eye, single	
<b>Wilson</b> , deep blue, shaded rose-violet, white centre, semi-double	

**Flowering size Seedlings from the best of the varieties  
named above, 7/6 per doz.**



Veitch's Choice Gaillardias.

### GAILLARDIAS (Perennial).

Very free flowering, showy and extremely popular hardy perennials. They flower profusely from June till late in the autumn, when the brilliancy of their colours renders them particularly valuable. Height 2 to 2½ feet.

**Gaillardia grandiflora hybrida** 6d. each ; 5/- per doz.

Choice named varieties 9d. ,, 7/6 ,,

**Gaillardia Lady Rolleston**, gigantic flowers of a soft yellow borne freely on stems two feet long from July to November. Award of Merit, Royal Horticultural Society 1/6 each.

# IRIS.

## SPECIES AND VARIETIES.

IRIS	Each.
<b>aurea</b> , golden yellow	9d.
<b>cristata</b> , beautiful amethyst blue with fringed edge, spotted and striped with orange, a gem for dry sunny position, 6 inches high	9d.
<b>Delavayi</b> , a semi-aquatic species with large violet flowers, the falls blotched with white ; very distinct	1/-
<b>ensata</b> , soft lilac marked with yellow	9d.
<b>flavescens</b> , canary yellow, free flowering, very useful border plant	9d.
<b>florentina</b> , white, tinted with blue, yellow crest on the falls, sweet scented	6d.
<b>foetidissima</b> , fruits open when ripe, showing the bright red seeds ; useful for winter decoration, and for cutting	9d.
<b>fol. var.</b> , silver and green variegated foliage ; requires a shaded position	9d.
<b>fulva</b> ( <i>cuprea</i> ), coppery maroon flowers, orange-yellow markings	9d.
<b>graminea</b> , violet blue, shaded rose, veined with white and yellow on the falls	6d.
<b>latifolia</b> , broader leaves and larger flowers	6d.
<b>Guldenstædtiana</b> , pale lilac, bright yellow throat	9d.
<b>japonica</b> ( <i>fimbriata</i> ), standards lilac, falls spotted with yellow and white at the centre, margins beautifully fringed	1/-
<b>longipetala</b> , flowers large, standards violet-purple, falls long, white with purple veins, and a median yellow stripe	6d.
<b>missouriensis</b> , lilac, veined white on the falls with a yellow stripe down the centre ; one of the prettiest and earliest of the beardless species	9d.
<b>Monnieri</b> , a very fine late-flowering species, with fragrant yellow flowers	9d.
<b>Monspur</b> , fine blue, robust habit	9d.
<b>ochroleuca</b> , a tall species with handsome white and yellow flowers	9d.
<b>gigantea</b> , standards white, falls yellow, margined white, very large and handsome flowers	9d.
<b>Olbiensis</b> , of dwarf habit, in shades of violet, yellow or blue	6d.
<b>Pseudacorus</b> or <b>Water Flag</b> , fine yellow flowers	6d.
<b>variegata</b> , handsome variegated foliage	9d.
<b>pumila</b> , in variety	6d.
<b>setosa</b> , rich purple, reticulated at the base with white	9d.
<b>sibirica</b> , grassy foliage, producing an abundance of blue flowers, the base of falls reticulated with white ; useful for cutting	6d.
<b>lactea</b> , flowers white	9d.
<b>orientalis</b> , rich blue, much reticulated with yellow at base of falls	9d.
<b>Snow Queen</b> , snow white flowers produced very freely	1/-
A.M.	
<b>stylosa</b> ( <i>unguicularis</i> ), pale blue with yellow blotches on falls, flowers in winter	6d.
<b>alba</b> , beautiful pure white, early in spring	9d.
<b>speciosa</b> , finer and richer coloured lavender than the type	9d.
<b>tenax major</b> , a stronger growing variety than the type, bright lilac flowers	1/6
<b>verna</b> , a dwarf species light blue and orange flowers	1/-
<b>versicolor Fosteri</b> , rich velvety bright purple, reticulated with yellow and white ; elegant and pretty	1/-
<b>kermesina</b> , claret-red, darker and richer in colour than <i>versicolor</i>	1/-

For bulbous species see Bulb Catalogue free on application.



Iris Kämpferi (Japanese Iris).

## **IRIS KÆMPFERI (*Iris lævigata*)**

**(Japanese Iris.)**

Japanese Iris fall naturally into two groups—those in which the three outer segments or falls are large and grow downwards, the inner segments or standards being small and upright ; and those in which the outer and inner segments are of equal size, giving the flowers a round and symmetrical form, such flowers being termed “duplex.” It is impossible by verbal description to give an adequate idea of the beautiful colours of these flowers. At the base of the segments in most of the varieties is a yellow or orange blotch or eye, contrasting most beautifully with the ground color of the flower.

*Iris Kæmpferi* grows most successfully as a marsh or half aquatic plant. The soil should be rich, deep and moist, and when the weather is very dry, the plants should be kept well watered. A slight shade from the hot sun is necessary, and lengthens the season of flowering.


**Magnificent named Varieties from 12/- to 24/- per doz.**

**Mixed strong flowering plants, 7/6 per doz.**

## **IRIS, English and Spanish**

**(I. Xiphioides)**

In many fine varieties, see Bulb Catalogue, free on application.



*Iris Germanica.*

# IRIS GERMANICA

## (German Iris).

Although one of the commonest and longest cultivated of garden plants, the German Iris still holds a prominent place on account of the many useful purposes for which it can be effectively employed in garden decoration, and the surprising range of colours into which it has sported. Among these flowers may be found the most varied shades of blue, yellow, white and claret, as well as many beautiful marbled and mottled forms. The plants are of easy cultivation, and are admirably adapted for shrubbery borders, wild gardens, woodland walks, and the margin of lakes, &c. They are valuable also as cut flowers, some of the varieties being very sweetly scented.

In the descriptions, **S.** is used to signify the standards or the erect segments : **F.** falls or drooping segments.

### Veitch's Selections of the best German Iris.

<b>12 in 6 fine varieties</b>	<b>5/6</b>	<b>50 in 12 fine varieties</b>	<b>19/6</b>
<b>12 in 6 choice varieties</b>	<b>7/6</b>	<b>50 in 16 choice varieties</b>	<b>27/6</b>
<b>24 in 8 fine varieties</b>	<b>10/6</b>	<b>100 in 20 fine varieties</b>	<b>37/6</b>
<b>24 in 12 choice varieties</b>	<b>14/6</b>	<b>100 in 25 choice varieties</b>	<b>52/6</b>

Finest Mixed, containing a great variety of colours and many choice sorts  
15/- per 100 ; 2/6 per doz.

<b>Abou Hassan</b> , (s.) bright yellow ; (f.) yellow veined brown	Each.
<b>Albatross</b> , (s.) white shaded pale blue ; (f.) white veined and tipped with rich purple, a very fine variety	9d. 2/6
<b>Arnolds</b> , (s.) rose-claret ; (f.) velvety purple	9d.
<b>Augustus</b> , (s.) pale blue ; (f.) violet and white	6d.
<b>A. F. Barron</b> , (s.) dark bronze ; (f.) reticulated bronzy purple	1/-
<b>Aurea</b> , (s. and f.) golden yellow, very bold flower	6d.
<b>Bergii</b> , (s.) golden yellow ; (f.) velvety brown	6d.
<b>Black Prince</b> , (s.) purplish-lilac ; (f.) velvety black. A.M.	3/6
<b>Bridesmaid</b> , (s.) white ; (f.) white and blue	9d.
<b>Britannia</b> , (s.) yellowish white ; (f.) purple	9d.
<b>Bronze Beauty</b> , (s.) clouded yellow ; (f.) ruby lavender, crest golden	9d.
<b>Calypso</b> , (s. and f.) pale blue veined with white and pale blue-lilac	6d.
<b>Cordelia</b> , (s.) pale blue ; (f.) rose-purple	1/-
<b>Dalmatica</b> , See <i>I. pallida dalmatica</i> .	
<b>Dandy</b> , (s.) deep yellow ; (f.) purple margined with yellow	9d.
<b>Darius</b> , (s.) yellow ; (f.) lilac, reticulated white and brown	9d.
<b>Disraeli</b> , (s.) primrose yellow ; (f.) brownish purple and yellow	6d.
<b>Duchess of Argyll</b> , (s.) purplish lavender ; (f.) plum-purple	9d.
<b>Edward Simmonds</b> , (s.) yellow, blotched with crimson ; (f.) velvety purple	9d.
<b>Eugène</b> , (s.) bronzy blue ; (f.) reticulated and blotched with deep purple	9d.
<b>Fairy Queen</b> , (s. and f.) lavender, tipped and striped at the edge with violet-blue	6d.
<b>Germanica</b> , ( <i>The Blue Flag Iris</i> ), (s.) blue ; (f.) purplish blue	6d.
<b>Gracchus</b> , (s.) lemon ; (f.) pale yellow, reticulated purple, very fine. F.C.C.	6d.
<b>Hector</b> , (s.) yellow ; (f.) purplish rose	9d.
<b>Innocenza</b> , (s. and f.) fine white	9d.
<b>Jacquinianna</b> , (s.) bronzy purple ; (f.) plum-purple	9d.
<b>John de Witt</b> , (s.) lavender-blue ; (f.) plum purple	6d.
<b>Kharpuz</b> , (s.) bright blue ; (f.) violet-purple with white reticulations	9d.

# GERMAN IRIS—(continued).

Each.

<b>Khedive</b> , soft lavender, conspicuous orange beard	9d.
<b>King of Iris</b> , a grand variety of <i>I. squalens</i> group, flowers large and massive, standards yellow, falls rich velvety purple margined with gold	2/6
<b>Kitty Kingsbury</b> , (s.) lavender ; (F.) purple	9d.
<b>Kochi</b> , ( <i>atro-purpurea</i> ), (s. and F.) rich purple, very early	6d.
<b>Labhard</b> , (s. and F.) dark plum-purple, early flowering	6d.
<b>Lady Jane</b> (s.) bronze ; (F.) brown veined white	6d.
<b>Lady Franklin</b> , (s.) bronzy purple ; (F.) purple and white	9d.
<b>L'Africaine</b> , (s.) bronzy blue ; (F.) veined with white	9d.
<b>L'Ete</b> , (s.) pale blue ; (F.) pale blue veined with white	9d.
<b>L'Honorable</b> , (s.) yellow ; (F.) yellow and brown	6d.
<b>Le Prestigieuse</b> , (s.) bronze yellow ; (F.) purple, shaded brown and white	9d.
<b>Lohengrin</b> , very large flowers of a cattelya-pink shade, strong grower	3/6
<b>Louise Meyer</b> , (s.) light bronze ; (F.) veined with purple	6d.
<b>Lorley</b> , falls deep ultramarine veined cream, margined light yellow, standards light yellow	1/6
<b>Macrantha</b> , (s.) blue ; (F.) violet, extra large flower	9d.
<b>Madame Chereau</b> , (s. and F.) white, heavily edged with deep lavender blue	6d.
<b>Maori King</b> , (s.) golden yellow ; (F.) rich velvety crimson, quite distinct	9d.
<b>Marengo</b> , (F.) dark crimson, reticulated with yellow	9d.
<b>Miss Maggie</b> , (s.) light lavender ; (F.) soft rose lilac	9d.
<b>Mrs. A. F. Barron</b> , (s.) golden yellow ; (F.) rosy violet margined yellow	9d.
<b>Mrs. G. Darwin</b> , (F.) white, upper part veined with gold and purple	1/-
<b>Mrs. H. Darwin</b> , (s.) white ; (F.) white with faint violet reticulations	1/-
<b>Mrs. Neubronner</b> , (s. and F.) bright golden yellow, extra fine	9d.
<b>Murat</b> , (s.) coppery rose ; (F.) velvety purple	9d.
<b>Nationale</b> , (s.) violet ; (F.) dark purple	6d.
<b>Norma</b> , (s. and F.) white, shaded pale lavender	9d.
<b>Orphée</b> , (s.) yellow ; (F.) whitish veined with brown	9d.
<b>Othello</b> , (s.) dark blue ; (F.) rich purple	9d.
<b>Pallida</b> , (s. and F.) pale azure-blue tinged with rose, very fragrant	9d.
<b>Albert Victor</b> , (s. and F.) blue, tinged with lavender	1/6
<b>dalmatica</b> , ( <i>Princess Beatrice</i> ), (s. and F.) lavender-blue tinged with rose	1/6
<b>delicata</b> , (s.) French-grey ; (F.) lavender	9d.
<b>Her Majesty</b> , (s.) rosy-pink ; (F.) bright crimson flushed purple	2/6
<b>perfecta</b> , (s.) pale-lavender ; (F.) deep lilac	9d.
<b>speciosa</b> , (s. and F.) purplish violet, exceptionally free	9d.
<b>variegata</b> , pale-lavender flowers, variegated foliage	2/6
<b>Walner</b> , (s.) deep lavender-blue ; (F.) violet-blue	9d.
<b>President Theries</b> , (s.) bronze shaded purple ; (F.) white veined purple	9d.
<b>Prince of Orange</b> , (s.) golden yellow ; (F.) brown reticulated with yellow	9d.
<b>Princess of Wales</b> , (s. and F.) pure white ; large flower. A.M.	9d.
<b>Purple King</b> , (s. and F.) deep purple, very attractive	6d.
<b>Queen Alexandra</b> , (s.) fawn shot with lilac ; (F.) lilac with bronze reticulation at base, beard yellow, a very beautiful variety	1/6
<b>Queen of May</b> , (s. and F.) rosy lilac, veined with yellow. A.M.	9d.
<b>Susannah</b> , (s. and F.) blue and white	6d.
<b>Thorbecke</b> , (s.) sulphur-yellow ; (F.) paler	9d.
<b>Topaz</b> , (s.) blue ; (F.) purple-violet and white	9d.
<b>Variegata</b> , (s.) yellow ; (F.) yellow and brown	6d.
<b>Victorine</b> , (s.) white blotched with violet-blue ; (F.) rich violet purple veined with white. F.C.C.	9d.
<b>Virginie</b> , (s.) soft blue ; (F.) violet-blue with bright orange beard	9d.



Veitch's Beautiful Pæonies.

## DOUBLE PÆONIES.

The cultivation of these beautiful plants presents no difficulties.

They flower freely in the months of May and June.

The flowers are on stout footstalks, well displayed above the foliage, bold and striking, often immense size and perfectly double.

If cut young and the stalks placed in water, the flowers will continue to expand and last in full beauty for several days.

We grow a large collection of Pæonies at our Langley Nursery, see Second Page of Cover.

### Veitch's Selection of the best Double Pæonies—

6 in 6 fine varieties	7/6	25 in 25 fine varieties	30/-
6 in 6 choice	15/-	25 in 25 choice	60/-
12 in 12 fine	15/-	50 in 50 fine	60/-
12 in 12 choice	30/-	50 in 50 choice	120/-

Each

**Abantis**, broad rosy crimson petals

2/6

**Abotis**, flesh colour changing to pure white; inner petals large, light sulphur carpels highly coloured

3/-

**Acacus**, bright rose-crimson

2/-

# GENERAL COLLECTION OF DOUBLE PÆONIES—(continued).

	Each
<b>Adèle</b> , rich rosy lilac	1/-
<b>Æolus</b> , pale silvery-rose, fine	2/6
<b>Agnes Mary Kelway</b> , light rose, yellow centre. F.C.C.	2/6
<b>Alba sulphurea</b> , cream white, very double, free blooming	1/6
<b>Argus</b> , white centre, guard petals pale pink, sweet scented	2/6
<b>Artemise</b> , rose-pink, very large	1/6
<b>Antonio</b> , outer petals bright rose, centre silvery rose	2/-
<b>Augustin d'Hour</b> , outer petals blush-rose, centre creamy white changing to pure white	3/-
<b>Aurora</b> , guard petals rose, centre rosy fawn	1/6
<b>Banquo</b> , deep rose	1/6
<b>Bellona</b> , delicate blush, semi-double, bright golden anthers	3/-
<b>Bossuet</b> , deep purple rose, large and good	2/-
<b>Brennus</b> , pale sulphur changing to white	2/-
<b>Calibran</b> , light rose	2/-
<b>Calypso</b> , white slightly shaded blush pink, carmine blotch, very fine	2/6
<b>Carnea triumphans</b> , guard petals delicate pink, centre sulphur and pink	2/-
<b>Charles Binder</b> , purplish rose, flowers very double, medium size, slightly scented	1/6
<b>Charles Gosselin</b> , pink and lilac, yellow centre	2/-
<b>Charles Verdier</b> , deep rose, inner petals pale rose	2/-
<b>Claudio</b> , white guard petals, centre creamy white	2/6
<b>Comte d'Osmond</b> , white, dwarf habit	2/6
<b>Comte de Paris</b> , large pink flower	1/6
<b>Constance Dervet</b> , purplish crimson, a good double flower	2/6
<b>Creon</b> , centre pale pink, outer petals pink	2/-
<b>Cythere</b> , blush-pink, creamy white centre	2/-
<b>Decandolle</b> , silvery rose, extra fine	1/6
<b>Delicatissima</b> , very light, delicate flesh, well-shaped double flower, scented	2/6
<b>De Nanteuil</b> , deep rose	1/6
<b>Diadem</b> , outer petals delicate blush, centre pink	3/-
<b>Diocletian</b> , deep rose	1/6
<b>Dr. Bordier</b> , delicate pink, neat double flower	1/6
<b>Dr. Boudaval</b> , deep crimson, bright golden anthers, semi-double	2/-
<b>Dromio</b> , outer petals pale pink, centre sulphur and pink	2/6
<b>Duchesse de Nemours</b> , pure white, extra large, very free-flowering	2/-
<b>Edulis superba</b> , rose-carmine	1/6
<b>Enchantress</b> , outer petals delicate pink, centre creamy white, fine	2/6
<b>Eugène Verdier</b> , blush, centre white, free bloomer	2/6
<b>Falstaff</b> , double crimson, extra fine	2/-
<b>Festiva maxima</b> , white, centre flaked with carmine	2/6
<b>General Cavaignac</b> , rose, inner petals rose edged with white, scented	2/6
<b>General MacMahon</b> , large crimson, very fine	3/-
<b>Gloire de Doual</b> , deep velvety crimson, semi-double, very free, fragrant	1/-
<b>Grandiflora rosea</b> , silvery rose, large flowers	2/-
<b>Hadrianum</b> , bright rose changing to silvery rose	2/6
<b>Hera</b> , beautiful clear rose, large full flower, scented	2/6
<b>Hermia</b> , delicate flesh-pink	2/6
<b>Inosia</b> , deep glossy crimson	1/6
<b>James Odier</b> , rose, centre shaded rosy fawn	1/6
<b>Lachesis</b> , outer petals rose, centre sulphur changing to white	2/-
<b>Lady Carrington</b> , delicate rose, inner petals blush-white shaded with pale rose ; a magnificent large double flower. F.C.C.	3/-

# GENERAL COLLECTION OF DOUBLE PÆONIES (continued.)

	Each
<b>Lady Dartmouth</b> , pure white, very fine	2/6
<b>Lady Leonora Bramwell</b> , pale rose turning to blush	1/6
<b>Launcelot</b> , outer petals deep rose, centre silvery rose	2/-
<b>Leda</b> , delicate pink toned with fawn-yellow, guard petals pink	2/-
<b>L'Élegante</b> , silvery rose, large double flower, scented	1/6
<b>Lentulus</b> , deep rose-crimson, semi-double	1/6
<b>Leonata</b> , purplish crimson	2/-
<b>Léonie</b> , delicate flesh tint, very fine	1/6
<b>L'Illustration</b> , rose, centre rosy-salmon	3/-
<b>L'Indispensable</b> , salmon, shaded white, superb	3/-
<b>Lucretia</b> , sulphur-white, changing to pure white	2/6
<b>Macella</b> , pink, very pretty	2/-
<b>Macbeth</b> , delicate pink	2/-
<b>Madame Boucharlet</b> , dark crimson, large flower. A.M.	1/6
<b>Henri</b> , delicate pink, inner petals creamy white ; a scented variety	3/-
<b>Lemoine</b> , rose-purple. A.M.	1/6
<b>Michey</b> , bright glowing crimson, semi-double	2/-
<b>Maria Kelway</b> , outer petals blush, yellow petaloids, blush tuft ; a grand variety	F.C.C. 2 6
<b>Minnie</b> , rose, the inner petals cream-white	1/6
<b>Miss Brice</b> , rose petals, yellow and rose centre	3/-
<b>Monarch</b> , rose shaded delicate fawn	3/-
<b>Monsieur Deschamps</b> , rose changing to silvery rose	1/6
<b>Monsieur Pallet</b> , pink changing to silvery pink	2/-
<b>Rousselon</b> , beautiful pink, pretty and scented	2/-
<b>Nectar</b> , outer petals rose, centre silvery rose	1/6
<b>Nivalis</b> , pure white	2/-
<b>Noemi</b> , white	2/-
<b>Oberon</b> , silvery rose	2/-
<b>Osman Pasha</b> , rose, fragrant	1/6
<b>Palene</b> , white centre, outer petals pink	2/-
<b>Paul du Jubert</b> , crimson, bright golden anthers	1/6
<b>Philomel</b> , guard petals bright pink, petaloids yellow, centre pink ; distinct and fine	1/6
<b>Phormis</b> , deep crimson, large double flowers, very free	2/6
<b>Pottsii superba</b> , deep rich crimson, very fine	3/-
<b>President Hilder</b> , blush-white, inner petals pure white	2/-
<b>Princess Mathilde</b> , rose, inner petals delicate rose	2/-
<b>Pulcherrima</b> , flesh, yellow centre	2/-
<b>Purpurea superba</b> , rich rose-purple, semi-double	1/6
<b>Reine des Fleurs</b> , rosy-pink	1/6
<b>Reine Hortense</b> , deep rose	2/-
<b>Richard Fitters</b> , pink	1/6
<b>Rosa Rendatler</b> , deep rose, finely-formed flower	2/-
<b>Sebastian</b> , delicate blush-pink, very fine flowers	3/-
<b>Souvr. d'A. Mielliez</b> , crimson-purple	1/6
<b>Striata</b> , pink and white	1/6
<b>superba</b> , pink, inner petals silvery pink	2/6
<b>Tenuifolia flore pleno</b> , double crimson flowers, with elegantly divided slender foliage	1/6
<b>Van Geertii</b> , bright rose, extra large flower	2/-
<b>Venus</b> , silvery pink, large finely-formed flower	2/-
<b>Vesta</b> , fawn shaded rose, very fine	2/6

## DOUBLE PÆONIES—(continued).

	Each.
<b>Vicomte de Fonceville</b> , bright silvery rose, extra fine flower	2/6
<b>Victor Lemoine</b> , deep rose-crimson, late flowering, very fine	2/6
<b>Virginalis</b> , white, very free	2/-
<b>Vittatta</b> , rose-lilac	1/6
<b>Zephyrus</b> , blush-pink, a very attractive variety	3/-
<b>Double Crimson Pæony</b> ( <i>Pæonia officinalis rubra plena</i> ), brilliant rich crimson, large double flowers freely produced; a grand old favourite, flowers early	9d.
<b>Rose Pæony</b> , ( <i>Pæonia officinalis rosea plena</i> ), bright rose changing to pale pink, large well-formed double flowers, early	1/-
<b>White Pæony</b> , ( <i>Pæonia officinalis carnescens plena</i> ), beautiful flesh-white changing to pure white; an excellent free-flowering variety	1/6
<b>Mixed Double Pæonies</b> , unnamed sorts, many beautiful varieties, 10/6 per dozen; 1/- each.	

## SINGLE PÆONIES.

<b>Pæonia albiflora The Bride</b> , (new) very large snowy white; a very free bloomer and a good grower	5/-
<b>Veitch's selections of the best Single Pæonies.</b>	
6 in 6 fine varieties	7/6   12 in 12 fine varieties 15/-

## PÆONIA (species and varieties.)

	Each		Each
<b>anemoniflora</b> , rosy crimson	1/6	<b>officinalis lobata</b> , cerise salmon lobed foliage F.C.C.	2/6
<b>arietina Andersonii</b> , bright rose	1/-	<b>Sunbeam</b> , rich cerise salmon	2/6
<b>Baxteri</b> , crimson	1/-	<b>Sabinii</b> , deep crimson	1/-
<b>Rosy Gem</b> , rosy pink	1/-	<b>peregrina</b> , rosy lilac	1/-
<b>corallina</b> , rosy red fine	3/6	<b>compacta</b> , rosy crimson dwarf habit	1/-
<b>coriacea</b> , bright rose	5/-	<b>tenuifolia</b> , rich crimson finely cut foliage	1/-
<b>decora</b> , crimson	1/-	<b>latifolia</b> , crimson very fine	2/-
<b>elation</b> , crimson	1/-	<b>Wittmanniana</b> , soft primrose yellow, very distinct	3/6
<b>Pallasii</b> , rich crimson	1/-		
<b>Emodii</b> , satiny white flowers, very rare	3/6		
<b>humilis</b> , rich crimson	1/6		
<b>microcarpa</b> , rosy red	1/6		
<b>microcarpa, Jonathan Gibson</b> , rosy crimson	1/6		
<b>officinalis rosea</b> , deep rose	1/6		

## PENTSTEMONS.

A beautiful race of plants flowering in summer and autumn. With care they remain in bloom for many months by pinching out the leading shoots when the flowers are over thus inducing side growths that also flower.

Choice named varieties 7/6 per dozen, our selection.

Seedlings of choice varieties, ready in May, 5/- per dozen.

<b>Pentstemon Kellermanii</b> , flowers shaded deep purple, a very striking colour, splendid for massing	1/-
<b>Myddleton Gem</b> , delicate pink suffused with carmine, throat pure white, a charming variety. A.M.	1/-
<b>Newbury Gem</b> , a dwarf compact grower, producing innumerable spikes set with small crimson-scarlet bells, fine for massing	6d.
<b>Pink Newbury Gem</b> , a beautiful soft shade of rosy pink which for bedding and cutting purposes is invaluable	1/6
<b>Southgate Gem</b> , crimson scarlet larger than <i>Newbury Gem</i>	1/-
<b>White Newbury Gem</b> , a white form of the preceding, very suitable for bedding	1/-

## PHLOX DECUSSATA (late-flowering section).

Come into bloom at the end of July and continue till September. Height 1 to 3 feet. Broad massive heads of flowers. When planting, manure should be liberally supplied, but once successfully started, if staked, mulched, and occasionally watered in dry weather, they will succeed in almost any situation.

9d. each ; 7/6 per dozen, except where otherwise priced.

<b>Adonis</b> , an exquisite shade of salmon pink		<b>Edmond Audran</b> , dark violet blue	1/-
<b>Ampère</b> , purple, violet centre	1/-	<b>Edouard Lockroy</b> , violet, very large	1/-
<b>Anatoil le Braz</b> , flowers large, carmine, dark centre.		<b>E. de Rouge</b> , blush-violet, purple centre very large	
<b>Antonin Merci</b> , white, with greenish margin	1/-	<b>Elizabeth Campbell</b> , light salmon changing to pink, the best of this shade A.M.	1/-
<b>Archibald Forbes</b> , rosy salmon-crimson eye	1/6	<b>Embracement</b> , salmon-scarlet, purple eye	1/-
<b>Argon</b> , delicate pink		<b>Espérance</b> , delicate rose-pink, white centre	
<b>Artaxis</b> , heliotrope with white centre veined lilac, enormous flower	1/6	<b>Etna</b> , bright orange-scarlet, darker centre. A.M.	1/-
<b>Aurora</b> , salmon-scarlet very large spike	1/-	<b>Etoile</b> , rose-pink, light centre	
<b>Belvédère</b> , carmine-rose		<b>Eugène Sue</b> , violet-mauve, large white centre	1/-
<b>Béranger</b> , rosy white, A.M.		<b>Faust</b> , white, lilac eye	
<b>Bicolor</b> , light salmon, crimson eye		<b>Fauvetti</b> , violet-lake, large trusses: dwarf	
<b>Boule de Feu</b> , very fine, glowing scarlet	1/-	<b>Fiancée</b> , pure white, grand flower. A.M.	1/-
<b>Caran d'Ache</b> , rosy - carmine, shaded rose, fine truss	1/-	<b>Fille d'Eve</b> , pure white, fine	1/-
<b>Chateaubriand</b> , white shaded purple-violet		<b>Flambeau</b> , bright red, fine for massing	
<b>Coccinea</b> , bright red		<b>Fort de France</b> , salmon, purple eye, extra large flower	1/-
<b>Cœur de Lion</b> , rosy purple, carmine eye	1/-	<b>Francillon</b> , rosy lake, very large, well formed	1/-
<b>Comtesse de Jarnac</b> , variegated foliage	1/-	<b>Frau Ant Buchner</b> , the finest pure white, strong grower, very large flowers. A.M.	1/-
<b>Coquelicot</b> , bright salmon-red toned with scarlet, an extra fine colour		<b>Freifraulein von Lassberg</b> , pure white, large truss. A.M.	1/-
<b>De Bois</b> , cerise, shaded magenta, very large		<b>General van Heutz</b> , brilliant salmon-scarlet, large pure white star in centre of flower	1/6
<b>Derviche</b> , dark lilac, purple centre, very fine		<b>Geoffroy St. Hilaire</b> , greyish mauve, carmine eye, extra fine	1/-
<b>Deuil de St. Pierre</b> , deep claret-crimson, very fine	1/6		
<b>Dr. Königshofer</b> , brilliant orange-scarlet with dark blood-red eye	1/-		
<b>Eclaireur</b> , bright rose-pink, lighter centre. A.M.			
<b>Eclatant</b> , salmon-pink, darker centre			

## LATE FLOWERING PHLOX—(continued).

<b>George A. Strohleim</b> , vermillion, rich crimson centre, large perfect flowers, brilliant and distinct A. M.	1/6	<b>Manon</b> , salmon-red, dark eye	1/-
<b>Girondin</b> , rosy carmine, white centre		<b>Mariette</b> , carmine, light centre	1/-
<b>Gustav Nadaud</b> , grey-mauve, light centre, light yellow eye,	1/-	<b>Memphis</b> , white, rose-lilac eye	
<b>Hermione</b> , pure white, very free	1/-	<b>Miss Pemberton</b> , orange-red very dwarf. A. M.	2/-
<b>Ideal</b> , bright salmon-rose	1/6	<b>Molière</b> , salmon tinted rose, purple eye. A. M.	1/-
<b>Iris</b> , violet blue, very fine	1/-	<b>Montagnard</b> , rose-crimson; brill- iant and effective	1/-
<b>James Farquhar</b> , white slightly suffused lavender	1/-	<b>Mont Rose</b> , beautiful clear rose	1/-
<b>James Hamilton</b> , rich rosy- purple, carmine eye, very handsome	1/-	<b>Mounet Sully</b> , orange-scarlet, purple eye; grand	1/-
<b>Jocelyn</b> , glowing crimson, large flower, compact habit	1/6	<b>Mozart</b> , salmon-rose, dark eye	
<b>John Fraser</b> , salmon-scarlet, light centre	1/-	<b>Mrs. Jenkins</b> , pure white; grand flower	1/-
<b>Jules Jouy</b> , lilac and white, distinct	1/6	<b>Ophir</b> , bright rose	1/-
<b>Lamartine</b> , rose-lilac, white eye	1 6	<b>Pandore</b> , bright carmine, white eye	1/-
<b>La Neige</b> , pure white, fine	1/-	<b>Pantheon</b> , salmon-rose, light centre	
<b>Ledru Rollin</b> , rose-violet, light centre		<b>Papillon</b> , lilac and white	1/-
<b>Léon Guidnard</b> , purplish-rose, large trusses		<b>Paul Fliche</b> , soft rosy lilac, distinct	
<b>Le Soleil</b> , pale rose, fine. A. M.	1/-	<b>Paul Martin</b> , bright salmon-pink	1/-
<b>Le Siècle</b> , salmon-rose, lilac-white centre		<b>Pêcheur d'Islande</b> , bright sal- mon-rose	
<b>Le Vengeur</b> , bright rose-pink	1/-	<b>Pharaon</b> , rose-lilac, white eye	
<b>Liberté</b> , orange-salmon, carmine centre, extra large		<b>Regulus</b> , bright salmon, fine truss	
<b>Lord Raleigh</b> , deep violet-rose. A. M.	1/-	<b>Rossignol</b> , pale, rose-lilac, white eye	1/-
<b>Louis Blanc</b> , violet, white eye, very large	1/-	<b>Roxaline</b> , bright rose-crimson	1/-
<b>Lumineux</b> , rose, suffused carmine, very fine		<b>Stanislas</b> , rose-violet, dark eye	1/-
<b>Mdme. Boursake</b> , deep rosy crimson	1/-	<b>Suffrage</b> , orange-salmon, large rose eye	
		<b>Talma</b> , magenta veined, greyish reverse	1/6
		<b>Tapis Blanc</b> , the best white, very dwarf. A. M.	1/-
		<b>Thebaide</b> , beautiful rose, flowers of perfect form	2/6
		<b>Tivioli</b> , reddish violet, large flowers	1/-
		<b>Venus</b> , white	
		<b>Victor Hugo</b> , salmon, rosy eye	1/6
		<b>W. Robinson</b> , rosy salmon, violet centre; very fine	1/-

## PHLOX SUFFRUTICOSA (Early-flowering Section.)

Flower in June or July.

Strong plants in variety 6d. & 9d. each. 5/- & 7/6 per dozen.



GM 5239

A Plantation of Giant Yellow Polyanthus in the Semi-Wild Garden.

## POLYANTHUS (*Primula hortensis*).

**Veitch's Finest Gold Laced**  
**Giant White**  
**Yellow**  
**Finest Mixed**

3/- doz. 21/- 100

2/- doz. 18/- 100

## POTENTILLAS.

Strawberry-like foliage, particularly free and vigorous growth, succeed well in almost any soil and situation. The double flowered kinds are the most showy, and last in perfection a longer time than the single, both on the plant and in the cut state.

### DOUBLE POTENTILLAS.

7/6 per dozen.

**Belzebuth**, very dark crimson  
**Californica**, golden yellow. A.M.  
**Congo**, dark crimson and yellow  
**Emilie**, bright crimson tipped yellow  
**Hamlet**, deep velvety crimson  
**La Nuit**, crimson shaded yellow  
**Le Vesuve**, crimson, edge of petals tipped with yellow  
**Louis Van Houtte**, bright orange  
**Milton**, yellow, blotched with red  
**Panorama**, chrome-yellow, purple stripe

**Phœbus**, bright yellow  
**Purpurea plena**, very deep crimson  
**Van Dyke**, yellow striated with red  
**Vase d'Or**, bronzy yellow  
**Velours Pourpre**, very dark purple  
**Vesuvius**, crimson shaded yellow  
**Victor Lemoine**, vermilion, yellow striation  
**Wm. Rollisson**, scarlet shaded orange  
**Zingari**, crimson, yellow edge

For Species of Potentillas see page 43.

## PYRETHRUMS.

The double and single varieties of the Caucasian *Pyrethrum roseum* are among the most beautiful of summer-flowering perennials. Mr. Robinson truly remarks that "they have much to recommend them, they are extremely showy, very hardy, easy to grow and invaluable as cut flowers for several months in summer and autumn, as they last so persistently and are little affected either by sun or rain. They are also invaluable for autumn decorations, for if cut down after flowering in June they flower again three months afterwards." They can be grown in almost any soil, their pretty fern-like foliage rendering them handsome border plants even when out of flower. We strongly recommend that Pyrethrums should be planted about the end of April, or early in August.

### SINGLE PYRETHRUMS.

6/- and 9/- per dozen, except where otherwise priced.

**Ablanus**, cerise each.  
**Abrupolius**, pink  
**Acelum**, clear rose  
**Albert Victor**, crimson, large flower. A.M. 9d.  
**Andromeda**, bright rose

**Appolyon**, bright pink each.  
**Beatrice Kelway**, rose-pink 9d.  
**Carmen Sylva**, blush white 9d.  
**Dorotheus**, cherry  
**Duke of Connaught**, rich carmine  
**Evelthon**, carmine-crimson

## SINGLE PYRETHRUMS—(continued).

<b>Excelsior</b> , pink	each.	<b>Mrs. B. Brown</b> , purple crimson,	each.
<b>Fairfax</b> , pretty flesh pink	1/-	large flower	
<b>George Wallace</b> , rich vermilion		<b>Mrs. Bruce Findley</b> , deep rose	
<b>Gloire de Nancy</b> , bright pink		early variety	
<b>Hamlet</b> , a lovely shade of rose	9d.	<b>Mrs. Chamberlain</b> , delicate rose	
<b>James Kelway</b> , cardinal scarlet,		<b>Princess Irene</b> , purest white	1/-
very fine. A.M.	1/-	<b>Princess of Wales</b> , flesh colour	
<b>Jubilee</b> , bright crimson	9d.	<b>Rev. W. Cuff</b> , pale pink	
<b>Lord R. Churchill</b> , crimson		<b>Roseum</b> , rose pink, very free bloomer	
<b>Lorna Doone</b> , rich maroon		<b>Sir Hugo</b> , pink	
<b>Margaret Moore</b> , delicate blush,		<b>Tasso</b> , brilliant crimson-scarlet	9d.
large flower. A.M.		<b>Vivid</b> , amaranth, striking colour	1/-
<b>Merry Hampton</b> , crimson	9d.	<b>Warrior</b> , deep carmine purple	
<b>Millicent</b> , pure white			

## DOUBLE PYRETHRUMS.

6/- and 9/- per dozen, except where otherwise priced.

<b>Aphrodite</b> , white, one of the best ;	each	<b>Maud</b> , flesh colour	each
vigorous grower. F.C.C.		<b>Mdlle. Benard</b> , delicate rose-pink	
<b>Captain Nares</b> , light crimson		<b>Melton</b> , vivid fiery-scarlet	1/6
<b>Carl Vogel</b> , pure white. A.M.		<b>Michael Büchner</b> , rose crimson	
<b>Cleopatra</b> , yellow and white, per-		<b>Minerva</b> , rose	
fect form	1/-	<b>Model</b> , crimson	
<b>Déesse</b> , bright pink		<b>Monsieur Barrel</b> , maroon-crimson	
<b>Delicatum</b> , lilac-peach		<b>Mont Blanc</b> , white	
<b>Figaro</b> , pale purplish-carmine. A.M.	1/-	<b>Mrs. Dix</b> , blush	
<b>Florentine</b> , blush. F.C.C.	1/-	<b>Multiflorum</b> , crimson, orange centre	
<b>Gustave Heitz</b> , deep flesh		<b>Nemesis</b> , red toned with orange	
<b>Haage et Schmidt</b> , bright rose-		<b>Ne Plus Ultra</b> , soft rose, very large	
crimson, centre		<b>Perfection</b> , pale pink	
rose		<b>Pericles</b> , pale flesh, orange centre.	
<b>Hobart Pasha</b> , maroon ; a fine		A.M.	1/-
variety		<b>Princess Charlotte</b> , deep lilac	
<b>Imbricatum plenum</b> , dark rich		<b>Princesse de Metternich</b> , pure	
carmine, edges		white	1/6
of petals white		<b>Prince of Teck</b> , crimson	
<b>Iturbide</b> , pale crimson, light centre		<b>Progress</b> , crimson, brown centre	
<b>J. N. Twerdy</b> , crimson, tipped with		<b>Pyrethrum Queen Mary</b> , double	
golden-yellow		flowers of a lovely shade	
<b>King Oscar</b> , brilliant scarlet, very		of soft pink shading	
fine		into salmon	2/-
<b>Lady Blanche</b> , flesh pink		<b>Queen Sophia</b> , flesh-pink	1/-
<b>Lady Derby</b> , pale rose		<b>Roseum plenum</b> , rose-pink	
<b>La Vestale</b> , pale pink, large		<b>Rev. J. Dix</b> , pink, white centre	
<b>Leonard Kelway</b> , rose, fine form	1/6	<b>Sambanburgh</b> , pure white	
<b>Lord Rosebery</b> , brilliant scarlet,		<b>Shotover</b> , lovely pink	
extra fine	1/6	<b>Spectabile</b> , bright pink	
<b>Madame Mussin</b> , rosy lilac		<b>Virginale</b> , white, lemon centre	
<b>Magician</b> , pink, tipped with yel-		<b>Virgo</b> , creamy-sulphur, beautifully	
low. F.C.C.	1/-	quilled	1/-
<b>Marchioness of Lorne</b> , bright			
rose very			
fine			



*Saxifraga longifolia*, *Arabis* and *Helianthemum* on a Rockery.

## SAXIFRAGAS.

A beautiful genus of Alpine plants of easy culture.

**12 Saxifragas in 12 fine varieties (our selection) 5/-**

**12 Saxifragas in 12 choice varieties**

**7/6**

	each		each
* <b>aizoides</b> , pale yellow, dotted red, likes moisture	9d.	† <b>Burseriana major</b> , snowy-white large	1/6
† <b>Aizoon notata</b> , white flowers, silvery margined leaves	6d.	<b>Bucklandii</b> , a neat carpet plant	6d.
† <b>intacta</b>	6d.	* <b>cæspitosa</b> , mossy growth, studded with white blossoms	6d.
<b>minor</b> , pretty dwarf variety	6d.	* <b>hirta</b> , white flowers	6d.
† <b>lutea</b> , a beautiful Rockfoil, primrose-yellow flowers	1/6	<b>capillaris</b> , white flowers	6d.
† <b>rosea</b> , a beautiful encrusted <i>Saxifrage</i> , bright pink, purplish-coloured stems. A.M.	1/6	† <b>carinthiaca</b> , white flowers	6d.
<b>Andrewsii</b> , white, pink spots	6d.	* <b>ceratophylla</b> , large leaves	6d.
<b>apiculata</b> , primrose-yellow	9d.	* <b>Olibranii</b> , large deep crimson	9d.
† <b>aretoides</b> , covered in spring with golden-yellow flowers	1/6	† <b>cochlearis</b> , white flowers	9d.
* <b>bronchialis</b> , cream-coloured, dense and compact	9d.	† <b>minor</b> ( <i>valdensis</i> ), white flowers	1/-
† <b>Burseriana</b> , large white flowers, dwarf habit, an exquisite species. F.C.C.	9d.	† <b>crustata</b> , white flowers in erect panicles	9d.
<b>gloria</b> , a fine form of the old type with white flowers over an inch in diameter. A.M.	3/6	* <b>densa</b> , white flowers	6d.
		* <b>decipiens Bathoniensis</b> , the best of the red mossy <i>Saxifragas</i> . Deep crimson flowers one inch in diameter, borne in sprays. A.M.	1/-
		<b>Elizabethæ</b> , soft sulphur-yellow	1/-
		<b>Fortunei</b> , flowers white	1/-
		* <b>geranioides</b> , leaves in rosettes, small flowers, white	6d.

\* denotes mossy and creeping varieties.

† " incrustated varieties.

# SAXIFRAGAS—(continued).

	each		each
<b>Geum dentata</b> , white, spotted like <i>London Pride</i>	6d.	* <b>muscoides atro-purpurea</b> , dense masses of red-purplish flowers; very effective	9d.
<b>granulata</b> , fl. pl., double white	6d.	* <b>Rhœi superba</b> , deep rosy-pink, large flowers	6d.
† <b>Griesbachii</b> , purplish-crimson, a charming species. F.C.C.	3/6	† <b>mutata</b> , yellow, purple centre	1/-
* <b>Guildford Seedling</b> , bright crimson	6d.	† <b>nepalensis</b> , white flowers	9d.
* <b>Haworthii</b> , mossy section, white flowers	6d.	* <b>oppositifolia</b> , rose-purple	9d.
* <b>hibernica</b> , ( <i>decipiens Sternbergii</i> )	6d.	* <b>alba</b> , white	6d.
† <b>Hostii</b> , white; encrusted foliage	9d.	* <b>coccinea</b> , bright crimson. A.M.	1/6
* <b>hypnoides</b> , carpets of the freshest green; suitable for rockery or level ground	6d.	<b>Latina</b> , rosy pink with very small compact foliage, very distinct	1/6
† <b>incrustedata</b> , white flowers, foliage edged with white	6d.	<b>major</b> , large fls.	9d.
† <b>incurvifolia</b> , white flowers	6d.	† <b>pectinata</b> , ( <i>Aizoon major</i> ), rosette leaves margined with silver; flowers white	9d.
<b>juniperifolia</b> , yellow flowers, a handsome species	1/-	<b>peltata</b> , pink flowers in roundish heads, large peltate leaves, 2 to 3 ft., shady situation	9d.
† <b>Kolenatina</b> , pink, one of the best	1/-	* <b>pulchella</b> , very neat and pretty	9d.
<b>lilacina</b> , flowers rosy lilac, a very rare species from the Himalayas	5/- & 7/6	† <b>pyramidalis</b> , large dense panicles of whitish blossoms, useful pot plant	6d. & 9d.
† <b>lingulata lantoscana</b> , drooping panicles of white fls., spotted with rose	9d.	<b>rotundifolia</b> , ( <i>lasiophylla</i> ), panicles of white fls., dotted with scarlet	9d.
<b>superba</b> , white flowers. F.C.C.	1/6	<b>Salomonii</b> , beautiful large white flowers	1/-
† <b>longifolia</b> , leaves arranged in rosettes, often 8 to 10 inches in diameter; fls. white, borne on a foot-stalk 1 to 2 ft. in height; the best of the silver section. F.C.C. See illustration p. 82	1/- & 1/6	<b>sancta</b> , bright yellow flowers	9d.
† <b>McNabiana</b> , flowers white with carmine spots very large. F.C.C.	1/-	* <b>Stansfieldii</b> , mossy growth; flowers white	1/-
		<b>umbrosa</b> , ( <i>London Pride</i> ), 4/- doz.	6d.
		* <b>Wallacei</b> , ( <i>Camposii</i> ), large white flowers; very useful for cutting. F.C.C.	6d.

For *Megasea* (*Saxifraga*) see page 37.

## VIOLAS or Tufted Pansies.

### (TRICOLOR OR BEDDING VARIETIES.)

Great brilliancy and variety of colour. Remain in flower for many months, useful as edgings for herbaceous and other borders.

3d. each; 2/6 per dozen; 15/- 100 (our selection).

**Abbess**, blue on grey ground, yellow eye  
**Accushla**, pure white, margin of rich purple

**Admiral of the Blues**, deep blue, rayless

**Amy Barr**, dark pink

**Angler**, purple-blue

**Archie Grant**, indigo-blue; a large and well-formed flower. A.M.

**Ardwell Gem**, sulphur-yellow

**Belfast Gem**, pale heliotrope, on cream ground

**Blanche**, large cream-white

**Blue Gown**, blue self

**Blue Tit**, blue, very dwarf

**Bridal Morn**, heliotrope-blue, rayed

**VIOLAS—(continued).**

- Bullion**, bright yellow, rayed in the centre  
**Cliveden Blue**, one of the best blues for bedding  
**Councillor Waters**, crimson-purple  
**Countess of Hopetoun**, pure white  
**Countess of Kintore**, purplish-blue edged white  
**Dove**, cream-white, picoteed heliotrope  
**Duchess of Fife**, yellow, edged blue, very pretty  
**Duncan**, dark bluish-mauve self, slightly rayed  
**Florizel**, pale lilac  
**Gen. Lord Roberts**, cream-white with heliotrope border ; rayless  
**Goldfinch**, yellow edged with light purple  
**Jackdaw**, soft purple, large yellow eye  
**J. B. Riding**, deep mauve. A.M.  
**John Quarton**, light mauve self
- Lady Warwick**, rosy-purple  
**Lord Elcho**, yellow  
**Maggie Mott**, mauve, very free-flowering  
**Marchioness**, cream self. A.M.  
**Mrs. Chichester**, white ground, marbled with purple, slightly rayed  
**Ophir**, creamy-white, edged deep lavender  
**Peace**, creamy-white, tinted heliotrope  
**Rolph**, grey-blue self  
**Seagull**, white  
**Sunbeam**, cream-yellow, edged lilac  
**Swan**, rayless white self  
**Sylvia**, pale primrose  
**The Mearns**, plum-purple and white  
**True Blue**, deep blue  
**White Empress**, pure white  
**Wm. Neil**, pale rose. A.M.  
**Yellow Beauty**, yellow self, rayless

**And many other varieties.**

**The ordinary Bedding Violas—blue, purple, yellow and white can be supplied at 12/6 100.**

## HARDY FERNS.

An outdoor Fernery is particularly interesting and always forms an attraction in every garden. A shady position useless for the cultivation of flowering plants is easily transformed into luxuriant verdure, which when once established requires very little attention to keep in order. Except in exposed positions October is the best time for constructing a fernery. We have enumerated in the following list only those ferns that will thrive well without protection. We shall be pleased to select collections to suit all requirements.

**50/- to 75/- per 100.**

<b>Adiantum</b> , creeping rootstocks, fronds pinnately divided, slender stalks	Each
<b>pedatum</b> , (American Maidenhair Fern)	1/6
<b>Capillus Veneris</b> (Maidenhair Fern)	1/-
<b>magnificum</b>	1/6
<b>Allosorus</b> , dense tufts of pale green fronds	
<b>crispus</b> , (Mountain Parsley Fern)	1/-
<b>Aspidium</b> , tufted evergreen ferns with pinnate fronds	
<b>Clintonianum</b>	1/6
<b>cristatum</b>	1/6
<b>munitum</b>	1/6
<b>Noveboracense</b>	1/6
<b>spinulosum Boothii</b>	1/6
<b>thelypteroides</b>	1/-

# **HARDY FERNS**—(continued).

Each

<b>Asplenium</b> (Spleenwort), short tufted rootstocks simple or compound fronds, mostly evergreen	
<b>Adiantum nigrum</b> (Black Spleenwort)	9d.
<b>angustifolium</b>	1/6
<b>ebeneum</b>	1/-
<b>crispum</b>	1/6
<b>fontanum</b>	1/6
<b>lanceolatum</b>	1/6
<b>marinum</b> (Sea Spleenwort)	9d.
<b>crispum</b>	2/6
<b>Ruta-muraria</b> (Wall Rue Spleenwort)	1/-
<b>septentrionale</b> (Forked Spleenwort)	1/6
<b>thelypteroides</b>	1/6
<b>Trichomanes</b> (Black Stemmed Spleenwort)	9d.
<b>viride</b> (Green Stemmed Spleenwort)	9d.
<b>Athyrium</b> , stout rootstock, bright green deciduous fronds, 1 to 5 feet long, some of the finest hardy ferns	
<b>Felix-fœmina</b> (Lady Fern)	6d.
<b>americanum</b>	1/6
<b>Goringianum</b>	1/6
<b>Michauxii</b>	1/6
<b>Blechnum</b> , stout creeping rootstock, spreading bright green pinnate fronds about 1 foot high, evergreen	
<b>spicant</b> (Hard Fern)	6d.
<b>Ceterach</b> , deep green fronds about 6 inches long, pinnately divided	
<b>officinatum</b> (Scale Fern)	9d.
<b>Cystopteris</b> , creeping rootstocks, graceful deciduous fronds pinnately divided, 6 inches high	
<b>alpina</b> (Alpine Bladder Fern)	1/6
<b>fragilis</b> (Brittle Bladder Fern)	6d.
<b>americana</b>	1/-
<b>montana</b> (Mountain Bladder Fern)	1/6
<b>bulbifera</b>	1/-
<b>Dennstaedtia</b> , creeping rhizomes, elegant broad finely divided fronds 1 to 1½ feet long, deciduous	
<b>punctiloba</b>	1/6
<b>Lastrea</b> , bright green deciduous fronds 1 to 2 feet long	
<b>æmula</b> (Hay-scented Buckler Fern)	6d.
<b>cristata</b>	1/6
<b>dilatata</b> (Broad Buckler Fern)	6d.
<b>Felix-Mas</b> (True Male Fern)	6d.
<b>Goldieana</b>	1/6
<b>intermedia</b>	1/6
<b>montana</b> (Mountain Buckler Fern)	6d.
<b>pseudo-Mas</b> (Hard Male Fern)	9d.
<b>cristata</b> (King of Male Ferns)	1/-
<b>Lomaria</b> , creeping rootstocks, tufted fronds about 6 inches long	
<b>alpina</b>	1/6
<b>crenulata</b>	2/6
<b>Onoclea</b> , widely creeping rootstock, deciduous fronds one foot long	
<b>sensibilis</b> (Sensitive Fern)	1/6
<b>Osmunda</b> , densely branched rootstocks, graceful fronds of leathery texture, particularly suitable for damp situation	
<b>cinnamomea</b>	1/6
<b>Claytoniana</b>	1/6



Water Plants.

## HARDY FERNS—(continued).

<b>Osmunda, gracilis</b>	Each
<b>regalis</b> (Royal Fern)	1/6
<b>cristata</b>	1/-
<b>Phegopteris</b> , light green fronds of soft texture about 6 inches long	1/6
<b>hexagonoptera</b>	1/6
<b>Polypodium</b> , creeping or tufted rootstocks, evergreen fronds about one foot long	
<b>vulgare</b> (Common Polypody or Adder's Fern)	6d.
<b>cambricum</b> (Welsh Polypody)	1/6
<b>trichomanoides</b>	1/6
<b>Polystichum</b> , tufted evergreen ferns, fronds dark green about two feet long	
<b>achrostichoides</b>	1/6
<b>aculeatum</b> (Hard Shield Fern)	6d.
<b>angulare</b> (Soft Shield Fern)	9d.
<b>Braunii</b>	1/-
<b>lonchitis</b> (Holy Fern)	1/6
<b>munitum</b> (Californian Shield Fern)	1/6
<b>Scolopendrium</b> , short stout rootstocks, tufts of bright green foliage, some varieties have exquisitely crested fronds	
<b>vulgare</b> (Hart's Tongue Fern)	6d.
<b>crispum</b>	1/-
<b>cristulatum</b>	2/6
<b>grandiceps</b>	1/6
<b>Kelwayi</b>	1/-
<b>Struthiopteris</b> , fronds broadly lance-shaped, much divided	
<b>germanica</b> (Ostrich Feather Fern)	1/6
<b>Woodsia</b> , dwarf tufted ferns with pinnate fronds	
<b>alpina</b> (Alpine Woodsia)	1/6
<b>ilvensis</b> (Oblong Woodsia)	1/6
<b>obtusa</b>	1/-
<b>Woodwardia</b> , bright green fronds nine inches long, borne on slender stalks	
<b>angustifolia</b> (Netted Chain Fern)	1/6

## WATER PLANTS.

Suitable for Lakes, Ponds, Tubs and Aquariums.

All enumerated in the following list are hardy except those marked (\*) which do best with shelter. Those marked (†) are for shallow water, whilst the remainder can be grown in water varying in depths from 1 to 3 feet (April to June is the best time for planting.)

We shall be pleased to give advice in connection with Bog and Water Garden.

12 distinct varieties	} our selection.	5/-	7/6	&	10/-
24		15/-	21/-	&	25/-

- † **Alisma natans**, an effective floating plant with pretty white flowers 6d.
- † **Plantago**, heads of white flowers very graceful height 4 ft. 6d.
- † **Aponogeton distachyon**, this is not only hardy, but wonderfully free blooming for small Aquariums, as well as streams or pools. Its fragrance is most refreshing, reminding one of Hawthorn 1/6
- \* **Azolla caroliniana**, a pretty miniature, floating fern-like growth like moss on the surface of the water turning purple with age 2/6 per doz. 3d.
- † **Brasenia peltata** (Water Shield) small coppery peltate foliage and brownish purple flowers, very pretty 1/6

<b>WATER PLANTS—(continued).</b>		Each
† <b>Butomus umbellatus</b> (The Flowering Rush), bright pink, numerous flowers, in large heads, with rush-like green leaves, height 5 feet		9d.
† <b>Calla palustris</b> (Water Arum) white flowers, bright green leaves height 9 in.		1/-
† <b>Echinodorus ranunculoides</b> , a neat plant for shallow water		6d.
<b>Hottonia palustris</b> (Water Violet) submerged fern-like plant with showy white flowers and bright green foliage		6d.
<b>Hydrocharis Morsus-ranæ</b> (Frog Bit) a floating plant with pretty white flowers (plants in May)		6d.
* <b>Limnocharis Humboldtii</b> , distinct in character from any of our native plants, rich golden yellow flowers, beautifully fringed, one of the most exquisite in cultivation		1/-
† <b>Menyanthes trifoliata</b> (Bog Bean) a free growing plant, pink and white hairy fringed flowers, resembling the flowers of the Horse-Chestnut		9d.
* <b>Myriophyllum proserpinacoides</b> (Green Feather) elegant and graceful leaves		9d.
<b>Nuphar advena</b> (the large Water Lily of America), large yellow flower, red inside, very robust		2/6
<b>luteum</b> (Common yellow Water Lily)		1/-
† <b>minor</b> , very small leaves, flowers deep yellow and numerous		1/6
<b>Kalmianum</b> , light green cordate leaves, small yellow flowers with red carpels		1/6
<b>Nymphæas</b> (see Special list) free on application.		
† <b>Orontium aquaticum</b> (Golden Club) golden yellow flowers, in early summer height 18 inches		1/6
† <b>Peltanda virginica</b> , large arrow-shaped foliage, white spadix		1/6
† <b>Pontederia cordata</b> , free flowering, about 2 ft. high, tall tufts of heart-shaped leaves with spikes of closely set blue flowers		1/6
† <b>montevidensis</b> , resembling <i>P. cordata</i> , but more vigorous in growth, longer foliage and larger deep blue flowers		3/6
<b>Potamogeton crispus</b> , green strap like leaves with undulated edges, small red flowers		6d.
<b>Ranunculus circinatus</b> (Water Crow's foot) small white flowers		6d.
<b>Lingua</b> , large showy yellow flowers about 2 to 3 feet above the water, narrow glaucous lance-shaped leaves		9d.
<b>grandiflorus</b> , stronger and flowers much larger than above		1/-
† <b>Rumex Hydrolapathum</b> (Giant Water Dock) gigantic leaves, very conspicuous		1/-
† <b>Sagittaria gracilis</b> (Arrow Head) white flowers with brown blotches		9d.
<b>japonica</b> , large single white flowers		1/-
<b>fl. pl.</b> , immense double white flowers, one of the most lovely of all the Aquatics, quite hardy, and very easily grown, increasing rapidly in almost any position		2/-
† <b>sagittifolia</b> (Common Arrow Head) flowers white with dark coloured anthers		6d.
† <b>variabilis</b> , leaves either entire or sagittate, numerous white flowers		9d.
<b>Stratiotes aloides</b> (Water Soldier) a pretty floating Aquatic with spiny Pandanus like leaves and pure white flowers		9d.
† <b>Typha angustifolia</b> (Lesser Reed Mace or Cat's Tail) a tall slender species with brown leaves and chocolate coloured heads		1/-
† <b>latifolia</b> (Great Reed Mace) well known native plant of fens and rivers, grows 6 to 8 feet high		9d.
† <b>minima</b> , a dwarf scarce species, 12 to 18 inches		1/6
* <b>Vallisneria spiralis</b> (Tape Grass) long tape-like floating leaves and white flowers		9d.
† <b>Veronica Beccabunga</b> , a rapid growing plant with spikes of bluish flowers height 1 ft.		6d.
† <b>Villarsia nymphæoides</b> , peltate leaves and myriads of yellow flowers		9d.
† <b>parnassifolia</b> , Parnassia-like leaves and small yellow flowers on branching stems about 2 ft. in height, very free flowering		1/6

## BOG PLANTS.

Only the most suitable plants for margins of lakes, bogs and damp places, are to be found in the following list, and we shall be pleased to make selections to suit any requirements.

12 varieties our selection 5/-, 7/6 and 10/6.

<b>Acorus Calamus</b> (Sweet Flag), long green foliage, yellow aromatic flowers	Each.
<b>gramineus</b> , leathery evergreen leaves, dwarf habit	6d.
<b>fol. var.</b> , green foliage with white margin	1/-
<b>japonica argentea striata</b> , leaves striped with white	1/-
<b>Arundo Donax</b> (The Great Reed), an ornamental Bamboo-like grass, growing 10 to 12 feet high	1/6
<b>fol. var.</b> , fine green foliage striped with white	1/6
<b>mauritanicus</b> , broad foliage with yellow variegation	1/-
<b>Astilbe</b> , see page 13	
<b>Bamboos</b> , see Catalogue of Hardy Trees and Shrubs.	
<b>Caltha palustris</b> ,	} see page 14.
<b>fl. pl.</b>	
<b>Cardamine pratensis fl. pl.</b> , see page 16.	
<b>Carex japonica fol. var.</b> , a vigorous growing evergreen grass	6d.
<b>Cyperus longus</b> , long graceful foliage, large heads of brown spikelets	6d.
<b>Cypripedium pubescens</b> ,	} see page 19.
<b>spectabile</b> ,	
<b>Dodecatheon</b> , see page 23.	
<b>Epilobiums</b> , see page 24.	
<b>Funkias</b> , see page 26.	
<b>Gentiana Pneumonanthe</b> , see page 27.	
<b>Andrewsii</b> ,	} see page 26.
<b>Asclepiadea</b> ,	
<b>Gunnera manicata</b> ,	} see page 27.
<b>scabra</b>	
<b>Hellonias bullata</b> , deep green foliage, rosy lilac flowers in spikes	1/-
<b>Hemerocallis</b> , see page 31.	
<b>Iris Kaempferi</b> , see page 69.	
<b>Pseudacorus</b> , see page 67.	
<b>var.</b> , see page 67.	
<b>Juncus effusus aureus striatus</b> , golden striped Rush	9d.
<b>lacustris</b> , strong growing thick quill-shaped leaves	9d.
<b>spiralis</b> , curiously twisted leaved	9d.
<b>Lythrum roseum superbum</b> , see page 37.	
<b>virgatum</b> , see page 37.	
<b>Lysimachia clethroides</b> , see page 37.	
<b>Monardas</b> , see page 38.	
<b>Myosotis palustris semperflorens</b> (Water Forget-me-not)	6d.
<b>Osmunda regalis</b> , see page 87.	
<b>Parnassia palustris</b> , see page 40.	
<b>Polygonum Sieboldii</b> , heart-shaped leaves and racemes of white flowers	9d.
<b>Primula japonica</b> , see page 45.	
<b>rosea grandiflora</b> , see page 46.	
<b>Rodgersias</b> , see page 48.	
<b>Saxifraga peltata</b> , see page 83.	
<b>Scirpus lacustris Tabernæmontani zebrinus</b> , very elegant, leaves alternately barred with white and green	1/-

# BOG PLANTS—(continued).

Each.

**Senecios**, see page 51.

**Solidago**, see page 52.

**Spigelia marilandica**, see page 52.

**Spiræas**, see page 52.

**Symplocarpus foetidus**, curious brown Arum-like flowers

1/6

**Trollius**, see page 56.

## HARDY ORNAMENTAL GRASSES.

These Perennial Grasses can be utilized with excellent effect as specimens on lawns, or for sub-tropical planting and are particularly graceful when established in the neighbourhood of Water Gardens. We shall be pleased to select, from the following list, collections to suit all requirements.

- Apera arundinacea**, (Pheasant's Tail Grass) elegant gracefully arching panicles borne on stems 6 ft. high 1/6  
12 to 18 inches high
- Arrhenatherum bulbosum fl. var.**, a neat variegated grass for permanent edgings 1ft. high 1/-
- Arundo conspicua**, (Silvery Reed Grass) drooping racemes of silky white flowers borne on stems 6 ft. high 1/6&2/6
- Donax**, (Great Reed) stems 10 to 12 ft. high clothed with glaucous green lance-shaped leaves 1/6&2/6
- variegata**, a white variegated form of dwarf habit rarely exceeding 3 ft. 2/6&2/6
- macrophylla glauca**, foliage larger and more glaucous than *A. Donax* 2/6
- mauritanica fol. variegata**, resembles *A. Donax* except in foliage which is long and narrow 1/-
- Carex gallica, fol. var.**, dwarf yellow variegated foliage 1/-
- japonica fol. var.**, a vigorous growing variegated Sedge, suitable for edging or pot culture 6d.
- Morrowii**, a species with fine variegated foliage about 18 inches high 9d.
- pendula**, graceful plumes borne on stems 5 ft. high a fine evergreen foliage plant 6d.
- riparia fol. var.**, graceful variegated foliage about 3 feet high 6d.
- Cyperus longus**, (Galingale) a species with long graceful foliage, height 3 feet 6d.
- Dactylis glomerata elegantissima**, silvery striped leaves, particularly suitable for edging. 5/- per doz. 6d.
- aurea**, light green foliage with yellow margin, good for edging. 5/- per dozen 6d.
- Dulichium spathaceum**, strong growing and Reed-like 6d.
- Elymus glaucifolius**, beautiful blue-grey foliage about 4 ft. high 1/-
- Erianthus Ravennæ**, tufts of gracefully arching leaves with purplish plumes borne on stems 4 ft. high 1/6
- Eriophorum angustifolium**, (Cotton Grass) white silky tufts on thin stems 9 inches high, long narrow foliage 6d.
- Eulalia japonica**, elegant arching leaves on canes 6 ft. high, purplish plumes in summer 1/6
- variegata**, striped with white and green 1/6&2/6
- zebrina**, transversely banded with yellow, very distinct 1/6
- Festuca glauca**, glaucous-blue leaves in dense dwarf tufts 6d.
- Glyceria spectabilis, fol. var.**, handsome foliage with silver and gold stripes height 1 ft. 1/6
- Gymnothrix latifolia**, gracefully drooping lance-shaped leaves on stout canes 5 to 6 ft. high 1/6
- Gynerium argenteum**, (Pampas Grass) glaucous green arching leaves, forming dense tufts. The feathery plumes are very conspicuous lasting several months 1/6&2/6
- carneum**, a fine variety with rose-coloured plumes 2/6

## HARDY ORNAMENTAL GRASSES—(continued).

	Each.
<b>Holcus lanatus albo variegatus</b> , tufts of soft downy leaves with silvery white variegation 12 inches high	6d.
<b>Miscanthus saccharifera</b> , green foliage 3 to 4 feet high	6d.
<b>Molinia cœrulea variegata</b> , dwarf variegated foliage useful for edging	6d.
<b>Phalaris elegantissima</b> , tufts of bright variegated foliage 1½ feet high	1/-
<b>Stipa pennata</b> (Feather Grass), very light and graceful for decorative purposes, about 2 ft. high	9d.
<b>gigantea</b> , a taller growing form	1/- & 1/6

## PLANTS SUITABLE FOR BEDDING.

Of dwarf habit and in many cases bright variegated foliage, the plants enumerated below are suitable for edging of herbaceous borders or as ground work of carpet bedding.


	Price per 100.
<b>Acænas</b> , in variety, blue grey foliage	35/-
<b>Achillea tomentosa</b> , masses of yellow flowers	35/-
<b>Ajuga reptans atropurpurea</b> , bronzy red foliage	20/-
<b>variegata</b> , variegated foliage	20/-
<b>Alyssum saxatile citrinum</b> , lemon yellow flowers	30/-
<b>compactum</b> , masses of golden yellow flowers	20/-
<b>variegatum</b> , leaves margined with yellow	40/-
<b>Antennaria tomentosa</b> , grey foliage	20/-
<b>Arabis albida</b> , white flowers	20/-
<b>fl. pl.</b> , double white flowers	20/-
<b>variegata</b> , variegated foliage	20/-
<b>Arenaria balearica</b> , dense tufts of foliage	30/-
<b>caespitosa</b> , small white flowers	30/-
<b>Cerastium arvense compactum</b> , white flowers	20/-
<b>Bierbersteinii</b> , grey foliage	20/-
<b>tomentosum</b> , grey foliage, white flowers	20/-
<b>Dactylis glomerata aurea</b> , yellow variegated grass	20/-
<b>elegantissima</b> , white variegated grass	20/-
<b>Dianthus deltoides</b> , pink spotted flowers	25/-
<b>albus</b> , white flowers	25/-
<b>Gypsophila repens</b> , flowers white or rose	30/-
<b>Herniaria glabra</b> , very bright green foliage	30/-
<b>Lysimachia nummularia</b> , bright yellow flowers	20/-
<b>aurea</b> , yellow leaved variety	35/-
<b>Saxifragas</b> (Mossy), white, rose or crimson	30/-
<b>Sedum acre</b> , bright yellow flowers	20/-
<b>aureum</b> , yellow foliage variety	30/-
<b>album</b> , white flowers	20/-
<b>glaucum</b> , greyish foliage	25/-
<b>lydium</b> , pink flowers	25/-
<b>Thymus citriodorus argenteus</b> , silver variegated leaves	20/-
<b>aureus</b> , golden variegated leaves	20/-
<b>lanuginosus</b> , soft grey foliage	25/-
<b>Serpyllum</b> , in variety, white, red, purple	30/-
<b>Veronica incana</b> , deep blue flowers	30/-
<b>repens</b> , pale blue flowers	30/-
<b>Teucrium dubia</b> , brilliant blue flowers	35/-

## LABELS FOR HERBACEOUS PLANTS.

We shall be pleased to supply Stratford Metal Labels as per illustrations.


2½d. each.

Herbaceous Label No. 1.



Full Size.

Herbaceous Label No. 2.



12 inch wire standard.

When sending List of Plants for Labels **please state whether No. 1 or No. 2 Label is required.**

The Labels take some time to manufacture, but they will be put in hand immediately on receipt of order.

# INDEX OF CONTENTS.

	Page
List of Nurseries	2 of cover
Map of Nurseries	1
Introduction	3
Herbaceous and Alpine Plants—Alphabetical List	4 to 59
Collections	59
Hardy Florists' Flowers	60 to 84
Asters	60
Auriculas	62
Carnations and Picotees	62
Delphiniums	63
Gaillardias	66
Iris	67 to 72
Pæonies	73
Pentstemons	76
Phlox	77
Polyanthus	80
Potentillas	80
Pyrethrums	80
Saxifragas	82
Violas (Tufted Pansies)	83
Ferns	84
Water Plants	87
Bog Plants	89
Ornamental Grasses	90
Bedding, Plants suitable for,	91
Labels for Herbaceous Plants	92
List of Catalogues	Back of cover

In addition to this Catalogue we publish the following Lists and Catalogues, which we shall be happy to forward post free on application :—

HARDY ORNAMENTAL TREES AND SHRUBS, CONIFERS, etc.

INDOOR PLANTS, ORCHIDS, PALMS, FERNS, BAYS, etc.

FRUIT TREES, GRAPE VINES, FIGS, etc.

FORCING PLANTS, etc.

CANNAS, DAHLIAS, BEDDING PLANTS.

HARDY WATER LILIES.

ROSES.

CARNATIONS.

CHRYSANTHEMUMS.

STRAWBERRIES.

**JAMES VEITCH & SONS, Ltd.,**

**ROYAL EXOTIC NURSERY,**

**CHELSEA, LONDON.**